

ชื่อเรื่องการค้นคว้าแบบอิสระ การให้ยาของชาวประมง ตำบลแสมสาร อำเภอสัตหีบ  
จังหวัดชลบุรี

ชื่อผู้เขียน นางสาวแจ่มจิตต์ นิคามณีพงษ์

สาทรณสุขศาสตร์มหาบัณฑิต สาขาวิชาสาทรณสุขศาสตร์

คณะกรรมการสอบการค้นคว้าแบบอิสระ

ผู้ช่วยศาสตราจารย์ ปรีชา	ตันติพัฒนานันต์	ประธานกรรมการ
อาจารย์ ดร. สยาม	แก้ววิจิต	กรรมการ
ผู้ช่วยศาสตราจารย์ บุญมาส	สินธุประมา	กรรมการ

#### บทคัดย่อ

การศึกษาค้นคว้าครั้งนี้มีวัตถุประสงค์เพื่อศึกษาวัตถุประสงค์ในการให้ยา รูปแบบและแหล่งที่มาของยา การรับรู้ข้อมูลข่าวสารทางด้านสาทรณสุขและแหล่งข่าวที่ได้รับ และการใช้บริการจากแหล่งบริการสาทรณสุขของชาวประมง โดยการสัมภาษณ์ชาวประมงที่อาศัยอยู่ในตำบลแสมสาร อำเภอสัตหีบ จังหวัดชลบุรี ทุกหลังคาเรือนอายุละ 1 คน จำนวน 110 คน เก็บรวบรวมข้อมูลโดยใช้แบบสัมภาษณ์ วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา

ผลการศึกษาพบว่า กลุ่มตัวอย่างเป็นเพศชายทั้งหมด และมีอายุเฉลี่ย 34.3 ปี ส่วนใหญ่มีอายุอยู่ในช่วง 30-39 ปี มีสถานภาพสมรสเป็นส่วนใหญ่ ระดับการศึกษาส่วนใหญ่จบชั้น ป.1-ป.7 ส่วนใหญ่มีรายได้ต่ำกว่า 6,000 บาทต่อเดือน คิดเป็นรายได้เฉลี่ยเท่ากับ 4,677 บาทต่อเดือน ทุกคนระบุว่ามีการให้ยาเพื่อการรักษาโรคในรอบปีที่ผ่านมา ชนิดของยาที่ใช้มากเรียงตามลำดับ ขณะอยู่บนบก ได้แก่ ยาแก้ปวดลดไข้ ยาปฏิชีวนะ ยาแก้ไอ ยาแก้โรคกระเพาะ และยาชุดแก้ยอก ขณะอยู่บนเรือ ได้แก่ ยาแก้โรคกระเพาะ ยาแก้หวัด ยาแก้ปวดลดไข้ และยาชุดแก้ยอก กลุ่มตัวอย่างส่วนใหญ่จะได้รับยาเหล่านี้จากร้านขายยา ยกเว้นยาปฏิชีวนะ ซึ่งส่วนใหญ่ได้รับจากคลินิก กลุ่มตัวอย่างส่วนใหญ่ตัดสินใจให้ยาด้วยตนเอง ได้รับการแนะนำวิธีการให้ยาจากคนขายยา และมีการใช้เครื่องดื่มชูกำลังด้วย

การรับรู้ข้อมูลข่าวสารของชาวประมง พบว่า ทุกคนเคยรับรู้ข่าวเรื่องโรคเอดส์ และยาบ้า แหล่งข่าวที่ได้รับส่วนใหญ่ได้รับจากโทรทัศน์ การใช้บริการเมื่อเจ็บป่วยจากแหล่งบริการสาธารณสุข พบว่าส่วนใหญ่ไปใช้บริการจากร้านขายยาเป็นอันดับแรก เพราะระยะทางใกล้ อันดับสอง คือ คลินิก เพราะระยะทางใกล้และบริการดี และอันดับสาม ไปโรงพยาบาลเมื่อมีอาการป่วยรุนแรงเท่านั้น

ผลการศึกษาทำให้ทราบรูปแบบการใช้ยาของชาวประมง ซึ่งจะมีประโยชน์สำหรับการวางแผน และเป็นแนวทางในการคุ้มครองผู้บริโภคด้านยาแก่ชาวประมงต่อไป

**Independent Study Title** The Medicine Usages of Fishermen at Samaesam  
Subdistrict Sattahip District Chon Buri Province

**Author** Miss. Jamjit Nisamaneepong

**Master of Public Health** Public Health

**Examining Committee :**

Assist. Prof. Pariya	Tantipathananandh	Chairman
Lecturer Dr. Sayam	Kaewvichit	Member
Assist. Prof. Budsayamas	Sindhuprama	Member

### **Abstract**

The purpose of this study was to explore the objectives of medicine usages, the pattern and the sources of medicine used, the perception and the sources of public health information, and the approach of health services at any of sources of public health services. One fisherman from each house at Samaesam subdistrict, Sattahip district, Chon Buri province was selected as a sample. A total of one hundred and ten fishermen were interviewed. Data were collected using a questionnaire and analyzed using descriptive statistics.

The results revealed that all the samples were male with an average age of 34.3 years old. The age of the samples was between 30-39 years old. Most of them were married. The education level of most samples was primary school. Most of them had an income of less than 6,000 baht per month. For the last year, everyone indicated that the objective of using medicine was for disease therapy. On the land, most of the medicines used were, analgesics and antipyretics, antibiotics, anticough, antipeptic-ulcer and "ya-chud-kae-yok" (analgesic and muscle relaxant). On the boat, antipeptic-ulcer, common

cold drugs, analgesics and antipyretics and “ya-chud-kae-yok” were the most used kinds of medicine. Most of the medicines were received from drug stores except for antibiotics which they got from the clinic. Most of them made their own decision for the choice of medicine, had received advice on drug administration from the medicine seller and drank caffeinated-beverages.

With regard to public health information, all of them knew about AIDs and amphetamine-type drugs, television being the main source of public health information. The drug store was the first choice for buying medicine when ill because it was close. The second choice was the clinic for reasons of proximity and good services. As for hospitals, they chose to go for severe cases only.

The results of this study concerning the pattern of medicine usages may be used as a guideline for planning of drug-consumer protection of fisherman.