

บรรณานุกรม

- ชูศักดิ์ เวชแพทย์. ระบบไหลเวียนเลือด: สรีระวิทยาของการออกกำลังกาย. พิมพ์ครั้งที่ 1; กรุงเทพฯ หน้า 22, 2519
- นันทยา ชนระรัตน์. ชีวเคมีของไขมัน. คู่มือเคมีคลินิก: สารไขมันในเลือด, พิมพ์ครั้งที่ 1; กรุงเทพฯ หน้า 1, 2532
- ACSM's Guidelines for Exercise Testing and Prescription 6th ed. Lippincott Williams & Wilkins, Philadelphia, 2000.
- ACSM News Release: "Experts Release New Recommendation to Fight America's Epidemic of Physical Inactivity." Indianapolis, IN: July 29, 1993.
- Alessio H.M. Exercise-induced oxidative stress *Med. Sci. Sports Exerc.*, 25(2), 218-224, 1999
- Alessio H.M. and Glodforb A.H. Lipid peroxidation and scavenger enzymes during exercise: adaptive response to training. *J. Apply Physiol.* 64; 1333-1336, 1988.
- Aruoma O.I. Free radicals and antioxidant strategies in sports (review). *J Nutr. Biochem.*, 5; 370-381, 1994.
- Atalay M, Seene T, Hanninen O and Sen CK. Skeletal muscle and heart antioxidant defences in response to sprint training. *Acta Physiol Scand*; 158: 129-134, 1996.
- Barja G., Mitochondrial oxygen radical generation and leak: sites of production in states 4 and 3, organ specificity and relation to aging and longevity. *J. Bioenerg. Biomembr*; 31 (4) 347-366, 1999.
- Bejma J. and Ji L.L. Aging and acute exercise enhance free radical generation in rat skeletal muscle. *J. Appl. Physiol.* 87: 465-470, 1999.
- Beratan D.N., Onuchic J.N., Winkler J.R., Gray H.B. Electron-tunneling pathways in proteins, *Science*; 258(5089):1740-1741, 1992
- Beutler E., Duron O., Kelley B.M. Improved method of determination of blood glutathione. *J Lab. Clin. Med.*; 61: 882-888, 1963.
- Bohinski R.C. Modern Concepts in Biochemistry. 3rd ed, John Carroll University, 1979.
- Bottje W, Wideman R.F. Antioxidants, hypoxia, and lipid peroxidation involvement in pulmonary hypertension syndrome (Ascetics). In, <http://www.alimet.com/nups/0895> , 1998

- Boveris A, Cadenas E, Stoppani A.O.M. Role of ubiquinone in the mitochondrial generation of hydrogen peroxide. *Biochem.J.*; 156: 435-444, 1976.
- Boveris A, Chance B. The mitochondrial generation of hydrogen peroxide. *Biochem J*; 134: 707-716, 1973.
- Brites F.D., Evelson P.A., Christiansen M.G., Nicol NF., Basilio MJ., Wikinski RW. And Llesuy SF. Soccer players under regular training show oxidative stress but an improved plasma antioxidant status. *Clin Sci*; 96: 381-385, 1999.
- Buss I.H., Darlow B.A. and Winterbourn C.C., Elevated protein carbonyls, lipid peroxidation products and myeloperoxidase in tracheal aspirates from premature infants;; *Pediatr Res* ; 47(5);640-645, 2000.
- Cazzola R., Russo-Volpe S., Cervato G. and Cestaro B. Biochemical assessment of oxidative stress, erythrocyte membrane fluidity and antioxidant status in professional soccer players and sedentary controls. *Eu J Clin Invest*; 33: 924-930, 2003.
- Chance B, Sies H, Boveris A: Hydroperoxide metabolism in mammalian organs. *Physiol Rev*; 59: 527-605, 1979.
- Cheeseman K.H, Slater T.F. An introduction to free radical biochemistry, *Br Med Bull*; 49(3):481-493, 1993.
- Chirico S. HPLC Determination of Malondialdehyde (MDA) in plasma samples. *Methods Enzymol*; 233: 314-318, 1994.
- Copper C.E., Vollaard N.B., Choueiri T, Wilson M.T. Exercise, free radicals and oxidative stress. *Biochem. Soc. Trans.*; 30: 280-285, 2002.
- Davies K.J.A. Free Radicals and Oxidative Stress: Environment, *Drugs and Food Addition*. London: Portland Press, 1995.
- Davies K.J.A. Protein damage and degradation by oxygen radical I. General aspects. *J Biol Chem*; 262: 9895-9901, 1987.
- Davies K.J.A, Delsignore ME, lin SW. Protein damage and degradation by oxygen radical II. Modification of amino acids. *J Biol Chem*; 262: 9902-9907, 1987.
- Davlin T.M. Textbook of Biochemistry with Clinical Correlation, New York: Wiley-Less, 1997
- Dillard C.J, Litov R.E, Savin W.M, et al. Effects of exercise, vitamin E and ozone on pulmonary function and lipid peroxidatin. *J. Appl. Physio*; 45: 927-932, 1978.

- Dufaux B, Heine O, Kothe A, Prinz U and Rost R. Blood glutathione status following distance running. *Int J Sport Med*; 18: 89-93, 1997.
- Esma S.G., Adam E., Zehra S. and Hakan G., Influence of acute exercise on oxidative stress in chronic smokers. *J Sport Sci Med*; 2: 98-105, 2003.
- Gay C.A. and Gebicki J.M. Measurement of protein and lipid hydroperoxides in biological systems by the ferric-xylenol orange method, *Anal Biochem*; 315(1):29-35, 2003.
- Gebicki J.M. Protein hydroperoxides as new reactive oxygen species, *Redox Report*; 3(2): 99-110, 1997.
- Girotti A.W. Lipid hydroperoxide generation, turnover and effector action in biological systems. *J Lipid Res*; 39:1529-1542, 1998.
- Giuliani A, Cestaro B. Exercise, free radical generation and vitamin. *Eur Cand Pre*; 6: 355-367, 1997.
- Giulivi, C., Poderoso, J.J, and Boveris, A. Nitricoxide production by mitochondria. *J. Biol. Chem.* 273, 11038-11043, 1998.
- Halliwell B. The biological significance of oxygen-derived species. In: Valentine J H, Foote C S, Greenberg A, Liebman J F, eds. *Active Oxygens in Biochemistry*. London: Blackie Academic and Professional, 313-335, 1995.
- Halliwell B, Gutteridge J.M.C. *Free radicals in biology and medicine*. 2nd ed. Oxford: Clarendon Press, 1989.
- Halliwell B, Gutteridge J.M.C. Mechanism of damage to cellular target by oxidative stress: lipid peroxidation. New York: Oxford university press; 295, 1989
- Hawkins C.L, Davies M.J. Generation and propagation of radical reactions on proteins. *Biochem Biophys Acta.*; 2; 1504(2-3): 196-219, 2001.
- Hellsten Y. Apple F.S and Sjodin B. Effect of sprint cycle training on activities of antioxidant enzymes in human skeletal muscle. *J Appl Physiol*; 81: 1484-1487, 1996
- Ji L.L. Antioxidant enzyme response to exercise and aging. *Med Sci Sport Exer*; 25: 225-231, 1993.
- Jones D.P. Bioavailability of glutathione, In Cadenas E. and Packer L.(eds). *Handbook of antioxidants*, 2nd ed. Marcel Dekkerm Inc. New York; 549-564, 2002.

- Kelle M., Diken H., Sermet A., Atmaca M., Turner C. Effect of exercise on blood antioxidant status and erythrocyte lipid peroxidation: Role of dietary supplementation of vitamin E. *Tr. J. of Medical Sciences*; 29: 95-100,1999.
- Kemal U¹ Mit S Entu RK, Filiz Gu Ndu Z, Oktay Kuru, Mehmet R. Aktekin, Dijle Kipmen, O Zlem Yalc In, Melek Bir-Ku C, U Katay, Akin Yes, Ilkaya, and Og Uz K. Bas, Kurt. "Exercise-induced oxidative stress affects erythrocytes in sedentary rats but not exercise-trained rats" *Journal of Applied Physiology*. 91: 1999–2004, 2001.
- Kretzschmar M. and Muller D. Aging, training and exercise. A review of effect on plasma glutathione and lipid peroxides. *Sport Med*; 15: 196-209, 1993.
- Lawler J.M., Powers S.K. Oxidative stress, antioxidant status, and the contracting diaphragm. *Can J Appl Physiol*. 23(1); 23-55, 1998.
- Lee I.M. and Paffenbarger R.S. Associations of light, moderate, and vigorous intensity physical activity with longevity. The Harvard Alumni Health Study, *Am J Epidemiol*. 1;151(3):293-9, 2000.
- Lee I.M, Paffenbarger R.S. and Hennekens. Physical activity, physical fitness and longevity. *Aging (Milano)*, 9(1-2):2-11, 1997.
- Leeuwenburgh C. Glutathione depletion in rested and exercised mice: biochemical consequence and adaptation. *Arch Biochem Biophys*; 316: 941-949, 1995.
- Leeuwenburgh C., Hansen P.A., Holloszy J.O., Heinecke J.W. Hydroxyl radical generation during exercise increases mitochondrial protein oxidation and levels of urinary dityrosine. *Free Radic Biol Med.*; Jul;27(1-2):186-92, 1999.
- Leeuwenburgh C., Hollander J and Leichtweis S. Adaptations of glutathione antioxidant system to endurance training are tissue and muscle fiber specific. *Am J Physiol*; 272: 363-369, 1997.
- Leeuwenburgh C. and Ji L. L. Glutathione and Exercise. <http://www.sportsci.org/encyc/drafts/Glutathione.doc>, 2002. [Online Data]
- Marine E, Kretzschmar M and Arokoski J. Enzymes of glutathione synthesis in dog skeletal muscles and their response to train. *Acta Physiol Scand*; 147: 367-373, 1993.
- Mark D.B., Mark A.D., Smith C.M. Oxygen metabolism and oxygen toxicity, *Basic medical biochemistry: A clinical approach*. Maryland: Williams and Wilkins; 327-339, 1996.

- Mastaloudis A., Leonard S.W., Traber M.G. Oxidative stress in athletes during extreme endurance exercise, *Free Radic Biol Med*; 1;31(7):911-922, 2001.
- McCarter R.J.M. In studies in Handbook of Oxidants and Antioxidants in Exercise. Eds., Sen C., Packer L., Hanninen O., Amsterdam; 797-830, 2000.
- Meister A. and Anderson ME. Glutathione. *Ann Rev Biochem*; 52:711-760, 1983.
- Meister A. and Tate SS. Glutathione and related γ -glutamyl compounds: biosynthesis and utilization. *Ann Rev Biochem*; 559-603, 1976.
- Metin G., Gumustas M. K., Uslu E., Belce A. and Kayserilioglu A. Effect of Regular Training on Plasma Thiols, Malondialdehyde and Carnitine Concentrations in Young Soccer Players. *Chinese Journal of Physiology*, 46(1): 35-39, 2003.
- Mimic-Oka J, Simic T, Ille K, Savic-Radojevic A, Reljic Z. Isoenzyme profile of glutathione S-transferases in human kidney. *Urol Res.*; 29(1):38-44, 2001.
- Morell S.A., Ayers V.E., Greenwat T.J., Hoffman P. Thiols of the erythrocyte: I. Reaction of N-ethylmaleinide with intact erythrocytes. *J Biol.Chem.*: 239: 2696-2705, 1964.
- Ogus I.H., Balk M., Akoy Y., Muftuoglu M., Ozer N., The effects of oxidative stress on the redox system of the human erythrocyte. In Ozben(ed). *Free radicals, oxidative stress and antioxidants*. Plenum Press. New York; 25-37, 1998.
- Ohkuwa T., Sato Y and Naoi M. Glutathione status and reactive oxygen generation in tissues of the young and old exercised rats. *Acta Physiol Scand*; 159:237-244, 1997.
- Ortenblad N, Madsen K and Djurhuus MS. Antioxidant status and lipid peroxidation after short-term maximal exercise in trained and untrained humans. *Am J physiol*; 272: 258-263, 1997.
- Powers S. K., Ji L.L. and Leeuwenburgh. Exercise training-induced antioxidant capacity: a brief review. *Med Sci. Sports Exer.* 31: 987-998, 1999.
- Rahman S, Allen B.S, Ilbawi M.N, Kronon M, Bolling K.S, Halldorsson A.O, Feinberg H. Detrimental effects of cardiopulmonary bypass in cyanotic infants: preventing the reoxygenation injury. *Ann Thorac Surg*; 64(5):1381-7, 1997.
- Rice M.E and Russo M.I. Differential compartmentation of brain ascorbate and glutathione between neurons and glia. *Neurosci*; 82: 1213-1222, 1998.

- Robertson J.D., Maughan R.J., Duthie G.G. and Morrice P. Increased Blood Antioxidant System of Runners in Response to Training Load. *Clin. Sci.*, 80: 611-617, 1991.
- Sahin H, Sekeroglu M.R, Dulger H, Algun E. The effect of dietary treatment on erythrocyte lipid peroxidation, superoxide dismutase, glutathione peroxidase, and serum lipid peroxidation in patients with type 2 diabetes mellitus. *Clin Biochem.* Nov;33(8):669-74, 2000.
- Shacter E. Quantification and significance of protein oxidation in biological samples. *Drug Metab Rev.*; 32(3-4):307-26, 2000.
- Sies H, ed. Oxidative stress: Oxidants and Antioxidants. London, Academic Press, 1991.
- Simplicio P. D., Rossi R., Falcinelli S., Ceserani R., Formento M.L. Antioxidant status in various tissues of the mouse after fasting and swimming stress. *Eur J Appl Physiol.* 76: 302-307, 1997.
- Sjoden G, Rosenqvist M, Kriegholm E, Nordenstrom J, Bjorkhem I. Verapamil increases serum alkaline phosphatase in hypertensive patients, *J Intern Med*; 228(4):339-42, 1990
- Tidus P.M, Pushkarenko J., Houston E. Lack of antioxidant adaptation to short-term aerobic training in human muscle. *Am J Physiol*; 271: 832-836, 1996.
- Viguie C.A, Frei B, Shigenaga M.K. Antioxidant status and indices of oxidative stress during consecutive days of exercise. *J Appl Physiol*; 75: 566-572, 1993.
- Winterbourn C.C., Chan T.P., Buss I.H., Inder T.E., Mowbride N. and Darlow B.A.; Protein carbonyls and lipid peroxidation products as oxidation markers in preterm infant plasma: Associations with chronic lung disease and retinopathy and effect of selenium supplementation; *Pediatr Res*;48(1):84-90, 2000.
- Wolff S., Dean R.T. Fragmentation of protein by free radicals and its effect on their susceptibility to enzymic hydrolysis. *Biochem J*; 234: 399-403, 1986.
- Xiuying T., Yuying T., Xinghua S., Mingxu X., Xuezhong T., Aaron S., Babak R., Qinghong H. , Xiaoen W., Zili A., Fan-xian S., and Hoffman RM. Efficacy of Recombinant Methioninase in Combination with Cisplatin on Human Colon Tumors in Nude Mice. *Clin Cancer Res*; 5: 2157-2163, 1999.
- Yagi K. Lipid Peroxide and Exercise. *Med Sci Sport Sci*, 21: 37-40, 1992.
- Yu B.P. Cellular defense against damage from reactive oxygen species, *Physiol. Rev.*, 24, 139-162, 1994.

Zimmerman J.J. Oxymradical Pathophysiology. Adv Ped; 42: 243-302, 1995.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved