

ชื่อเรื่องการค้นคว้าแบบอิสระ อ้อม โนทัศน์ของผู้ติดตามแอมเฟตามีนที่มารับบริการแบบ
แมทริกซ์โปรแกรม โรงพยาบาลรื่องขวาง จังหวัดแพร่

ผู้เขียน นางสาวนิตยา บุญดี

ปริญญา พยาบาลศาสตรมหาบัณฑิต (สุขภาพจิตและการพยาบาลจิตเวช)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

ผู้ช่วยศาสตราจารย์ ดร. ภัทรภรณ์ ทุงปิ่นคำ ประธานกรรมการ
อาจารย์ สมบัติ สกกุลพรรณ กรรมการ

บทคัดย่อ

อ้อม โนทัศน์เป็นปัจจัยสำคัญปัจจัยหนึ่งที่มีผลต่อพฤติกรรมของบุคคล ผู้ที่ติดตามเสพติด
หากมีอ้อม โนทัศน์ที่ดีจะส่งเสริมให้มีพฤติกรรมสุขภาพไปในทางที่ดีได้ การศึกษาเชิงพรรณนา
ครั้งนี้มีวัตถุประสงค์เพื่อศึกษาอ้อม โนทัศน์ของผู้ติดตามแอมเฟตามีนที่มารับบริการแบบแมทริกซ์
โปรแกรม โรงพยาบาลรื่องขวาง จังหวัดแพร่ กลุ่มตัวอย่างที่ศึกษาเป็นผู้ติดตามแอมเฟตามีนที่มารับ
บริการแบบแมทริกซ์โปรแกรม โรงพยาบาลรื่องขวาง อำเภอรื่องขวาง จังหวัดแพร่ ระหว่างเดือน
มกราคม ถึง เดือนกุมภาพันธ์ 2547 จำนวน 121 คน เครื่องมือที่ใช้ในการศึกษาค้นคว้าครั้งนี้ คือ
แบบสอบถาม ประกอบด้วย ข้อมูลส่วนบุคคล และแบบวัดอ้อม โนทัศน์เทนเนสซี ซึ่งดัดแปลงโดย
กาญจนา ภูษาทร (2541) เครื่องมือได้ผ่านการทดสอบค่าความเชื่อมั่น ได้ค่าเท่ากับ 0.93 วิเคราะห์
ข้อมูลโดยสถิติเชิงพรรณนา

ผลการศึกษาพบว่า อ้อม โนทัศน์ของผู้ติดตามแอมเฟตามีนที่มารับบริการแบบแมทริกซ์
โปรแกรม โดยรวมอยู่ในระดับสูง เมื่อพิจารณารายด้าน พบว่า อยู่ในระดับสูงเช่นเดียวกัน ได้แก่
ด้านครอบครัว ($\bar{X} = 4.19, SD = 1.12$) ด้านส่วนตัว ($\bar{X} = 4.12, SD = 1.09$) ด้านพฤติกรรม
($\bar{X} = 4.08, SD = 1.09$) ด้านเอกลักษณ์ ($\bar{X} = 4.03, SD = 1.07$) ด้านการวิพากษ์วิจารณ์ตนเอง
($\bar{X} = 4.02, SD = 1.07$) ด้านสังคม ($\bar{X} = 3.99, SD = 1.08$) ด้านร่างกาย ($\bar{X} = 3.84, SD = 1.17$)
ด้านความพึงพอใจในตนเอง ($\bar{X} = 3.75, SD = 1.19$) และด้านศีลธรรมจรรยา ($\bar{X} = 3.72, SD =$
1.16)

ผลการศึกษาครั้งนี้สามารถนำมาเป็นข้อมูลพื้นฐาน ในการวางแผนส่งเสริมอัครมนโทัศน์
ในผู้ติคสารแอมเฟตامينให้ดีขึ้น โดยเฉพาะอย่างยิ่ง ด้านศีลธรรมจรรยา ที่มีค่าเฉลี่ยต่ำกว่า
ด้านอื่น เพื่อส่งเสริมให้ผู้ติคสารแอมเฟตامينมีอัครมนโทัศน์ที่ดี ส่งผลต่อการมีพฤติกรรมทาง
สุขภาพที่ดีต่อไป



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Independent Study Title Self-concept of Persons with Amphetamine Dependence Receiving the Matrix Program at Rongkwang Hospital Phrae Province

Author Miss Nittaya Bunlue

Degree Master of Nursing Science (Mental Health and Psychiatric Nursing)

Independent Study Advisory Committee

| | | |
|-----------------------------------|------------|-------------|
| Assistant Professor Dr. Patraporn | Tungpunkom | Chairperson |
| Lecturer Sombat | Skulphan | Member |

ABSTRACT

Self-concept is an important factor that could impact to individual's behavior. If substance dependences have a positive self-concept, it could be enhanced their health behaviors. The purpose of this descriptive study was to describe the self concept among 121 amphetamine dependence whom received the Matrix program at Rongkwang Hospital, Amphur Rongkwang, Phrae Province during January to February, 2004. A purposive sampling was adopted to recruit population sample. The instrument was a questionnaires which consisted of two main parts: the demographic data and the Tennessee Self-concept Scale modified by Khanchana Puyathon (1998). The reliability obtained by Cronbrach's alpha coefficient was 0.93. Data were analyzed by using descriptive statistics.

The results revealed that the overall self-concept of amphetamine dependences were at a high level. Considering each aspect, it was found that all aspects were also at a high level. These included family self ($\bar{X} = 4.19$, $SD = 1.12$), personal self ($\bar{X} = 4.12$, $SD = 1.09$), behavior ($\bar{X} = 4.08$, $SD = 1.09$), identity self ($\bar{X} = 4.03$, $SD = 1.07$), self criticism ($\bar{X} = 4.02$, $SD = 1.07$), social self ($\bar{X} = 3.99$, $SD = 1.08$), physical self ($\bar{X} = 3.84$, $SD = 1.17$), self-satisfaction ($\bar{X} = 3.75$, $SD = 1.19$), and moral-ethical self ($\bar{X} = 3.72$, $SD = 1.16$)

The results of this study could be a preliminary data to plan for self-concept enhancement, especially in the area of moral-ethical self which had a lowest average scores. This could lead to better health behaviors among this specific group.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved