ชื่อเรื่องการค้นคว้าแบบอิสระ

การรับรู้และการปฏิบัติการให้ความรู้ด้านสร้างเสริมสุขภาพ ของพยาบาลวิชาชีพ กลุ่มงานผู้ป่วยนอก โรงพยาบาลพิจิตร

ผู้เขียน

พรพรรณ สุทธิพงษ์วิจิตร

ปริญญา

พยาบาลศาสตรมหาบัณฑิต (การบริหารการพยาบาล)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

รองศาสตราจารย์ ดร. เรมวล นันท์ศุภวัฒน์ ประชานกรรมการ ผู้ช่วยศาสตราจารย์ ดร. ผ่องศรี เกียรติเลิศนภา กรรมการ

บทคัดย่อ

การให้ความรู้ด้านสร้างเสริมสุขภาพเป็นบทบาทสำคัญของพยาบาลที่จะสนับสนุนให้ประชาชน ได้เพิ่มสมรรถนะในการดูแลสุขภาพของตนดีขึ้น การศึกษาครั้งนี้มีวัตถุประสงค์เพื่อศึกษาระดับการรับรู้ และระดับการปฏิบัติการให้ความรู้ด้านสร้างเสริมสุขภาพของพยาบาลวิชาชีพกลุ่มงานผู้ป่วยนอก โรงพยาบาลพิจิตร และศึกษาปัญหาและอุปสรรคในการปฏิบัติการให้ความรู้ด้านสร้างเสริมสุขภาพของ พยาบาลวิชาชีพกลุ่มงานผู้ป่วยนอก โรงพยาบาลพิจิตร ประชากรที่ศึกษาเป็นพยาบาลวิชาชีพที่ปฏิบัติงาน ในกลุ่มงานผู้ป่วยนอก จำนวน 46 คน เครื่องมือที่ใช้ในการศึกษาเป็นแบบสอบถามที่ผู้ศึกษาสร้างขึ้นเอง ได้ก่าคัชนีความตรงตามเนื้อหาการรับรู้การและการปฏิบัติเท่ากับ 0.88 และ 0.98 ตามลำดับ ได้ก่าความ เชื่อมั่นของแบบสอบถามการรับรู้ และการปฏิบัติเท่ากับ 0.97 และ 0.98 ตามลำดับ วิเคราะห์ข้อมูลโดย การใช้การแจกแงงความถี่ ร้อยละ ค่าเฉลี่ย และส่วนเบี่ยงเบนมาตรฐาน

ผลการศึกษาพบว่า

 พยาบาลวิชาชีพกลุ่มงานผู้ป่วยนอกโรงพยาบาลพิจิตรมีการรับรู้การให้ความรู้ด้านสร้างเสริม สุขภาพโดยรวม อยู่ในระดับมาก (μ = 176.59, σ = 0.46) เมื่อพิจารณาการรับรู้รายด้านทั้ง 4 ด้าน คือ ด้านผู้ให้ความรู้สุขภาพ ด้านกลุ่มเป้าหมาย ด้านวิธีการให้ความรู้ และด้านบรรยากาศการเรียนรู้ ทุกด้าน อยู่ในระดับมาก (μ = 48.33, σ = 0.86, μ = 33.48, σ = 0.58, μ = 47.61, σ = 0.44, μ = 47.17, σ = 0.36 ตามถ้ำดับ)

- 2. การปฏิบัติการให้ความรู้ด้านสร้างเสริมสุขภาพโดยรวมอยู่ในระดับปานกลาง (μ = 146.43, σ = 0.72) เมื่อพิจารณาการปฏิบัติรายด้านพบว่า ด้านกลุ่มเป้าหมาย และด้านวิธีการให้ความรู้ การปฏิบัติ อยู่ในระดับปานกลาง (μ = 28.07, σ = 0.86 และ μ = 37.43, σ = 0.85 ตามลำดับ) ส่วนด้านผู้ให้ความรู้ สุขภาพและ ด้านบรรยากาศการเรียนรู้การปฏิบัติอยู่ในระดับมาก (μ = 41.63, σ = 0.67 และ μ = 39.30, σ = 0.76 ตามลำดับ)
- 3. ปัญหาและอุปสรรคในการปฏิบัติการให้ความรู้ด้านสร้างเสริมสุขภาพ ที่พบมีดังนี้ ด้านผู้ให้ ความรู้ คือไม่มีเวลาให้ความรู้เนื่องจากผู้ป่วยมาก ด้านกลุ่มเป้าหมาย คือไม่สามารถประเมินผู้เรียน ก่อนให้ความรู้เนื่องจากผู้รับบริการมาก ด้านวิธีการให้ความรู้ คือไม่สามารถเลือกวิธีการให้ความรู้ แบบต่างๆที่เหมาะสมกับผู้เรียนและขาดการนับสนุนอุปกรณ์การให้ความรู้ทางด้านสร้างเสริมสุขภาพ ด้านบรรยากาศการเรียนรู้ คือบรรยากาศไม่อื้อต่อการเรียนรู้

ผลการศึกษาครั้งนี้สามารถนำไปใช้เป็นข้อมูลพื้นฐานในการพิจารณาแนวทางในการวางแผน พัฒนาบุคลากรพยาบาลวิชาชีพในกลุ่มงานผู้ป่วยนอกให้ความรู้ด้านสร้างเสริมสุขภาพแก่ผู้มารับบริการ ให้มีประสิทธิภาพ โดยคำนึงถึงปัญหาและอุปสรรคในการปฏิบัติงานด้วย

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

Independent Study Title

Perception and Practices on Providing Health Promoting Knowledge

Among Professional Nurses of Outpatient Department in Phichit

Chairperson

Hospital

Author

Phonphan Sutthipongvichit

Degree

Master of Nursing Science (Nursing Administration)

Independent Study Advisory Committee

Assoc. Prof. Dr. Raymoul Nantsupawat

Assist. Prof. Dr. Pongsri Keitlertnapha Member

ABSTRACT

Providing health promoting knowledge is an essential role of nurses in encouraging people to enable to develop their ability in taking care of themselves. The purpose of this study was to examine levels of perception and practices as well as problems and barriers on providing health promoting knowledge among professional nurses at outpatient department, phichit hospital. The population included 46 professional nurses. The research instrument developed by student researcher. The content validity index of perception and practices were 0.88 and 0.98 respectively. The reliability of perception and practices were 0.97 and 0.98 respectively. Data were analyzed by using frequency, percentage, mean, and standard deviation.

The results indicated:

1. The total mean scores of perception on providing health promoting knowledge were at a high level ($\mu = 176.59$, $\sigma = 0.46$). When analyzing four dimensions of perception in which health

educator, target group, learning method, and learning climate are included, they were at a high level $(\mu = 48.33, \sigma = 0.86, \mu = 33.48, \sigma = 0.58, \mu = 47.61, \sigma = 0.44, \mu = 47.17, \sigma = 0.36$ respectively).

- 2. The total mean scores of practices on providing health promoting knowledge was at a moderate level (μ = 146.43, σ = 0.72). When analyzing each dimension of practices, the mean scores of target group, learning method, they were at a moderate level (μ = 28.07, σ = 0.86, (μ = 37.43, σ = 0.85 respectively). However, the mean score of health educator, learning climate were found at a high level (μ = 41.63, σ = 0.67, μ = 39.30, σ = 0.76 respectively).
- 3. Problems and barriers on providing health promoting knowledge were found as follows:

 1) for health educator dimension, unable to evaluate patients because of a lot of people, 2) for target group dimension, inability to evaluate learners before providing knowledge due to too many clients was found, 3) for learning method dimension, the results showed the inability to select appropriate teaching methods as well as lack of supportive learning instruments in providing knowledge, and 4) for learning climate dimension, The findings indicated lacking supportive climate in learning

The results of this study could be used as a basic data in developing plans of human resource in nursing service at outpatient department. Providing health promoting knowledge should be done effectively by considering the problems and barriers in practices as well.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม Copyright[©] by Chiang Mai University All rights reserved