

ชื่อเรื่องการค้นคว้าแบบอิสระ พฤติกรรมจริยธรรมของพยาบาลตามการรับรู้ของผู้รับบริการ
แผนกผู้ป่วยนอก โรงพยาบาลพิจิตร

ผู้เขียน นางสาวทิพวัลย์ เบ็ญจรัตน์

ปริญญา พยาบาลศาสตรมหาบัณฑิต (การบริหารการพยาบาล)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

รองศาสตราจารย์ อุดมรัตน์ สงวนศิริธรรม ประธานกรรมการ
ผู้ช่วยศาสตราจารย์ ยุภาพร ลี้มโฆมิต กรรมการ

บทคัดย่อ

พฤติกรรมจริยธรรมของพยาบาล เป็นสิ่งสำคัญสำหรับพยาบาล ในการแสดงออกที่เหมาะสมเป็นที่ยอมรับของสังคม การศึกษาค้นคว้าครั้งนี้มีวัตถุประสงค์เพื่อศึกษาระดับพฤติกรรมจริยธรรมของพยาบาลตามการรับรู้ของผู้รับบริการแผนกผู้ป่วยนอกโรงพยาบาลพิจิตร กลุ่มตัวอย่างที่ศึกษา ได้แก่ ผู้รับบริการแผนกผู้ป่วยนอก โรงพยาบาลพิจิตร จำนวน 363 คน เครื่องมือที่ใช้ในการรวบรวมข้อมูลเป็นแบบสอบถามที่ผู้ศึกษาสร้างขึ้นเอง จากแนวคิดหลักจริยธรรมวิชาชีพการพยาบาลของฟรายและจอห์นสโตน (Fry & Johnstone, 2002) และจรรยาบรรณพยาบาลของสมาคมพยาบาลแห่งประเทศไทย ปี พ.ศ. 2546 ได้ค่าความตรงตามเนื้อหาเท่ากับ 0.86 และค่าความเชื่อมั่นเท่ากับ 0.87 วิเคราะห์ข้อมูลโดยคำนวณหาค่าเฉลี่ย ส่วนเบี่ยงเบนมาตรฐาน และค่าร้อยละ

ผลการศึกษาพบว่า

1. พฤติกรรมจริยธรรมของพยาบาลตามการรับรู้ของผู้รับบริการแผนกผู้ป่วยนอกโรงพยาบาลพิจิตร โดยรวมอยู่ในระดับมาก ($\bar{X} = 2.55$, $SD = 0.38$) เมื่อพิจารณารายด้าน พบว่าอยู่ในระดับมากทุกด้าน

2. พฤติกรรมจริยธรรมของพยาบาลตามการรับรู้ของผู้รับบริการแผนกผู้ป่วยนอกโรงพยาบาลพิจิตร แต่ละด้านอยู่ในระดับมาก ดังนี้ พยาบาลประกอบวิชาชีพโดยมุ่งหวังความเป็นเลิศ ($\bar{X} = 2.91$, $SD = 0.55$) พยาบาลยึดหลักความยุติธรรมและความเสมอภาคในสังคมมนุษย์ ($\bar{X} = 2.60$, $SD = 0.43$) พยาบาลรับผิดชอบต่อประชาชน ผู้ต้องการการพยาบาล และบริการสุขภาพ

จ

($\bar{X} = 2.50$, $SD = 0.40$) พยาบาลพึงรับผิดชอบต่อตนเองเช่นเดียวกับรับผิดชอบต่อผู้อื่น ($\bar{X} = 2.50$, $SD = 0.45$) พยาบาลประกอบวิชาชีพด้วยความเมตตากรุณา เคารพในคุณค่าของชีวิต ความมีสุภาพดี และความผาสุกของเพื่อนมนุษย์ ($\bar{X} = 2.48$, $SD = 0.43$) พยาบาลพึงป้องกันอันตรายต่อสุขภาพและชีวิตของผู้รับบริการ ($\bar{X} = 2.45$, $SD = 0.46$) พยาบาลมีปฏิสัมพันธ์ทางวิชาชีพกับผู้รับบริการผู้ร่วมงาน และประชาชน ด้วยความเคารพในศักดิ์ศรี และสิทธิมนุษยชนของบุคคล ($\bar{X} = 2.42$, $SD = 0.45$)

ผลการศึกษานี้ สามารถนำไปใช้เป็นข้อมูลพื้นฐานในการดำรงไว้ และมีการพัฒนาพฤติกรรมจริยธรรมของพยาบาล แผนกผู้ป่วยนอก โรงพยาบาลพิจิตรต่อไป

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Independent Study Title Ethical Behaviors of Nurses as Perceived by Clients at Outpatient Department in Phichit Hospital

Author Miss Tippawan Bencharan

Degree Master of Nursing Science (Nursing Administration)

Independent Study Advisory Committee

Assoc.Prof. Udomrat Sngounsiritham Chairperson

Asst.Prof. Yupaporn Limkosit Member

ABSTRACT

Ethical behaviors was important for nurses, to perform appropriate action and acceptable to the society. The purpose of this study was to explore the level of ethical behaviors of nurses as perceived by clients at the outpatient department in Phichit Hospital. The 363 convenient subjects were chosen from clients at the outpatient department. The survey questionnaire developed by the investigator based on the ethical principles of Fry & Johnston (2002) and code of ethics by the Thai Nurses Association (2003). The content validity index was 0.86 and reliability was 0.87. Statistics used for data analysis were mean, standard deviation and percentage.


The results of the study were

1. Ethical behaviors of nurses as perceived by the sample at the outpatient department in Phichit Hospital was at high level ($\bar{X} = 2.55$, $SD = 0.38$) and all aspects were also at high level.

2. Each aspect of ethical behaviors as perceived by clients was also at the high level. That is providing excellence nursing care ($\bar{X} = 2.91$, $SD = 0.55$), holding principle of justice and fairness in society ($\bar{X} = 2.60$, $SD = 0.43$), taking responsibility to people who require nursing cares and health services ($\bar{X} = 2.50$, $SD = 0.40$), taking responsibility to oneself as well

as to individual ($\bar{X} = 2.50$, $SD = 0.45$), providing nursing care with kindness and respecting value of life, healthiness, and happiness of human ($\bar{X} = 2.48$, $SD = 0.43$), protecting harm to health and life of the clients ($\bar{X} = 2.45$, $SD = 0.46$), interacting with clients, co-workers and people with respects of dignity and human rights ($\bar{X} = 2.42$, $SD = 0.45$)

The results of this study could be used as database to maintain and promote ethical behaviors of nurses at the outpatient department in Phichit Hospital.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved