

ชื่อเรื่องการค้นคว้าแบบอิสระ ปัจจัยที่เกี่ยวข้องกับการไม่มาตรวจตามนัดในผู้ที่เป็น โรคจิตเภท
โรงพยาบาลแพร่

ผู้เขียน นางสาววารภรณ์ พัฒนเวศน์

ปริญญา พยาบาลศาสตรมหาบัณฑิต (การพยาบาลสุขภาพจิตและจิตเวช)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ
รองศาสตราจารย์ ดร. ดาราวรรณ ต๊ะปิ่นตา ประธานกรรมการ
อาจารย์สถิตย์ วงศ์สุระประกิจ กรรมการ

บทคัดย่อ

การมาตรวจตามนัดของผู้ที่เป็น โรคจิตเภทมีความสำคัญเป็นอย่างยิ่ง เพื่อให้การรักษา เป็นไปอย่างต่อเนื่อง และลดอัตราการกลับเป็นซ้ำ การศึกษาครั้งนี้เป็นการศึกษาเชิงพรรณนา มีวัตถุประสงค์เพื่อศึกษาปัจจัยที่เกี่ยวข้องกับการไม่มาตรวจตามนัดในผู้ที่เป็น โรคจิตเภท โรงพยาบาลแพร่ ที่มีประวัติไม่มาตรวจรักษาตามนัดตั้งแต่ 2 ครั้งขึ้นไป ตั้งแต่เดือนตุลาคม พ.ศ. 2549 ถึงเดือนกันยายน พ.ศ. 2550 จำนวน 98 คน คัดเลือกกลุ่มตัวอย่างแบบเฉพาะเจาะจง เครื่องมือ ในการเก็บรวบรวมข้อมูลประกอบด้วย 1) แบบสอบถามปัจจัยด้านตัวผู้ป่วย 2) แบบสอบถามปัจจัย ด้านระบบบริการของโรงพยาบาล 3) แบบวัดความพึงพอใจในบริการสุขภาพของผู้ใช้บริการ 4) แบบวัดการสนับสนุนทางสังคม ส่วนที่ 2 ของไวเนอร์ท (Weinert, 2000) 5) แบบวัดความรู้เรื่อง โรคและการรักษาด้วยยาของผู้ป่วยจิตเภท และ 6) แบบวัดความร่วมมือในการรักษาด้วยยาของ ผู้ป่วยจิตเภท เครื่องมือทั้งหมดได้รับการตรวจสอบคุณภาพและได้ผลเป็นที่ยอมรับ วิเคราะห์ข้อมูล โดยใช้สถิติเชิงพรรณนา

ผลการศึกษาพบว่า

1) ปัจจัยด้านตัวผู้ป่วยที่เกี่ยวข้องกับการไม่มาตรวจตามนัดที่พบมากที่สุด คือ การลืมวัน มาตรวจตามนัด การสนับสนุนทางสังคมโดยรวมอยู่ในระดับต่ำ และความร่วมมือในการรักษาด้วยยา

อยู่ในระดับไม่ดี แต่ในเรื่องความรู้พบว่าผู้ป่วยมีความรู้เรื่องโรคและการรักษาด้วยยาของผู้ป่วยจิตเภท
อยู่ในระดับสูง

2) ปัจจัยด้านระบบบริการของโรงพยาบาล พบว่า ผู้ป่วยที่ไม่มาตรวจตามนัดส่วนใหญ่ คือ
ผู้ที่ต้องมาตรวจตามนัดในระยะ 2 เดือน นอกจากนี้ ยังพบว่าความพึงพอใจในบริการสุขภาพของ
ผู้ใช้บริการอยู่ในระดับปานกลางในด้านข้อมูลที่ได้รับ ด้านคุณภาพบริการ และด้านผู้ให้บริการ
ประกันสุขภาพ

ผลการศึกษานี้ สามารถเป็นข้อมูลพื้นฐานในการวางแผนด้านการปฏิบัติการพยาบาล
เพื่อป้องกัน และลดปัญหาการไม่มาตรวจตามนัดของผู้ที่เป็นโรคจิตเภทให้มีประสิทธิภาพต่อไป

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

Independent Study Title	Factors Related to Missed Appointments Among Persons with Schizophrenia, Phrae Hospital		
Author	Miss Varaporn Pattanawate		
Degree	Master of Nursing Science (Mental Health and Psychiatric Nursing)		
Independent Study Advisory Committee			
	Associate Professor Dr. Darawan	Thapinta	Chairperson
	Lecturer Satit	Wongsurapakit	Member

ABSTRACT

Follow up attendance is very important for persons with schizophrenia in order to receive treatment continually and decrease relapse rate. The purpose of this descriptive study was to determine factors related to missed appointments among persons with schizophrenia at Phrae hospital. Purposive sampling was adopted for selecting 98 persons with schizophrenia, who were receiving services at an outpatient psychiatric clinic in Phrae hospital and had a record of not attending follow up appointments more than twice between October 2006 to September 2007.

The instrument used for data collection was a six part questionnaire; 1) personal information, 2) hospital service system factors, 3) satisfaction of health services, 4) social support (2nd part of social support questionnaire of Weinert, 2000), 5) knowledge about disease and medication treatment of schizophrenia, and 6) medication adherence. The instrument was tested psychometric properties and the result yield to acceptance level. Data were analyzed using descriptive statistics.


The results of this study found that:

1) Personal factors related to missed appointments among persons with schizophrenia at Phrae hospital showed that most of the subjects forgot the appointment. Social support was at a

low level. Medication adherence of schizophrenia was at a low level. However, the result showed that knowledge about disease and medication treatment of schizophrenia was at a high level.

2) Factors regarding hospital service system showed that the majority of persons with schizophrenia had appointment at two months follow up period. Additionally, this study found that persons with schizophrenia reported a medium level of satisfaction in the aspect of information receiving, quality of care, and health assurance.

The results of this study can be used as fundamental information for strategic planning of interventions to prevent and reduce missed appointments among persons with schizophrenia in Phrae hospital in order to further enhance efficiency.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved