ชื่อเรื่องการค้นคว้าแบบอิสระเชิงวิทยานิพนธ์ สถิติวิเคราะห์ผลกระทบของความรู้ ด้านโภชนาการและพฤติกรรมการบริโภคระหว่างตั้งครรภ์ของ มารดา ที่มีต่อน้ำหนักทารกแรกเกิด

ชื่อผู้เชียน

นายวิญญาณ สุขแสง

ว**ิทธาศาสตรมหาบันทิต** สาชาวิชาสถีติประยุกต์

## คนะกรรมการสอบการค้นคว้าแบบอิสระ เชิงวิทยานิพนร์ :

อาจารย์ ดร. ชูเน็ญศรี วงศ์พุทธา ประธานกรรมการ รองศาสตราจารย์ ไพทูรย์ ตันฆศิริ กรรมการ รองศาสตราจารย์ รัชนี ติยพันธ์ กรรมการ

## บทคัดย่อ

การวิจัยนี้มีวัตถุประสงค์เพื่อ ศึกษาความสัมพันธ์ระหว่างน้ำหนักทารกแรก เกิด กับคุณสมบัติส่วนตัวของมารดา คุณสมบัติทางประชากรของมารดา และลักษณะ ทางพฤติกรรมสังคมของมารดา โดยศึกษาเปรียบเทียบประชากรกลุ่มเป้าหมายระหว่าง มารดาจากหอผู้ป่วยสามัญ และมารดาจากหอผู้ป่วยพิเศษ ที่เป็นมารดาหลังคลอดบุตร ครรภ์เดี่ยว ซึ่งพักรักษาตัวอยู่ในโรงพยาบาลมหาราชนครเชียงใหม่ คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่ อำเภอเมือง จังหวัดเชียงใหม่ เก็บข้อมูลระหว่างวันที่ 15 พฤศจิกายน 2534 ถึงวันที่ 25 ธันวาคม 2534 โดยใช้เทคนิคการสุ่มตัวอย่างแบบ โควต้า จำนวน 300 คน จำแนกเป็นมารดาจากหอผู้ป่วยสามัญ 150 คน และมารดาจากหอผู้ป่วยพิเศษ 150 คน ผลการวิจัยพบว่า

1. กลุ่มมารดาหอพิเศษมีคะแนนความรู้ด้านโภชนาการ และผฤติกรรม การบริโภคระหว่างตั้งครรภ์ดีกว่ากลุ่มมารดาหอสามัญ โดยความรู้ด้านโภชนาการและ พฤติกรรมการบริโภคระหว่างตั้งครรภ์ มีความสัมพันธ์ทางบวกกับน้ำหนักทารกแรกเกิด แต่อิทธิพลของปัจจัยความรู้ด้านโภชนาการ และพฤติกรรมการบริโภคระหว่างตั้งครรภ์ กลับอธิบายน้ำหนักทารกแรกเกิดในกลุ่มมารดาหอสามัญได้สูงกว่ากลุ่มมารดาหอพิเศษ

- 2. ตัวแปรอิสระอื่น ๆ ที่มีอิทจิพลต่อน้ำหนักทารถแรกเกิดอย่างมีนัยสำคัญ ทางสถิติ ส่วนใหญ่เป็นชุดตัวแปรด้านคุณสมบัติส่วนตัวของมารดามากกว่าชุดตัวแปรด้าน คุณสมบัติทางประชากรของมารดา เช่น ตัวแปรความสูง น้ำหนักเพิ่มระหว่างตั้งครรภ์ อายุครรภ์ รายได้ และการศึกษาของมารดามีความสัมพันธ์ทางบวกกับน้ำหนักทารก แรกเกิด และในกลุ่มมารดาที่มีอาชีพเกษตรกรรม จะคลอดบุตรที่มีน้ำหนักน้อยกว่ากลุ่ม มารดาที่มีอาชีพอื่น
- 3. วีเคราะห์ความสัมพันธ์รวมทุกปัจจัยกับน้ำหนักทารกแรกเกิดพบว่าบัจจัย ที่มีอิทธิพลสูงทางบวก คือ ความรู้ด้านโภชนาการและพฤติกรรมการบริโภคระหว่างตั้ง ครรภ์ของมารดา กับจำนวนบุตรที่มีชีวิตอยู่ ส่วนการศึกษาของมารดากลับพบว่า มารดา ที่จบการศึกษาสูงจะคลอดบุตรที่มีน้ำหนักน้อยกว่ามารดาที่จบการศึกษาต่ำกว่า
  - 4. การศึกษาครั้งนี้ ส่วนใหญ่เป็นไปตามสมมุติฐานการวิจัยที่ตั้งไว้

Research Title Statistical Analysis of the Effects of Mother's

Nutritional Knowledge and Consuming Behavior

during Pregnancy on Newborne Weight

Author

Mr. Vinyarn Sucksang

M.S.

Applied Statistics

## Examining Committee:

Lecturer Dr. Chupensri Wongbuddha Chairman

Assoc. Prof. Paitoon Tunkasiri Member

Assoc. Prof. Rajanee Tiyapun Member

## ABSTRACT

The purpose of this research was to study the relationship between newborne weight with three different maternal characteristics including personality, demographic and social behavior. The study compared the target group of mothers in the ordinary ward with mothers residing in private ward all of whom were singleton deliveries and resided at Maharaj Nakorn Chiangmai Hospital, Muang District, Chiangmai Province. The data was collected during the period of time from 15 November 1991 to 25 December 1991 by quota sampling technique. There were a total of 300 mothers sampled 150 cases from the ordinary ward and 150 cases from the private ward.

The results obtained from this study revealed that:

- 1. The mothers residing in the private ward showed better scores of nutritional knowledge and consuming behavior during pregnancy than those residing in the ordinary ward. These scores were correlated positively with the newborne weight but the coefficient of determination of mothers in the ordinary ward showed higher points than those in the private ward.
- The majority of the independent variables 2. personal characteristics showed the effects maternal on weight than those from maternal demographic newborne characteristics. The maternal height, weight gain, gestational age, income and education were correlated positively with the newborne weight, but mothers having agricultural occupation had the newborne birth weight lower than those having other occupations.
- 3. Nutritional knowledge and consuming behavior of mothers during pregnancy and number of living children showed the positive effects on newborne weight. But mothers having higher education showed the newborne birth weight lower than those having lower education.
- 4. The major results of this study agreed with the previous research assumptions.