

เอกสารอ้างอิง

กรมวิชาการเกษตร. 2530. เอกสารแนะนำพันธุ์พืชของกรมวิชาการเกษตร. โรงพิมพ์สยามรัฐ, กรุงเทพฯ.

กฤษฎา สัมพันธ์อารักษ์. 2519. หลักการปรับปรุงพันธุ์พืช. ภาควิชาพืชไร่, คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.

เจริญศักดิ์ วจนฤทธิ์พิเชษฐ์. 2527. การปรับปรุงพันธุ์พืชชั้นสูง. ภาควิชาพืชไร่, คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.

พิระศักดิ์ ศรีนิเวศน์. 2525. พันธุศาสตร์ปริมาณที่ใช้ในการปรับปรุงพันธุ์พืช. ภาควิชาพืชไร่, คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.

รังสฤษดิ์ กาวิตะ. 2525. การถ่ายทอดลักษณะ "เมล็ดแข็ง" (hard seed) ในถั่วเหลือง. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.

สุภาพรพรณ สุดำคำ. 2527. การถ่ายทอดลักษณะต้านทานต่อโรคใบจุดของถั่วเหลือง. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Anand, S.C., and J.H. Torrie. 1963. Heritability of yield and other traits and interrelationships among traits in the F_3 , and F_4 generations of three soybean crosses. Crop Sci. 3 : 508-511.

Anderson, V.L., and O.Kemphorne. 1954. A model for the study of quantitative inheritance. *Genetics* 39 : 883-898.

Bancroft, T.A. 1968. *Topics in Intermediate Statistical Methods. Vol I.* Iowa State Univ. Press, Ames. IA.

Beaver, S.S., and R.R. Johnson. 1981. Response of determinate and indeterminate soybeans to varying cultural practices. *Agron. J.* 73 : 833-838.

Bernard, R.L. 1971. Two major genes for time of flowering and maturity in soybeans. *Crop Sci.* 11 : 242-244.

Bernard, R.L. 1972. Two genes affecting stem termination in soybeans. *Crop Sci.* 12 : 235-239.

Bernard, R.L., and M.G. Weiss. 1973. Qualitative genetics. p. 117-154.

In B.E. Caldwell (ed.) *Soybeans : Improvement, Production, and Uses.* Am. Soc. of Agron., Madison, Wis.

Beuerlein, J.E., and J.W. Pendleton. 1971. Photosynthetic rates and light saturation curves of individual soybean leaves under field conditions. *Crop Sci.* 11 : 217-219.

Beuerlein, J.E., J.W. Pendleton, M.E. Bauer, and S.R. Ghorashy. 1971.
Effect of branch removal and plant populations at equidistant
spacings on yield and light use efficiency of soybean canopies.
Agron. J. 63 : 317-319.

Bhan, V.M., and H.K. Pande. 1966. Measurement of leaf area of rice.
Agron. J. 58 : 454.

Bhatte, V.V., and M.R. Patel. 1954. Comparative study of species of
Xanthomonas parasitizing leguminous plants in India. Indian
Phytopath. 7 : 160-180.

Board, J.E. 1985. Yield components associated with soybean yield
reductions at nonoptimal planting dates. Agron. J. 77 : 135-140.

Board, J.E. 1987. Yield components related to seed yield in determinate
soybean. Crop Sci. 27 : 1296-1297.

Brim, C.A. 1973. Quantitative genetics and breeding. p 155-485. In
B.E. Caldwell (ed.). Soybean : Improvement Production and Uses.
Am. Soc. of Agron., Madison, Wis.

Brim, C.A. and C.C. Cockerham. 1961. Inheritance of quantitative
characters in soybeans. Crop Sci. 1 : 187-190.

Bulmer, M.G. 1980. The Mathematical Theory of Quantitative Genetics. Oxford Univ. Press, New York.

Burnside, C.A., and R.H. Bohning. 1967. The effect of prolonged shading on the light saturation curves of apparent photosynthesis in sun plants. Plant Physiol. 32 : 61-63.

Burton, J.W. 1987. Quantitative genetics : relevant to soybean breeding. p.211-247. In J.R. Wilcox (ed.) Soybean : Improvement Production, and Uses. (2nd.) Am. Soc. of Agron., Madison, Wis.

Byth, D.E., C.R. Weber, and B.E. Caldwell. 1969. Correlated truncation selection for yield in soybeans. Crop Sci. 9 : 699-702.

Carlson, J.B. 1973. Morphology. p.17-95. In B.E. Caldwell (ed.) Soybean : Improvement, Production, and Uses. Am. Soc. of Agron., Mandison, Wis.

Chapman, R.S., and F.H. McNeal. 1971. Gene action for yield components and plant height in a spring wheat cross. Crop Sci. 11 : 384-386.

Caviness, C.E., and C. Prongsirivathana. 1968. Inheritance and association of plant height and its components in a soybean cross. Crop Sci. 8 : 221-224.

Comstock, R.E., and H.F. Robinson. 1948. The components of genetic variance in populations of biparental progenies and their use in estimating the average degree of dominance. *Biometrics* 4 : 254-266.

Cooper, R.L. 1971 a. Influence of early lodging on yield of soybeans [*Glycine max* L. Merr.]. *Agron. J.* 63 : 449-450.

Cooper, R.L. 1971 b. Influence of soybean production practices on lodging and seed yield in highly productive environments. *Agron. J.* 63 : 490-493.

Cooper, R.L. 1981. Development of short-statured soybean cultivars. *Crop Sci.* 21 : 127-131.

Dornhoff, G.M., and R.M. Shibles. 1970. Varietal differences in net photosynthesis of soybean leaves. *Crop Sci.* 10 : 42-45.

Dudley, J.W., and R.H. Moll. 1969. Interpretation and use of estimates of heritability and genetic variances in plant breeding. *Crop Sci.* 9 : 257-262.

Edwards, L.H., H.Ketata, and E.L.Smith. 1976. Gene action of heading date, plant height, and other characters in two winter wheat crosses. *Crop Sci.* 16 : 275-277.

- Egli, D.B., J.W. Pendleton, and D.B. Peters. 1970. Photosynthetic rate of three soybean communities as related to carbon dioxide levels and solar radiation. *Agron. J.* 62 : 411-414.
- Ehdaie, B., and A. Ghaderi. 1978. Inheritance of some agronomic characters in a cross of safflower. *Crop Sci.* 18 : 544-547.
- Eissa, A.M., J.N. Jenkins, and C.E. Vaughan. 1983. Inheritance of seedling root length and relative root weight in cotton. *Crop Sci.* 23 : 1107-1111.
- Falconer, D.S. 1960. *Introduction to Quantitative Genetics*. Ronald Press Com., New York.
- Falconer, D.S. 1981. *Introduction to Quantitative Genetics*. Ronald Press Com., New York.
- Fehr, W.R., and C.E. Caviness. 1977. *Stages of Soybean Development*. Special Report 80. *Crop. Ext. Serv., Iowa State Univ., Logan, Utah, U.S.A.*
- Fehr, W.R., and C.R. Weber. 1968. Mass selection by seed size and specific gravity in soybean population. *Crop Sci.* 8 : 551-554.
- Francis, C.A. 1969. A rapid method for plant leaf area estimation. *Crop Sci.* 9 : 537-539.

Gamble, E.E. 1962. Gene effects in corn (Zea mays L.) I. Separation and relative importance of gene effects for yield. Can. J. Pl. Sci. 42 : 339-348.

Green, D.E., P.F. Burlamagui, and R.M. Shibles. 1977. Performance of randomly selected soybean lines with semideterminate and indeterminate growth habits. Crop Sci. 17 : 335-339.

Green, D.E., and E.L. Pinnell. 1968. Inheritance of soybean seed quality I. heritability of laboratory germination. Crop Sci. 8: 5-11.

Hamblin, J., and A.A. Rosielle. 1978. Effect of intergenotypic competition on genetic parameter estimation. Crop Sci. 18 : 51-54.

Hanson, W.D. 1963. Heritability. p. 125-140. In W.D. Hanson and H.F. Robinson (eds.). Statistical Genetics and Plant Breeding. National Academy of Science-National Research Council. Washington D.C.

Hanson, W.D., R.C. Leffel, and R.W. Howell. 1961. Genetic analysis of energy production in the soybean. Crop Sci. 1 : 121-126.

Hanson, W.D., and C.R. Weber. 1962. Analysis of genetic variability from generations of plant-progeny lines in soybeans. Crop Sci. 2 : 63-67.

- Hartung, R.C., J.E. Specht, and J.H. Willians. 1981. Modification of soybean plant architecture by genes for stem growth habit and maturity. *Crop Sci.* 21 : 51-56.
- Hartwig, E.E., and C.J. Edwards, Jr. 1970. Effects of morphological characteristics upon seed yield in soybeans. *Agron. J.* 62 : 64-65.
- Hatfield, J.L., C.D. Stanley, and R.E. Carlson. 1976. Evaluation of an electronic foliometer to measure leaf area in corn and soybean. *Agron J.* 68 : 434-436.
- Hayman, B.I. 1958. The separation of epistatic from additive and dominance variation in generation means. *Heredity* 12 : 371-390.
- Hayman, B.I. 1960. Maximum likelihood estimation of genetic components of variation. *Biometrics* 16 : 369-381.
- Hayman, B.I., and K. Mather. 1955. The description of genic interactions in continuous variation. *Biometrics* 11 : 69-82.
- Hicks, D.R., J.W. Pendleton, R.L. Bernard, and T.J. Johnston. 1969. Response of soybean plant types to planting patterns. *Agron. J.* 61 : 290-293.

Hiebsch, C.K., E.T. Kanemasu, and C.D. Nickell. 1976. Effects of soybean leaflet type on net carbon dioxide exchange water use, and water-use efficiency. *Can.J.Plant Sci.* 56 : 455-458.

Hinson, K., and E.E.Hartwig. 1977. Soybean production in the tropics. *FAO Plant Production and Protection Pap.* 4. Food and Agriculture Organization of the United Nations, Rome, 91 p.

Hoffman, G.J. 1971. Estimating leaf area from length measurements for hybrid Granex onion. *Agron. J.* 63 : 948-949.

Hughes, G.R., and A.L. Hooker. 1971. Gene action conditioning resistance to northern leaf blight in Maize. *Crop Sci.* 11 : 180-184.

International Seed Testing Association. 1976. International rules for seed testing, 1976. *Seed Sci. Technol.* 5 : 1-335.

Jinks, J.L. 1956. The F_2 and backcross generations from a set of diallel crosses. *Heredity* 10 : 1-30.

Jinks, J.L. and R.M. Jones. 1958. Estimation of the components of heterosis. *Genetics* 43 : 331-349.

Johnson, H.W., and R.L. Bernard. 1962. Soybean genetics and breeding. *Adv. Agron.* 14 : 149-221.

Johnson, H.W., H.F. Robinson, and R.E. Comstock. 1955. Genotypic and phenotypic correlations in soybeans and their implications in selection. *Agron. J.* 47 : 447-483.

Johnston, T.J., and J.W. Pendleton. 1968. Contribution of leaves at different canopy levels to seed production of upright and lodged soybean [Glycine max (L.) Merrill]. *Crop Sci.* 8 : 291-292.

Johnston, T.J., J.W. Pendleton, D.W. Peters, and D.R. Hicks. 1969. Influence of supplemental light on apparent photosynthesis, yield and yield components of soybean (Glycine max L.). *Crop Sci.* 9 : 577-581.

Johnston, R.A., J.S. Quick, and J.J. Hammond. 1983. Inheritance of selolina color in six durum wheat crosses. *Crop Sci.* 23 : 607-610.

Kaw, R.N., and P.M. Menon. 1981. Combining ability for developmental traits in soybean. *Indian J. Genet.* 41 : 303-308.

Kempthorne, O. 1969. *An Introduction to Genetic Statistics*. Iowa State Univ. Press, Ames, Ia.

Kilen, T.C. 1983. Inheritance of a short petiole trait in soybean. *Crop Sci.* 23 : 1208-1210.

Kilen, T.C., and E.E. Hartzing. 1971. Inheritance of light-quality sensitive character in soybeans. *Crop Sci.* 11 : 559-561.

Kwon, S.H., and J.H. Torrie. 1964. Heritability of and interrelationships among traits of two soybean populations. *Crop Sci.* 4 : 196-198.

Lee, H.S. 1980. A study of the genetic correlation between leaf index and number of seeds per pod in soybeans. p. 43. In F.T. Corbin. (ed.). *World Soybean Research Conference II : Abstracts.* Westview Press Inc. Colorado.

Liang, G.H.L., and T.L. Walter. 1968. Heritability estimated and gene effects for agronomic traits. *Crop Sci.* 8 : 77-81.

Lin, M.S., and R.L. Nelson. 1988. Relationship between plant height and flowering date in determinate soybean. *Crop Sci.* 28 : 27-30.

Mandl, F.A., and G.R. Buss. 1981. Comparison of narrow and broad leaflet isolines of soybean. *Crop Sci.* 21 : 25-27.

Marani, A. 1968. Heterosis and inheritance of quantitative characters in interspecific crosses of cotton. *Crop Sci.* 8 : 299-303.

Martin, R.J., and J.R. Wilcox. 1973. Heritability of lowest pod height in soybeans. *Crop Sci.* 13 : 201-203.

Mather, K. 1967. Complementary and duplicate gene interactions in biometrical genetics. *Heredity* 22 : 97-103.

Mather, K. and J.L. Jinks. 1971. *Biometrical Genetics*. (2nd Ed.) Chapman and Hall, London.

Mather, K., and J.L. Jinks. 1977. *Introduction to Biometrical Genetics*. Chapman and Hall, London.

Matzinger, D.F. 1963. Experimental estimates of genetic parameters and their applications in self-fertilizing plants. p. 253-279. In W.D. Hanson and H.F. Robinson (Eds.). *Statistical Genetics and Plant Breeding*. National Academy of Sciences-National Research Council. Washington, D.C.

Matzinger, D.F., T.J. Mann, and H.F. Robinson. 1960. Genetic variability in five curved varieties of Nicotiana tabacum L. *Agron. J.* 52 : 8-11.

McBlain, B.A., and R.L. Bernard. 1987. A new gene affecting the time of flowering and maturity in soybeans. *J. Hered.* 78 : 160-162.

McConnell, R.L., and C.O. Gardner. 1979. Inheritance of several cold tolerance traits in corn. *Crop Sci.* 19 : 847-852.

McKee, G.W. 1964. A coefficient for computing leaf area in hybrid corn.
Agron. J. 56 : 240-241.

Metz, G.L., D.E. Green, and R.M. Shibles. 1984. Relationships between
soybean yield in narrow rows and leaflet, canopy, and
developmental characters. Crop Sci. 24 : 457-462.

Moll, R.H., and C.W. Stuber. 1974. Quantitative genetics-empirical
results relevant to plant breeding. Adv. Agron. 26 : 277 - 313.

Mumaw, C.R., and C.R. Weber. 1957. Competition and natural selection
in soybean varietal composites. Agron. J. 49 : 154-160.

Palmer, R.G., and T.C. Kilen. 1987. Qualitative genetics and
cytogenetics. p. 135-209. In J.R. Wilcox (ed.) Soybean :
Improvement, Production, and Uses. (2nd) Am. Soc. of Agron.,
Madison, Wis.

Pandey, R.K. 1987. A farmer's Primer on Growing Soybean on Riceland.
IRRI, LOS Banos, Philippines.

Pandy, J.P., and J.H. Torrie. 1973. Path coefficient analysis of seed
yield components in soybean (Glycine max (L.) Merr.). Crop Sci.
13 : 505-507.

- Paschal, E.H.II, and J.R. Wilcox. 1975. Heterosis and combining ability in exotic soybean germplasm. *Crop Sci.* 15 : 344-349.
- Pearce, R.B., R.H. Brown, and R.E. Blaser. 1967. Photosynthesis in plant communities as influenced by leaf angle. *Crop Sci.* 7 : 321-324.
- Pierce, R.O., P.F. Knoles, and D.A. Phillips. 1984. Inheritance of delayed leaf senescence in soybean. *Crop Sci.* 24 : 515-517.
- Pintus, M.J., and U. Kimel. 1979. Speed of germination as a criterion of seed vigor in soybeans. *Crop Sci.* 19 : 291-292.
- Polson, D.E. 1972. Day-neutrality in soybeans. *Crop Sci.* 12 : 773-776.
- Sakamoto, C.M., and R.H. Shaw. 1967. Light distribution in field soybean canopies. *Agron. J.* 59 : 7-9.
- Shibles, R.M., I.C. Anderson, and A.H. Gibson. 1975. Soybean. p. 151-189. In L.T.Evans (ed.) *Crop Physiology*. Cambridge University Press, Cambridge.
- Singh, B.B. 1976. Breeding soybean varieties for the tropics. p. 11-17. In R.M.Goodman (ed.) *Expanding the Use of Soybeans*. Int. Agric. Publ. INTSOY Ser. 10. University of Illinois, Urbana-Champaign.

Singh, M., D.B. Peters, and J.W. Pendleton. 1968. Net and spectral radiation in soybean canopies. *Agron. J.* 60 : 542-545.

Snedecor, G.W., and W.G. Cochran. 1967. *Statistical Methods*. The Iowa State University Press, Ames, Iowa. 6 th ed.

TeKrony, D.M., D.B. Egli, J. Balles, L. Tomes, and R.E. Stuckey. 1984. Effect of date of harvest maturity on soybean seed quality and Phomopsis sp. seed infection. *Crop Sci.* 24 : 189-193.

TeKrony, D.M., D.B. Egli, and G.M. White. 1987. Seed production and technology. p. 295-353. In J.R. Wilcox (ed.) *Soybean : Improvement, Production, and Uses*. (2 nd) Am. Soc. of Agron., Madison, Wis.

Ting, C.L. 1946. Genetic studies on the wild and cultivated soybeans. *J. Amer. Soc. Agron.* 38 : 381-393.

Van der Ween, J.H. 1959. Tests of non-allelic interaction and linkage for quantitative characters in generations derived from two diploid pure lines. *Genetica* 30 : 201-232.

Wallace, D.H., J.L. Ozbun, and H.M. Munger. 1972. Physiological genetics of crop yield. *Adv. Agron.* 24 : 97-146.

Warner, J.N. 1952. A method for estimating heritability. *Agron. J.* 44: 424-430.

Weber, C.R. 1968. Physiological concepts for high soybean yield. *Field Crop Abs.* 21. : 313-317.

Weber, C.R., and W.R.Fehr. 1966. Seed yield losses from lodging and combine harvesting in soybeans. *Agron. J.* 58. 287-289.

Weber, C.R., and B.R. Moothy. 1952. Heritable and non-heritable relationships and variability of oil content and agronomic characters in the F₂ generation of soybean crosses. *Agron J.* 44 : 202-209.


Weiersma, J.V., and T.B. Bailey. 1975. Estimation of leaflet, trifoliolate, and total leaf areas of soybeans. *Crop Sci.* 67 : 26-30.

Weiss, M.G. 1970. Genetic linkage in soybeans. Linkage group IV. *Crop. Sci.* 10 : 368-370.

Wendt, C.W. 1967. Use of a relationship between leaf length and leaf area to estimate the leaf area of cotton (Gossypium hirsutum L.), castors (Ricinus communis L.), and sorghum (Sorghum valgare L.). *Agron. J.* 59 : 484-486.

Whigham, D.K. 1983. Soybean. p.205-225. In Potential Productivity of Field Crop under Different Environments. IRRI. Philippines.

Woodworth, C.M. 1933. Genetics of the soybean. J. Amer. Soc. Agron. 25 : 36-50.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved