เอกสารอ้างอิง

จินดารัฐ วีระวุฒิ, เจริญศักดิ์ โรจนฤทธิ์นิเชษฐ์ และ วิษณุ เชื้อพันธุ์. 2531. อิทธิพลของระดับไนโตรเจนต่อการเจริญเติบโต ผลผลิต และอัตราส่วนน้ำหนักผลต่อน้ำหนักต้นของสับปะรด. ว.เกษตรศาสตร์ (วิทย.). 22:177-184.

เฉลิมพล แซมเพชร, ทรงเชาว์ อินสมพันธ์, อนันต์ อิสระเสนีย์ และ ศุภศักดิ์ ลิมปิติ. 2531. สรีรวิทยาการเจริญเติบโตและผลผลิตของทานตะวันลูกผสม. ว. เกษตร. 4(1):19-29.

เบญจวรรณ ฤกษ์เกษม.2530. การเปรียบเทียบทานตะวันลูกผสมที่เชียงใหม่. ว.เกษตร. 3(2):101-113.

ยุพดี ลิทธิบุศย์. 2529. อิทธิพลของปุ๋ยไนโตรเจนและโพแทสเซียมที่มีต่อปริมาณแป้งในหัวมันสำปะหลัง. ว. วิชาการ กษ. 4:212-216.

สุชาติ จิรพรเจริญ. 2530. การใส่ปุ๋ยไนโตรเจนสำหรับข้าวในดินนาชุดสันทราย. ว. เกษตร. 3(2):130-146.

สุทัศน์ จุลศรีไกวัล และ พฤกษ์ ยิบมันตะสิริ. 2531. การปรับปรุงพันธุ์ทานตะวันเพื่อใช้ในระบบการปลูกพืชของภาคเหนือของประเทศไทย. สัมมนาวิชาการโครงการพัฒนาพืชน้ำมัน ครั้งที่ 2. ณ.โรงแรมเชียงใหม่ฮิลล์ จ.เชียงใหม่ (13-15 กค.)

Alessi, J., J.F. Power, and D.C.Zimmerman. 1977. Sunflower yield and water use as influenced by planting date, population, and row spacing. Agron. J. 69:465-469.

Blamey, F.P., and J. Chapman. 1981. Protein, oil, and energy yield of sunflower as affected by nitrogen and phosphorus fertilization. Agron. J. 73:583-587.

Blamey, F.P., D.G. Edwards, and C.J. Asher. 1987. Nutritional disorders of sunflower. Univ. of Queensland, St.Lucia.

Beauchamp, E.G., L.W. Kannenberg, and R.B. Hunter. 1976. Nitrogen accumulation and translocation in corn genotypes following silking. Agron. J. 68:418-422.

Beverly, R.R., and W.M. Jarrell. 1984. Cowpea response to N form, rate and time of application. Agron. J. 76:663-668.

Brougham, R.W. 1956. Effect of density of defoliation on pasture. Aust. J. Agriz. Pes. 7:377-387.

Campbell, T.A., and G.A. White. 1982. Population density and planting date effects on kenaf performance. Agron. J. 74: 74-77.

Cheng, S.F., and J.S. Zubriski. 1978. Effect of nitrogen fertilizer on production of irrigated sunflower ,plant uptake nitrogen , and on water use. Proc. 8th Int.Sunflower Conf., Minneapolis. 400-409.

Daynard, T.B., J.W. Tanner, and W.G.Duncan. 1971. Duration of the grain filling period and its relation to grain yield in corn, Zea mays L. Crop Sci. 11:45-48.

Egli, D.B., J.E. Leggett, and W.G. Duncan. 1978. Influence of nitrogen stress on leaf senscence and nitrogen redistribution in soybeans. Agron. J. 70:43-47.

English, S.D., J.R. Mc William, R.C.G. Smith, and J.L. Davidson. 1979. Photosynthesis and partitioning of dry matter in sunflower. Aust. J. of Plant Physiol. 6:149-164.

Eva,G., H. Goldbach, H.Wagner, and G.Michael. 1975. Influence of nitrogen deficiency on the abscisic acid content of sunflower plants. Physiol. plant. 34:138-140.

Frank, A.B., and A. Bauer. 1984. Cultivar, nitrogen, and soil water effect on apex development in spring wheat. Agron. J. 76:656-659.

Gardner, B.R. and E.B. Jackson. 1976. Fertilization, nutrient composition, and yield of relationships in irrigates spring wheat. Agron. J. 68:75-78.

Graham, R.N. 1967. Sunflower specialist advice. Rhodesian Nat. Farmers Union Crop Cont.

Goyne, P.J., and G.L. Hammer. 1982. Phenology of sunflower cultivars. II. controlled-environment studies of temperature and photoperiod effects. Aust. J. Agric. Res. 33:251-261.

Higgins,J.J., and G.A.White. 1970. Effect of plant population and harvest date on stem yield and growth components of kenaf in Maryland. Agron. J. 62:667-668.

Hocking, P.J., and B.T. Steer. 1982. Nitrogen nutrition of sunflower with special reference to nitrogen stress. Proc.10th Int. Sunflower Conf. 73-78.

Hocking, P.J., and B.T. Steer. 1983. Distribution of nitrogen during growth of sunflower (Helianthus annuus L.) Ann. Bot. 51:787-799.

Jackson, J.E., and J.W. Palmer. 1979. A simple model of light transmission and interception by discontinuous canopies. Ann. Bot. 44:381-383.

Jellum, M.D., F.C. Boswell, and C.T. Young. 1973. Nitrogen and boron effects on protein and oil of corn grain. Agron. J. 65:330-333.

Kaiser,J.J., and O.A.M.Lewis. 1980. Nitrate-nitrogen assimilation in the leaves of Helianthus annuus L. New Phytol.85:235-241.

Koyama, Takeo, Chittana Chammek, and Natee Niamsrichand. 1973. Nitrogen application technology for tropical rice as determined by field experiments using ^{15}N tracer technique. TARC. Technical Belletin NO.3.

Langer, R.H.M., and F.K.Y.Liew. 1973. Effects of varying nitrogen supply at different stages of the reproductive phase on spikelet and grain production and on grain nitrogen in wheat. Aust. J. Agric. Res. 24:647-656.

Loubser, H.L. 1983. Disorders producing symptoms mainly on the older leaves. In Blamey, F.P., D.G. Edwards, and C.J. Asher (eds.). Nutritional disorders of sunflower. Univ. of Queenland, St. Lucia.

Massey, J.H. 1971. Effects of nitrogen rates and plant spacing on sunflower seed yields and other characteristics. Agron. J. 63:137-138.

Mathers , A.C., and B.A. Stewart. 1982. Sunflower nitrient uptake, growth, and yield as affected by nitrogen or manure, and plant population. Agron. J. 74:911-915.

Miller, J.F., and G.N. Fick. 1978. Influence of plant population on performance of sunflower hybrids. Can. J. Plant. Sci. 58: 597-600.

Miller, J.F. and W.W. Roath. 1982. Compensatory response of sunflower to stand reduction applied at different plant growth stages. Agron.J. 74:119-121.

Mitsui, Shingo. 1970. The uptake of major plant nutrients N, P, K and Ca by crop plant. ASPAC.Food and Fertilizer Technology Center. Technical Bulletin No.1.

Mohammad,S., and S.R.Rao. 1981. Effect of spacings and levels of nitrogen on oil content of sunflower. Indian J. Agron. 26: 105-109.

Narwal, S.S., and D.S. Malik. 1985. Response of sunflower cultivars to plant density and nitrogen. J. Agric. Sci. 104: 95-97.

Ogunremi,E.A. 1986. Effects of nitrogen fertilization and harvest time on sunflower yield and hollow seedness. Field Crops Research. 13:45-53.

Palmer, J.H., and B.T. Steer. 1985. The generative area as the site of floret initiation in the sunflower capitulum and its integration to predict floret number. Field Crops Research. 11:1-12.

Pate, J.S. 1980. Transport and partitioning of nitrogenous solutes. Ann. Rev.Plant Physiol. 31:313-340.

Patil, B.P. 1983. Varietal response of sunflower to nitrogen in Konkan. Indian J. Agron. 28:176-177.

Peat, W.E. 1970. Relationships between photosynthesis and light intensity in the tomato. Ann. Bot. 34:319-328.

Pookpakdi, A., D.R. Johnson, and S. Shanmugasundaram. 1989. Rate and duration of dry matter accumulation in soybean as affected by plant population densities and environment. Thai J. Agric. Sci. 22:7-15.

Prunty, L. 1983. Soil water and population influence on hybrid sunflower yield and uniformity of stand. Agron.J.75:745-749.

Prunty,L. 1981. Sunflower cultivar performance as influence by soil water and plant population. Agron. J. 73:257-260.

Radin, J.W., and L.L. Parker. 1979. Water relations of cotton plants under nitrogen deficiency I. dependence upon leaf structure. Plant Physiol. 64:495-498.

Radin, J.W., and J.S. Boyer. 1982. Control of leaf expansion by nitrogen nutrition in sunflower plants. Plant Physiol. 69: 771-775.

Radin, J.W., L.L. Parker, and G. Guinn. 1982. Water relations of cotton plants under nitrogen deficiency V.environmental control of abscisic acid accumulation and stomatal sensitivity to abscisic acid. Plant Physiol. 70:1066-1070.

Rawson, H.M., and R.G.Woodward. 1976. Photosynthesis and transpiration in dicotyledonous plants. I. expanding leaves of tobacco and sunflower. Aust. J. Plant Physiol. 3:247-256.

Rawson, H.M., and J.H. Hindmarsh. 1983. Light, leaf expansion and seed yield in sunflower. Aust. J. Plant Physiol. 10:25-30.

Rawson, H.M., R.L. Dunstone, M.J. Long, and J.E. Begg. 1984. Canopy development, light interception and seed production in sunflower as influenced by temperature and radiation. Aust. J. Plant Physiol. 11:255-265.

Reuter, D.J. 1986. Temperate and sub-tropical crops. In Reuter D. J. and J. B. Robinson (eds.). Plant analysis. An interpretation manual. 38-99.

Robinson, R.G. 1973. Elemental composition and response to nitrogen of sunflower and corn. Agron. J. 65:318-320.

Robinson, R.G., J.H. Ford, W.E. Lueschen, D.L. Rabas, L.J. Smith, D.D. Warnes, and J.V.Wiersma. 1982. Response of sunflower to uniformity of plant spacing. Agron. J. 74:363-365.

Robinson, R.G., J.H. Ford, W.E. Lueschen, D.L. Rabas, L.J. Smith, D.D. Warnes, and J.V. Wiersma. 1980. Response of sunflower to plant population. Agron. J. 72:869-871.

Salama, D.A. and P.F. Wareing. 1979. Effect of mineral nutrition on endogenous cytokinins in plants of sunflower. J. of Exp. Bot. 30:971-981.

Schneiter, A.A., and J.F. Miller. 1981. Description of sunflower growth stages. Crop Science. 21:901-903.

Sinclair, T.R., and C.T. de Wit. 1975. Photosyntate and nitrogen requirements for seed production by various crops. Science. 189:565-567.

Singh, V., C. Singh, and T.P. Singh. 1973. Note on the yield response of sunflower to the application of nitrogen and phosphorus under tarai conditions. Indian J. agric. Sci. 43: 890-891.

Steer, B.T. 1973. Diurnal rariations in photosynthetic products and nitrogen metabolism in expanding leaves. Plant Physiol. 51:744-748.

Steer, B.T., A. Low, and P.J. Hocking. 1985a. Nitrogen nutrition of sunflower (Helianthus annuus L.) : yield response of seven genotypes and interacction of heterosis with nitrogen supply. Field Crop Research. 12:1-6.

Steer, B.T., P.J. Hocking, and A. Low. 1985b. Nitrogen nutrition of sunflower (Helianthus annuus L.) : concentrations, partitioning between organs and redistribution of nitrogen in seven genotypes in response to nitrogen supply. Field Crops Research. 12:17-32.

Steer, B.T., P.D.Coaldrake, C.J. Pearson, and C.P. Canty. 1986. Effect of nitrogen supply and population density on plant development and yield components of irrigated sunflower (Helianthus annuus L.) Field Crop Research. 13:99-115.

Steer, B.T., and P.J. Hocking. 1983. Leaf and floret production in sunflower (Helianthus annuus L.) as affected by nitrogen supply. Ann. of Bot. 52:267-277.

Steer, B.T., and P.J. Hocking. 1984. Nitrogen nutrition of sunflower (Helianthus annuus L.) : acquisition and partitioning of dry matter and nitrogen by vegetative organs and thier relationship to seed yield. Field Crop Research. 9:237-251.

Steer, B.T., P.J. Hocking., A.A. Kortt, and C.M. Roxburgh. 1984. Nitrogen nutrition of sunflower (Helianthus annuus L.): yield components, the timing of their establisment and seed characteristics in response to nitrogen supply. Field Crop Research. 9:219-236.

Tesar, M.B. 1984. Physiological basis of crop growth and development. American Society of Agronomy. Crop Science Society of America. Madison, Wisconsin.

Thompson,L.M., and F.R.Troch. 1975. Soil and soil fertility. Tata McGraw-Hill., New Delhi, 3rd ed. 242-264.

Vijayalakshmi, K., N.K.Sanghi, W.L.Pelton, and C.H.Anderson. 1975. Effect of plant population and row spacing on sunflower agronomy. Can. J. Plant Sci. 55:491-499.

Waggonnor, P.E., D.N.Moss., and J.D.Hesketh. 1963. Radiation in the plant movement and photosynthesis. Agron. J. 55:36-39.

Warmington, C.R. 1981. Sunflower in Australia. Toowoomba, Old., Pacific Seed. 51-53.

Wichiporovich, A.A. 1960. Photosynthesis and the theory of obtaining high crop yield. An abstrat with commentary by J.N. Black and D.J. Watson. Field Crop Abs. 13:169-175.

Yoneyama, Tadakatsu, kunio Arai, and Tsumugu Totsuka. 1980. Transfer of nitrogen and carbon from a mature sunflower leaf $^{15}NO_2$ and $^{13}CO_2$ feeding studies. Plant and Cell Physiol. 21 (8):1367-1381.

Yoshida, S., D. Forno, J. Cock, and K. Gomez. 1976. Laboratary Manual for Physiological Studies of Rice. IRRI. Philippines.

Zubriski, J.C., and D.C. Zimmerman. 1974. Effect of nitrogen, phosphorus, and plant density on sunflower. Agron. J. 66: 798-801.