

เอกสารอ้างอิง

- บรรยา ฤทธิ์ล้อย. 2528. การซักนำให้เกิดการเจริญของละอองเกสรตัวผู้ของพริก (*Capsicum spp.*) บางสายพันธุ์ในอาหารสั่งเคราะห์. วิทยานิพนธ์วิทยาศาสตร์มหा�บัณฑิต. มหาวิทยาลัยเชียงใหม่. เชียงใหม่. 132 น.
- นิมิต รอดวัฒนกุล. 2529. การศึกษาพื้นฐานเกี่ยวกับการผลิตเมล็ดพันธุ์ลูกผสมชั้วที่ 1 ของพืชกาดขาวน้ำ. วิทยานิพนธ์วิทยาศาสตร์มหा�บัณฑิต. มหาวิทยาลัยเชียงใหม่. เชียงใหม่. 138 น.
- ประสานพร สุมิตะман. (ติดต่อส่วนตัว). ภาควิชาโรคพืช. คณะเกษตรศาสตร์. มหาวิทยาลัยลักษณะเชียงใหม่. เชียงใหม่.
- ไพบูลย์ กวนเลิศวัฒนา. 2524. หลักการและวิธีการเลี้ยงเนื้อเยื่อเพื่อฟื้นฟู. กรุงเทพฯ. 190 น.
- ไฟศาล เหล่าสุวรรณ. 2525. พันธุ์ศาสตร์. ไทยวัฒนาพานิช. กรุงเทพฯ. 342 น.
- เมืองทอง ทวนกิจ และสุรีรัตน์ ปัญญาโถเน. 2525. สวนผัก. โรงพิมพ์กลุ่มหนังสือเกษตร. กรุงเทพฯ. 325 น.
- อร์ด สหวัชรินทร์. 2532. เทคโนโลยีขั้นสูงในการผลิตผักกาดกะหล่ำลูกผสมจากผักกาดขาวและกะหล่ำปลี. เดชการเกษตร. 13:28-31.
- อุดม นาพาณิชย์ และอร์ด สหวัชรินทร์. 2523. การเพาะเลี้ยงอับลละองเกษตรของข้าว. วิทยสารเกษตรศาสตร์. 14:17-27.
- จำพล ลักษมีวนิชย์. 2525. การเจริญของเรณูของมะเขือบางชันด (Solanum spp.) ที่เลี้ยงในหลอดแก้ว. วิทยานิพนธ์วิทยาศาสตร์มหा�บัณฑิต. มหาวิทยาลัยเชียงใหม่. 125 น.
- Anagnostakis, S.L. 1974. Haploid plants from anthers of tobacco-enhancement with charcoal. *Planta*. 115:281-283.
- Arnison, P.G., P. Donaldson, L.C.C. Ho and W.A. Keller. 1990. The influence of various physical parameters on anther culture of broccoli (*Brassica oleracea* var. *italica*). *Plant Cell, Tissue and Organ Culture*. 20:147-155.
- Bajaj, Y.P.S. 1975. Protoplast culture and production of haploid, p.

- 107-113. In Form, Structure and Function in Plants. Sarita Prakashan Press. Meerut, India.
- Bajaj, Y.P.S. 1977. In vitro induction of haploids in wheat (*Triticum aestivum* L.). Crop Improv. 4:54-64.
- Bajaj, Y.P.S. 1983. In vitro production of haploids, p. 228-287. In D.A. Evans, W.R. Sharp, P.V. Ammirato and Y. Yamada (eds.). Handbook of Plant Cell Culture : Techniques for Propagation and Breeding. V.1. Mac. Pub. Com., U.S.A.
- Batty, N. and J.M. Dunwell. 1989. Effect of maltose on the response of potato anthers in culture. Plant Cell, Tissue and Organ Culture. 18:221-226.
- Bennett, M.D. and W.G. Hughes. 1972. Additional mitosis in wheat pollen induced by ethrel. Nature. 240:566-568.
- Bernard, S. 1980. In vitro androgenesis in hexaploid *Triticale*: determination of physical conditions increasing embryo and green plant production. Z.Pflanzenzuecht. 85:308-321.
- Biddington, N.L., R.A. Sutherland and H.T. Robinson. 1988. Silver nitrate increases embryo production in anther culture of brussels sprouts. Ann. Bot. 62:181-185.
- Blakeslee, A., J. Belling, M.E. Farnham and A.D. Bergner. 1922. A haploid mutant in *Datura stramonium*. Science. 55:646-647.
- Bourgin, J.P. and J.P. Nitsch. 1967. Obtention de *Nicotiana* haploids a partird etamines cultivees in vitro. Ann. Physiol. Veg. 9:377-382.
- Bretell, R., E. Thomas and W. Wernicke. 1981. Production of haploid maize plants by anther. Maydica. 26:101-111.
- Bullock, W.P., P.S. Baenziger, G.W. Schaeffer and P.J. Bottino. 1982.

- Anther culture of wheat (*Triticum aestivum* L.) F₁'s and their reciprocal crosses. *Theor. Appl. Genet.* 62:155-159.
- Burnett, L., S. Yarrow and B. Huang. 1992. Embryogenesis and plant regeneration from isolated microspores of *Brassica rapa* L. ssp. *oleifera*. *Plant Cell Reports.* 11:215-218.
- Chen, Z., F. Chen, C. Chien, C. Wang, S. Chang, H. Hsu, H. Ou, Y. Ho and T. Lu. 1979. A process of obtaining pollen plants of *Hevea brasiliensis*. *Sci. Sin.* 22:81-90.
- Chen, J.J. and H.S. Tsay. 1982. Studies on callus formation and plantlet differentiation ability of rice anther culture (*Oryza sativa* L.) M.S. Thesis, Research Institution Food Crop, Natl Chung-Hsing University. 63 p.
- Chuong, P.W. and W.D. Beversdorf. 1985. High frequency embryogenesis through isolated microspore culture in *Brassica napus* L. and *B. carinata* Braun. *Plant Sci.* 39:219-229.
- Clapham, D.H. 1973. Haploid *Hordeum* plants from anther in vitro. *Z. Pflanzenzuecht.* 69:142-155.
- Clapham, D.H. 1977. Haploid induction in cereals, p. 279-340. In J. Reinert and Y.P.S. Bajaj (eds.). *Plant Cell, Tissue and Organ Culture.* Springer-Verlag. Berlin, Heidelberg.
- Coleman, A.W. and L.J. Goff. 1985. Applications of fluorochromes to pollen biology I mitramycin and 4,6-diamidino-2-phenylindole (DAPI) as vital stains and for quantitation of nuclear DNA. *Stain Technology.* 60:145-153.
- Collins, G.B. and A.D. Genovesi. 1982. Anther and its application to crop improvement, p. 1-24. In D.T. Tomes, B.E. Ellis, P.M. Harney, K.J. Kasha and R.L. Peter (eds.). *Application of Plant Cell and*

Tissue Culture to Agriculture and Industry. University of Guelph. Ontario, Canada.

- Conlibaly, Y. and Y. Demarly. 1979. Androgenese in vitro chez *Oryza sativa* (var. *cigalon*) apatir d' anther conservees dans l' azote liquid (-196 °c.). Agron. Tropic. 34:74-79.
- Corduan, G. 1975. Regeneration of anther-derived plants from *Hyoscyamus niger* L. Planta. 127:27-36.
- Coventry, J., L. Kott and W.D. Beversdorf. 1988. Manual for Microspore Culture Technique for *Brassica napus*. OAC Pub., Department of Crop Science. University of Guelph. Ontario, Canada. 35 p.
- Dix, P.J. and H.E. Street. 1974. Effects of p-fluorophenylalanine on the growth of cell line differing in ploidy and derived from *Nicotiana sylvestris*. Plant Sci. Lett. 3:283-288.
- Dunwell, J.M. 1981. In vitro regeneration from excised leaf discs of three *Brassica* species. J. Exp. Bot. 32:789-799.
- Dunwell, J.M. 1985a. Anther and ovary culture, p. 1-44. In S.W.J. Bright and M.G.K. Jones (eds.). Cereal Tissue and Cell Culture. Martinus Nijhoff Pub. Lancaster, Netherland.
- Dunwell, J.M. 1985b. Haploid cell cultures, p. 21-36. In R.A. Dixon (ed.). Plant Cell Culture. IRL Press Oxford, England.
- Dunwell, J.M. 1986. Pollen, ovary and embryo culture as tools in plant breeding, p. 375-404. In L.A. Withers and P.G. Alderson (eds.). Plant Tissue Culture and Its Agricultural Application. University Press, Cambridge.
- Dunwell, J.M., M. Cornish and A.G.L. De Courcel. 1985. Influence of genotype, plant growth temperature and incubation on microspore embryo production in *Brassica napus* ssp. *oleifera*. J. Exp. Bot.

- 36:679-689.
- Engvild, K.C. 1974. Plantlet ploidy and flower bud size in tobacco anther culture. *Hereditas*. 76:320-322.
- Engvild, K.C., I. Linde-Laursen and A. Lundquist. 1972. Anther culture of *Datura innoxia*, flower bud stage and embryoid level of ploidy. *Hereditas*. 72:331-332.
- Fabijanski, S.F., I. Allosaar and P.G. Arnison. 1991. Heat shock response during anther culture of broccoli (*Brassica oleracea* var. *italica*). *Plant Cell, Tissue and Organ Culture*. 26:203-212.
- Fan, Z., K.C. Armstrong and W.A. Keller. 1988. Development of microspore in vivo and in vitro in *Brassica napus* L.. *Protoplasma*. 147:191-199.
- Foroughi-Wehr, B. and G. Mix. 1979. In vitro responses of *Hordeum vulgare* L. anther cultured from plant grown under different environments. *Environ. Exp. Bot.* 19:303-309.
- Foroughi-Wehr, B., G. Mix., H. Gaul and H.M. Wilson. 1976. Plant production from cultured anthers of *Hordeum vulgare* L.. *Z. Pflanzenzuecht.* 77:198-204.
- Fridborg, G. and T. Eriksson. 1975. Effects of activated charcoal on growth and morphogenesis in cell culture. *Physiol. Plant.* 34:306-308.
- Gamborg, O.L. 1975. Plant tissue culture methods. Pub. N.R.C. and N.N.R.C. Ontario, Canada. 99 p.
- Gamborg, O.L., R.A. Miller and K. Ojima. 1968. Nutrient requirement of suspension cultures of soybean root cell. *Exp. Cell. Res.* 50:151-158.
- George, L. and P.S. Rao. 1982. In vitro induction of pollen embryos

- and plantlet in *Brassica juncea* through anther culture. Plant. Sci. Lett. 26:11-116.
- Guha, S. and S.C. Maheshwari. 1964. In vitro production of embryos from anthers of *Datura*. Nature. 204: 497.
- Gupta, N. and P.S. Carlson. 1972. Preferential growth of haploid plant cells in vitro. Nature New Biol. 239:86.
- Hoagland, D.R. and D.I. Arnon. 1952. The water culture method for growing plants without soil. Bullentin No. 147. California Agricultural Experimental station, U.S.A. 95 p.
- Horner, M., J.A. McComb, A.J. McComb and H.E. Street. 1977. Ethylene production and plantlet formation by *Nicotiana* anthers cultured in the presence and absence of charcoal. J. Exp. Bot. 28: 1365-1372.
- Huang, B. 1982. Developmental studies in anther culture of *Hordeum*, *Triticum* and *Paeonia*. Ph.D. Thesis, University East Anglia, Norwich. 135 p.
- Huang, B. and N. Sunderland. 1982. Temperature-stress pretreatment in barley anther culture. Ann. Bot. 49:77-88.
- Huang, B., S. Bird, R. Kemble, D. Simmmons, W. Keller and B. Miki. 1990. Effects of culture density, conditioned medium and feeder cultures on microspore embryogenesis in *Brassica napus* L. cv. Topas. Plant Cell Reports. 8:594-597.
- Imamura, J and H. Harada. 1981. Stimulation of tobacco pollen embryogenesis by anaerobic treatments. Z. Pflanzenphysiol. Bd. 103:259-263.
- Jain, R.K., U. Brune and W. Friedt. 1989. Plant regeneration from in vitro culture of cotyledon explants and anthers of *Sinapis alba*

- and its implications on breeding of crucifers. *Euphytica*. 43: 153-163.
- Jefferies, C.J. 1977. Sequential staining to assess viability and starch content in individual pollen grains. *Stain Technology*. 52:277-283.
- Jing, J.K., Z.Y. Xi and H. Hu. 1982. Effects of high temperature and physiological condition of donor plants on induction of pollen-derived plants in wheat, p. 67-68. In Annual Reports Institution Genetic Academic Sinic, Peking.
- Johansson, L., B. Andersson and J. Eriksson. 1982. Improvement of anther culture technique : activated charcoal bound in agar medium in combination with liquid medium and elevated CO_2 concentration. *Physiol. Plant.* 54:24-30.
- Johansson, L. and T. Eriksson. 1984. Effects of carbon dioxide in anther cultures. *Physiol. Plant.* 60:26-30.
- Kameya, T and K. Hinata. 1970. Induction of haploid plants from pollen grains of *Brassica*. *Jpn. J. Breed.* 20:82-87.
- Kao, K.N. 1981. Plant formation from barley anther culture with ficoll media. *Z. Pflanzenzuecht.* 103:437-443.
- Keathley, D.E. and R.L. Scholl. 1982. Culture of *Arabidopsis thaliana* anthers on liquid medium. *Z. Pflanzenzuecht.* 106:199-212.
- Keller, W.A. 1984. Anther culture of *Brassica*, p. 302-310. In I.K. Vasil (ed.). *Cell Culture and Somatic Cell Genetic of Plant : Laboratory Procedures and Their Applications*. V.1. Acad. Press. Inc, London.
- Keller, W.A. and G.R. Stringham. 1978. Production and utilization of microspore-derived haploid plant, p. 113-122. In T.S. Thorpe

- (ed.). Frontiers of Plant Tissue Culture. Calgary University Press. Calgary Alberta, Canada.
- Keller, W.A., J. Lacapra and K.C. Armstrong. 1977. Embryogenesis and plantlet regeneration in anther culture of *Brassica spp.* In Vitro. 13:146.
- Keller, W.A. and K.C. Armstrong. 1977. Embryogenesis and plant regeneration in *Brassica napus* anther cultures. Can. J. Bot. 55: 1383-1388.
- Keller, W.A. and K.C. Armstrong. 1978. High frequency production of microspore-derived plants from *Brassica napus* anther culture. Z. Pflanzenzuecht. 80:100-108.
- Keller, W.A. and K.C. Armstrong. 1979. Stimulation of embryogenesis and haploid production in *Brassica campestris*. anther culture by elevated temperature treatments. Theor. Appl. Genet. 55:65-67.
- Keller, W.A. and K.C. Armstrong. 1981. Production of anther-derived diploid plants in autotetraploid marrowstem kale (*Brassica oleracea* var. *acephala*). Can. J. Genet. Cytol. 23:259-265.
- Keller, W.A. and K.C. Armstrong. 1983. Production of haploid via anther culture in *Brassica oleracea* var. *italica*. Euphytica. 32:151-159.
- Keller, W.A., K.C. Armstrong and A.I. de la Roche. 1983. The production and utilization of microspore-derived haploid in *Brassica* crop, p. 169-183. In S.K. Sen and K.L. Giles (eds.). Plant Cell Culture in Crop Improvement. Plenum, New York.
- Keller, W.A., T. Rajhathy., J. Lacapra. 1975. In vitro production of plants from pollen in *Brassica campestris*. Can. J. Genet. Cytol. 17:655-66.

- Kiss, J., L.E. Heszky, E. Kiss and G. Gyalai. 1992. High efficiency adventive embryogenesis on somatic embryos of anther, filament and immature proembryo origin in horse-chestnut (*Aesculus hippocastanum* L.) tissue culture. *Plant Cell, Tissue and Organ Culture.* 30:59-64.
- Klimaszewska. K. and W.A. Keller. 1983. The production of haploid from *Brassica hirta* Moench. (*Sinapis alba* L.) anther culture. *Z. Pflanzenphysiol. Bd.* 109:235-241.
- Kochhar, T., P. Sabharwal and J. Engelberg. 1971. Production of homozygous diploid plants by tissue culture technique. *J. Heredity.* 62:59-61.
- Kuo, C.S. 1982. Progress of anther culture of maize in China, p. 563-564. In A. Fujiwara (ed.). *Plant Tissue Culture*, Tokyo.
- Lai, P.C., H.S. Tsay and N.C. Chi. 1980. The relationship between anther browning and callus formation in rice anther culture. *J. Agric. Res. China.* 29:137-146.
- Leelavathi, S., V.S. Reddy and S.K. Sen. 1987. Somatic cell genetic studies in *Brassica* species II production of androgenetic haploid plants in *Brassica nigra* (L.) Koch. *Euphytica.* 36:215-219.
- Li, C.W. 1981. The origin, evolution, taxonomy and hybridization of Chinese cabbage, p. 3-10. In I.S. Talekar and T.D. Griggs (eds.). *Chinese Cabbage*. Proceeding First Intl Symposium. AVRDC. Shanhua, Taiwan.
- Lichter, R. 1981. Anther culture of *Bassica napus* in a liquid culture medium. *Z.Pflanzenphysiol. Bd.* 103:229-237.
- Lichter, R. 1982. Induction of haploid plants from isolated of *Brassica napus*. *Z.Pflanzenphysiol. Bd.* 105: 427-434.

- Loh, C.S. and D.S. Ingram. 1982. Production of haploid plants from anther culture and secondary embryoids of winter oilseed rape (*Brassica napus*. ssp. *oleifera*). *New Phytol.* 91:507-516.
- Matthews, P.S. and I.K. Vasil. 1976. The dynamics of cell proliferation in haploid and diploid tissues of *Nicotiana tabacum*. *Z. Pflanzenphysiol.* Bd. 77:222-236.
- Morrison, R.A., R.E. Koning and D.A. Evans. 1986. Pepper, p. 552-573. In D.A. Evans, W.R. Sharp, P.V. Ammirato (eds.). *Handbook of Plant Cell Culture : Techniques and Applications.* V.4. Mac. Pub. Com., U.S.A.
- Murashige, T. and F. Skoog. 1962. A revised medium for rapid growth and bioassays with tobacco tissue culture. *Physiol. Plant.* 15:473-497.
- Narayanaswamy, S. and L.P. Chandy. 1971. In vitro induction of haploid, diploid and triploid androgenic embryoids and plantlet in *Datura metel*. *Ann. Bot.* 35:535-542.
- Niizeki, H. and K. Oono. 1968. Induction of haploid rice plant from anther culture. *Proc. Jpn. Acad.* 44:554-557.
- Nikornpun, M. 1992. Vegetable Seed Production in Thailand Phase III August 1988 - June 1992. Faculty of Agriculture. Chiang Mai University. Chiang Mai, Thailand. 176 p.
- Nitsch, J.P. 1969. Experimental androgenesis in *Nicotiana*. *Phytomorphology.* 19:389-404.
- Nitsch, C. 1975. Single cell culture of a haploid cell, pp. 297-310. In L. Ledouze (ed.). *Genetic Manipulation with Plant Material.* Plenum Press, London.
- Nitsch, C. and B. Norreel. 1973. Effect d'un choc thermique sur le

- pouvoir embryogene du pollen de *Datura innoxia* cultive dane l'anther on isole de l'anther. C. R. Acad. Sci. Ser. D. 276: 303-306.
- Nitsch, J.P. and C. Nitsch. 1969. Haploid plants from pollen grains. Science. 163:85-87.
- Ockendon, D.J. 1984. Anther culture in brusеле sprouts (*Brassica oleracea* var. *gemmifera*) I embryo yields and plant regeneration Ann. Appl. Biol. 105:285-291.
- Ockendon, D.J. 1985. Anther culture in brusèle sprouts (*Brassica oleracea* var. *gemmifera*) II effect of genotype on embryo yields. Ann. Appl. Biol. 107:101-104.
- Ockendon, D.J. 1988. The ploidy of plants obtained from anther of cauliflowers (*Brassica oleracea* var. *botrytis*). Ann. Appl. Biol. 113:319-325.
- Opena, P.T., C.G. Kuo and J.Y. Yoon. 1988. Breeding and Seed Production of Chinese Cabbage in the Tropics and Subtropics. Technical Bulletin No.17. AVRDC, Taiwan. 99 p.
- Orlikowska, T. 1977. Induction of androgenesis in vitro in *Secale cereale* and *Triticale*. Genet. Pol. 18:51-59.
- Ouyang, J.M., S.M. Zhou and S.E. Jia. 1983. The response of anther culture to temperature in *Triticum aestivum*. Theor. Appl. Genet. 66:101-109.
- Palmer. C. E. 1992. Enhanced shoot regenerations from *Brassica campestris* by silver nitrate. Plant Cell Report. 11:541-545.
- Pechan, P.M. and W.A. Keller. 1988. Identification of potentially embryogenic microspores in *Brassica napus*. Physiol. Plant. 74:377-384.

- Pescitelli, S.M., C.D. Johnson and J.F. Petolino. 1990. Isolated microspore culture of maize: effects of isolation technique, reduced temperature and sucrose level. *Plant Cell Reports.* 8:628-631.
- Pescitelli, S.M. and J.F. Petolino. 1988. Microspore development in cultures maize anthers. *Plant Cell Reports.* 7:441-444.
- Picard, E. 1973. Influence de modifications dans les correlations internes sur le devenir du gametophyte male de *Triticum aestivum* L. in situ et en culture in vitro. *C.R. Acad. Sci. Ser. D.* 277:777-780
- Pierik. R.L.M. 1987. *In Vitro Culture of Higher Plants.* Martinus Nijhoff. Pub. Lancaster, Netherlands. 344 p.
- Quazi. H.M. 1978. Regeneration of plants from anthers of broccoli (*Brassica oleracea* L.). *Ann. Bot.* 24:473-475.
- Raquin, C., M. Amssa, Y. Henry, J. De Buyser and S. Essad. 1982. Origine des plantes polyploides obtenus par culture d'antheres. *Z. Pflanzenzuecht.* 89:265-277.
- Reinert, J and Y.P.S. Bajaj. 1977. Anther culture : haploid production and its significance, p. 251-267. In J. Reinert and Y.P.S. Bajaj (eds.). *Plant Cell, Tissue and Organ Culture.* Springer-Verlag. Berlin, Heidelberg.
- Reynolds, J.F. 1987. Chemical regulation in tissue culture : an overview. *Hort Sci.* 22:1192-1194
- Roberts, L.N., T.C. Gaude, G. Harrod and H.G. Dickinson. 1983. Pollen-stigma interactions in *Brassica oleracea*, a new pollen germination medium and its use in elucidating the mechanism of self incompatibility. *Theor. Appl. Genet.* 65:231-238.

- Roulund, N., S.B. Andersen and B. Farestveit. 1991. Optimal concentration of sucrose for head cabbage (*Brassica oleracea* L. convar. *capitata* (L.) Alef.) anther culture. *Euphytica*. 52:125-129.
- Sato, T., T. Nishio and M. Hirai. 1989. Plant regeneration from isolated microspore cultures of chinese cabbage (*Brassica campestris* ssp. *pekinensis*). *Plant Cell Reports*. 8:486-488.
- Sharma, D.P., E. Firoozabady, N.M. Ayres and D.W. Galbraith. 1983. Improvement of anther culture in *Nicotiana* : media, cultural condition and flow cytometric determination of ploidy levels. *Z. Pflanzenphysiol.* Bd. 111:441-451.
- Song, H.G., S.N. Li, G.R. Li, S.G. Yun and J.W. Li. 1978. Studies of increasing the induction rate of callus tissue and pollen plantlets from anthers of *Oryza sativa* cultured in vitro. p. 97-106. In Proceedings Symposium on Plant Tissue Culture. Science Press, Peking.
- Sozinov, A., S. Lukjanjuk and S. Ignatova. 1981. Anther cultivation and induction of haploid in *Triticale*. *Z. Pflanzenzuecht.* 86:272-285.
- Stow, I. 1930. Experimental studies on the formation of embryo saclik giant pollen grain in the anther of *Hyacinthus orientalis*. *Cytologia*. 1:413-439.
- Sunderland, N. 1974. Anther culture as a means of haploid induction, In K.J. Kasha (ed.). *Haploid in Higher Plants : Advance and Potential*. University of Guelph. Ontario, Canada. 122 p.
- Sunderland, N. 1978. Strategies in the improvement of yields in anther culture, p. 65-86. In Proceedings of Symposium on Plant Tissue Culture. Science Press. Peking.

- Sunderland, N. and F.M. Wicks. 1971. Embryoid formation in pollen grains of *Nicotiana tabacum*. J. Exp. Bot. 22:213-226.
- Sunderland, N. and J.M. Dunwell. 1977. Anther and pollen culture, p. 223-265. In H.E. Street (ed.). Plant Tissue and Cell Culture. Sci. Pub. Oxf, Blackwell.
- Sunderland, N., Z.H. Xu and B. Huang. 1981. Recent advanced in barley anther culture, p. 699-703. In R.N.H. Whilehouse (ed.). Barley Genetics. University of Edinburgh Press, Edinburgh.
- Thomas, E. and G. Wenzel. 1975. Embryogenesis from microspores of *Brassica napus*. Z. Pflanzenzuecht. 74:77-81.
- Thurling, N. and P.M. Chay. 1984. The influence of donor plant genotype and environment on production of multicellular microspore in cultured anther of *Brassica napus* ssp. *oleifera*. Ann. Bot. 54:681-693.
- Tsay, H.S. 1981. Effects of nitrogen supply to donor plants on pollen embryogenesis in cultured tobacco anthers. J. Agric. Res. China. 30:5-13.
- Tsay, H.S. 1982. The microspore development and haploid embryogenesis of anther culture with five nitrogen doses to the donor tobacco plants. J. Agric. Res. China. 31:1-13.
- Tulecke, W. 1953. A tissue derived from the pollen of *Ginko biloba*. Science. 11:599-600.
- Vacin, E. and F. Went. 1949. Some pH changes in nutrient solution. Bot. Gaz. 110:605-613.
- Vagera, J. and P. Havranek. 1983. Regulation of androgenesis in *Nicotiana tabacum* L. cv. White burley and *Datura innoxia* Mill.: effect of bivalent and trivalent iron and chelating substances.

- Biol. Pl. 25:5-14.
- Vagera, J., P. Havranek and Z. Opatrny. 1979. Regulation of in vitro androgenesis of tobacco : relationship between concentration of iron ions and kinetin. Biochem. Physiol. Pfl. 174:752-760.
- Wang, C.C., C.S. Sun, C.C. Chu and S.C. Wu. 1978. Studies on the albino pollen plantlets of rice, p. 149-160. In Proceedings of Symposium on Plant Tissue Culture. Science Press. Peking.
- Weatherhead, M.A., J. Burdon and G.G. Genshaw. 1978. Some effects of activated charcoal as an additive to plant tissue culture media. Z. Pflanzenphysiol. Bd. 89:141-147.
- Wenzel, G and B. Foroughi-Wehr. 1984a. Anther culture of *Solanum tuberosum*, p. 293-301. In I.K. Vasil (ed.). Cell Culture and Somatic Cell Genetics of Plants : Laboratory Procedures and Their Application. V.1. Acad. Press Inc, London.
- Wenzel, G and B. Foroughi-Wehr. 1984b. Anther culture of cereals and grasses, p. 311-327. In I.K. Vasil (ed.). Cell Culture and Somatic Cell Genetics of Plants : Laboratory Procedures and Their Application. V.1. Aca. Press Inc. London.
- Wenzel, G., F. Hoffmann and E. Thomas. 1977. Increased induction and chromosome doubling of androgenetic haploid rye. Theor. Appl. Genet. 51:81-86.
- Wivutvongvana, M. 1980. Vegetable Crops. Chiang Mai University, Thailand. 65 p.
- Xu, Z.H. and N. Sunderland. 1981. Glutamine, inositol and the conditioning factor in the production of barley pollen callus. Plant Sci. Lett. 23:161-168.
- Yang, H.Y. and C. Zhou. 1979. Experimental researches on the two

- pathways of pollen development in *Oryza sativa*. *Acta. Bot. Sin.* 21:345-351.
- Zee, S.Y. and B.B. Johnson. 1984. Cole crops, p. 227-246. In P.V. Ammirato, D.A. Evans and W.R. Sharp. *Handbook of Plant Cell Culture : Crop Species*. V.3. Mac. Pub. Com., U.S.A.
- Zhenghua, C. 1984. Rubber (*Hevea*), p. 547-571. In W.R. Sharp, D.A. Evans, P.V. Ammirato and Y. Yamada. (eds.). *Handbook of Plant Cell Culture : Crop Species*. V.2. Mac. Pub. Com., U.S.A.
- Zhou, H., S.T. Ball and C.F. Konzak. 1992. Functional properties of ficoll and their influence on anther culture responses of wheat. *Plant Cell, Tissue and Organ Culture*. 30:77-83.
- Ziauddin, A., A. Marsolais, E. Simion and K.J. Kasha. 1992. Improved plant regeneration from wheat and barley microspore culture using phenylacetic acid (PAA). *Plant Cell Reports*. 11:489-498.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright[©] by Chiang Mai University
 All rights reserved