

เอกสารอ้างอิง

- Ablett, G.R., W.D. Beversdorf, and V.A. Dirks. 1989. Performance and stability of indeterminate and determinate soybean in short-season environments. *Crop Sci.* 29: 1428-1433.
- Baihaki, A.R., R.E. Stucker, and J.W. Lambert. 1976. Association of genotype x environment interactions with performance level of soybean lines in preliminary yield tests. *Crop Sci.* 16: 718-721.
- Beatty, K.D., I.L. Eldridge, and A.M. Simpson, Jr. 1982. Soybean response to different planting patterns and dates. *Agron. J.* 74: 859-862.
- Beaver, S.S., and R.R. Johnson. 1981. Response of determinate and indeterminate soybeans to varying cultural practices. *Agron. J.* 73: 833-838.
- Beaver, J.S., R.L. Cooper, and R.J. Martin. 1985. Dry matter accumulation and seed yield of determinate and indeterminate soybeans. *Agron. J.* 77: 675-679.
- Bernard, R.L. 1972. Two genes affecting stem termination in soybeans. *Crop Sci.* 12: 235-239.

Bernard, R.L., and M.G. Weiss. 1973. Qualitative genetics. p.117-154. In B.E. Caldwell (ed.) Soybeans: Improvement, Production, and Uses. Am. Soc. of Agron., Madison, Wis. U.S.A.

Bernard, R.L. 1982. Breeding for soybean yield and agronomic traits. p.19-25. In Soybean research in China and the United States. Proceedings of the first China/U.S.A. soybean symposium and working group meeting. July 26 to 30. University of Illinois at Urbana-Champaigns, Urbana, Illinois, U.S.A.

Beuerlein, J.E., J.W. Pendleton, M.E. Bauer, and S.R. Ghorashy. 1971. Effect of branch removal and plant populations at equidistant spacings on yield and light use efficiency of soybean canopies. Agron. J. 63: 317-319.

Board, J.E. 1985. Yield components associated with soybean yield reductions at non-optimal planting dates. Agron. J. 77: 135-140.

Board, J.E. 1987. Yield components related to seed yield in determinate soybean. Crop sci. 27: 1296-1297.

Boerma, H.R., and R.L. Cooper. 1975. Comparison of three selection procedure for yield in soybeans. Crop Sci. 15: 225-229.

- Boerma, H.R., and R.L. Cooper. 1975. Effectiveness of early generation yield selection of heterogeneous lines in soybeans. *Crop Sci.* 15: 313-315.
- Boerma, H.R., and D.A. Ashley. 1982. Irrigation, row spacing, and genotype effects on late and ultra-late planted soybeans. *Agron. J.* 74: 995-999.
- Boerma, H.R., E.D. Wood, and G.B. Barrett. 1982. Registration of Duocrop soybean. *Crop Sci.* 22: 448-449.
- Boquet, D.J., K.L. Koonce, and D.M. Walker. 1982. Selected determinate soybean cultivar yield responses to row spacings and planting dates. *Agron. J.* 74: 136-138.
- Boquet, D.J. 1989. Sprinkler irrigation effects of determinate soybean yield and lodging on a clay soil. *Agron. J.* 81: 793-797.
- Bravo, J.A., W.R. Fehr, and S.R. Cianzio. 1980. Use of pod width for indirect selection of seed weight in soybeans. *Crop Sci.* 20: 507-510.
- Brevedan, R.E., D.B. Egli, and J.E. Leggett. 1978. Influence of N nutrition on flower and pod abortion and yield of soybean. *Agron. J.* 70: 81-84.

- Brim, C.A., and J.W. Burton. 1979. Recurrent selection in soybeans. II. selection for increased percent protein in seeds. *Crop Sci.* 19: 494-498.
- Burton, J.W., and C.A. Brim. 1981a. Recurrent selection in soybeans: III. Selection for increased percent oil in seed. *Crop Sci.* 21: 31-34.
- Burris, J.S., O.T. Edje, and A.H. Wahab. 1973. Effects of seed size on seedling performance in soybeans: II seedling growth and photosynthesis and field performance. *Crop Sci.* 13: 207-210.
- Byron, D.F., and J.H. Orf. 1991. Comparison of three selection procedures for development of early maturing soybean lines. *Crop Sci.* 31: 656-660.
- Byth, D.E., B.E. Caldwell, and C.R. Weber. 1969. Specific and Non-specific index selection in soybeans, *Glycine max* L. (Merrill). *Crop Sci.* 9: 702-705.
- Caviness, C.E., and H.J. Walters. 1966. Registration of Davis soybeans. *Crop Sci.* 6: 502.
- Cooper, R.L. 1971a. Influence of early lodging on yield of soybean (*Glycine max* (L.) merr). *Agron. J.* 63: 449-450.

- Cooper, R.L. 1971b. Influence of soybean production practices lodging and seed yield in highly productive environments. *Agron. J.* 63: 490-493.
- Cooper, R.L. 1977. Response of soybean cultivars to narrow rows and planting rates under weed-free conditions. *Agron. J.* 69: 89-92.
- Cooper, R.L., and A. Waranyuwat. 1985. Effect of three genes (Pd, Rps^a, and ln) on plant height, lodging, and seed yield in indeterminate and determinate Near-Isogenic Lines of soybeans. *Crop Sci.* 25: 90-92.
- Crittenden, H.W. 1971. Registration of Verde soybeans. *Crop Sci.* 11: 312.
- Degago, Y., and C.E. Caviness. 1987. Seed yield of soybean bulk populations grown for 10 to 18 years in two environments. *Crop Sci.* 27: 207-210.
- Dunphy, E.J., J.J. Hanway, and D.E. Green. 1979. Soybean yields in relation to days between specific developmental stages. *Agron. J.* 71: 917-920.
- Eberhart, S.A., and W.A. Russell. 1966. Stability parameters for comparing varieties. *Crop Sci.* 6: 36-40.

Egli, D.B., and J.E. Leggett. 1973. Dry matter accumulation patterns in determinate and indeterminate soybean. *Crop Sci.* 13: 220-222.

Egli D.B., J.H. Orf, and T.W. Pfeiffer. 1984. Genotypic variation for duration of seed fill in soybean. *Crop Sci.* 24: 587-592.

Empig, L.T., and W.R. Fehr. 1971. Evaluation of methods for generation advance in Bulk hybrid soybean populations. *Crop Sci.* 11: 51-54.

Fehr, W.R., B.D. Lynk, and G.E. Carlson. 1985. Performance of semideterminate and indeterminate soybean genotypes subjected to defoliation. *Crop Sci.* 25: 24-26.

Frank, S.J., and W.R. Fehr. 1981. Associations among pod dimensions and seed weight in soybeans. *Crop Sci.* 21: 547-550.

Fontes, L.A.N., and A.J. Ohlrogge. 1972. Influence of seed size and population on yield and other characteristic. *Agron. J.* 64: 833-836.

Garland, M.L., and W.R. Fehr. 1981. Selection for agronomic characters in hill and row plots of soybeans. *Crop Sci.* 21: 591-595.

Gay, S., D.B. Egle, and D.A. Reicosky. 1980. Physiologic aspects of yield improvement in soybeans. *Agron. J.* 72: 387-391.

Green, D.E., P.F. Burlamaqui, and R. Shibles. 1977. Performance of randomly selected soybean lines with semideterminate and indeterminate growth habits. *Crop Sci.* 17: 335-339.

Hanson, W.D., and C.A. Brim. 1963. Optimum allocation of test material for two-stage testing with and application to evaluation of soybean lines. *Crop Sci.* 3: 43-49.

Hanway, J.J., and C.R. Weber. 1971. Dry matter accumulation in eight soybean varieties. *Agron. J.* 63: 227-230.

Hartung, R.C., J.E. Specht, and J.H. Williams. 1981. Modification of soybean plant architecture by gene for stem growth habit and maturity. *Crop Sci.* 21: 51-56.

Hartwig, E.E., and C.J. Edwards. 1970. Effects of morphological characteristics upon seed yield in soybeans. *Agron. J.* 62: 64-65.

Herbert, S.J., and G.V. Litchfield. 1982. Partitioning soybean seed yield components. *Crop Sci.* 22: 1074-1079.

Hicks, D.R., J.W. Pendleton, R.L. Bernard, and T.J. Johnston. 1969. Response of soybean plant types to planting patterns. *Agron. J.* 61: 290-293.

Hinson, K., and E.E. Hartwig. 1982. Soybean Production in the Tropics: Food and Agriculture Organization of the United Nations. 222 pp.

Hoggard, A.L., J.G. Shannon, and D.R. Johnson. 1978. Effect of plant population on yield and height characteristics in determinate soybeans. *Agron. J.* 70: 1070-1072.

Ivers, D.R., and W.R. Fehr. 1978. Evaluation of the Pure-line family method for cultivar development. *Crop Sci.* 18: 541-544.

Johnston, T.J., and J.W. Pendleton. 1968. Contribution of leaves at different canopy levels to seed production of upright and lodging soybean (*Glycine max* (L.) Merrill). *Crop Sci.* 8: 291-292.

Johnson, D.R., and D.J. Major. 1979. Harvest Index of soybeans as affected by planting date and maturity rating. *Agron. J.* 71: 538-541.

Kenworthy, W.J., and C.A. Brim. 1979. Recurrent selection in soybeans. I. seed yield. *Crop Sci.* 19: 315-318.

Korte, L.L., J.H. Williams, J.E. Specht, and R.C. Sorensen. 1983. Irrigation of soybean genotypes during reproductive ontogeny. I. Agronomic response. 23: 521-527.

Leffel, R.C. 1961. Plant lodging as a selection criterion in soybean breeding. *Crop Sci.* 1: 346-349.

Leroy, A.R., S.R. Cianzio, and W.R. Fehr. 1991. Direct and indirect selection for small seed of soybean in temperate and tropical environments. *Crop Sci.* 31: 697-699.

Lin, M.S., and R.L. Nelson. 1988. Relationship between plant height and flowering date in determinate soybean. *Crop Sci.* 28: 27-30.

Luedders, V.D., L.A. Duclos, and A.L. Matson. 1973. Bulk, pedigree, and early generation testing breeding methods compared in soybeans. *Crop Sci.* 13: 363-364.

Luedders, V.D. 1977. Genetic improvement in yield of soybeans. *Crop Sci.* 17: 971-972.

Mancuso, N., and C.E. Caviness. 1991. Association of selected plant traits with lodging of four determinate soybean. *Crop Sci.* 31: 911-914.

Martin, R.J., and J.R. Wilcox. 1973. Heritability of lowest pod height in soybeans. *Crop Sci.* 13: 201-203.

Martin, S.K. St., B.W. Dye, and B.A. Mc. Blain. 1990. Use of hill and short-row plots for selection of soybean genotype. *Crop Sci.* 30: 74-79.


- Na lampang, A. 1978. Breeding soybeans in Thailand. p.125-130.
In Symposium on methods of crop breeding. Tropical
 Agricultures and forestry. Yatabe, Tsukuba, Ibaraki Japan.
- Noor, R.B.M., and C.E. Carviness. 1980. Influence of induce
 lodging on pod distribution and seed yield in soybean.
 Agron. J. 72: 904-906.
- Pandey, J.P., and J.H. Torrie. 1973. Path coefficient analysis
 of seed yield components in soybeans [*Glycine max* (L.)
 Merr.]. Crop Sci. 13: 505-507.
- Parvez, A.Q., F.P. Gardner, and K.J. Boote. 1989. Determinate
 and indeterminate-type soybean cultivar responses to
 pattern, density, and planting date. Crop Sci. 29:
 150-157.
- Poehlman, J.M. 1959. Breeding field crops. Henry holt and
 company, Inc. New York. 427 p.
- Scott, W.O., and S.R. Aldrich. 1983. Modern soybean production.
 S&A Publications, Inc. 230p.
- Singh, B.B. 1976. Breeding soybean varieties for the tropics.
 p.11-14. In R.M.Goodman (ed.) Expanding the Use of
 Soybeans. Int. Agric. Publ. INTSOY Ser. 10. University of
 Illinois, Urbana-Champaign.

- Smith, J.R., and R.L. Nelson. 1987. Prediction yield from early generation estimates of reproductive growth periods in soybean. *Crop Sci.* 27: 471-474.
- Smith, J.R., R.L. Nelson, and B.L. Vasilas. 1988. Variation among soybean breeding lines in relation to yield and seed-fill duration. *Agron. J.* 80: 825-829.
- Steel, R.G.D., and J.H. Torrie. 1960. *Principles and Procedures of Statistics.* McGraw-Hill Book Comp, Inc. 481 p.
- Sumarno, and W.R. Fehr. 1982. Response to recurrent selection for yield in soybeans. *Crop Sci.* 22: 295-299.
- Tinius, C.N., J.W. Burton, and T.E. Carter, Jr. 1991. Recurrent selection for seed size in soybean: I. Response to selection in replicate populations. *Crop Sci.* 31: 1137-1141.
- Torrie, J.H. 1958. A comparison of the pedigree and bulk methods of breeding soybeans. *Agron. J.* 50:198-200.
- Weber, C.R., and W.R. Fehr. 1966. Seed yield losses from lodging and combine harvesting in soybeans. *Agron. J.* 58: 287-289.
- Weber, C.R., and W.R. Fehr. 1970a. Registration of Provar soybeans *Crop Sci.* 10: 728.

- Weber, C.R., and W.R. Fehr. 1970b. Registration of Corsoy soybeans. *Crop Sci.* 10: 729.
- Welsh, J.R. 1981. *Fundamentals of plant genetics and breeding.* John Wiley & Sons, Inc. 290 p.
- Whigham, D.K. 1983. Soybean. p.205-225. *In* Potential Productivity of Field Crop under Different Environments. IRRI. Philippines.
- Wilcox, J.R. 1980. Comparative performance of semideterminate and indeterminate soybean lines. *Crop Sci.* 20: 277-280.
- Wilcox, J.R., and W.T. Schapaugh. 1980. Effectiveness of single plant selection during successive generation of inbreeding. *Crop Sci.* 20: 809-811.
- Wilcox, J.R., and T. Sedyama. 1981. Interrelationships among height, lodging and yield in determinate and indeterminate soybean. *Euphytica.* 30: 323-326.
- Whigham, D.K. 1983. Soybean. p.205-225. *In* Symposium on Potential Productivity of field crops under different environments. International Rice Research Institute. Los Bonos, Laguna, Philippines.

Wood, S.J., and M.L. Swearingen. 1977. Influence of simulated early lodging upon soybean seed yield and its components. Agron. J. 69: 239-242.

Wright, D.L., F.M. Shokes, and R.K. Sprengel. 1984. Planting method and plant population influences on soybeans. Agron. J. 76: 921-924.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved