

เอกสารอ้างอิง

- กมล เลิศรัตน์. 2532. เทคนิคการผสมพันธุ์ผัก. ภาควิชาพืชสวน คณะเกษตรศาสตร์มหาวิทยาลัยขอนแก่น, ขอนแก่น. 69 หน้า.
- เฉลิมเกียรติ โภควัฒนา. 2536. การผลิตการตลาดพริก. โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย, กรุงเทพฯ. 66 หน้า.
- ชวนพิศ อรุณรังสิกุล. 2538. เอกสารประกอบการฝึกอบรมเรื่องการตรวจแยกสายพันธุ์พืชด้วยการใช้ Isozyme pattern และ RAPD. ครั้งที่ 1 24 - 28 กรกฎาคม. ณ สถาบันวิจัยและพัฒนา มหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน, นครปฐม. 115 หน้า.
- ดวงพร วรสุนทรโรตถ. 2538. เอกสารประกอบการฝึกอบรมเรื่องการตรวจแยกสายพันธุ์พืชด้วยการใช้ Isozyme pattern และ RAPD. ครั้งที่ 1 24 - 28 กรกฎาคม. ณ สถาบันวิจัยและพัฒนา มหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน, นครปฐม. 115 หน้า.
- ดำเนิน กาละดี. 2541. เทคโนโลยีการปรับปรุงพันธุ์พืช. คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 256 หน้า.
- บุปผา ใจเที่ยง. 2537. การศึกษาระบบไอโซไซม์ที่เหมาะสมในพริกโดยวิธีอิเล็กโทรโฟรีซิส. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยขอนแก่น, ขอนแก่น. 54 หน้า.
- พยนต์ คุ้มภัย, นริศ ขจรผล และปรีดา จาติภวานิช. 2526. การศึกษาพันธุ์พริกในประเทศไทย. วารสารวิทยาศาสตร์เกษตร. 16(4): 295 - 303.
- เพิ่มพงษ์ ศรีประเสริฐศักดิ์. 2530. เทคนิคทางอิเล็กโทรโฟรีซิสในการจำแนกพันธุ์พืช. หน่วยชีวเคมีและห้องปฏิบัติการกลาง ศูนย์ปฏิบัติการวิจัยและเรือนปลูกพืชทดลอง มหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน, นครปฐม. 83 หน้า.
- มงคล พุทรวงศ์. 2531. การประเมินและการปรับปรุงพันธุ์พริกพื้นเมือง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 126 หน้า.
- มงคล พุทรวงศ์. 2540. การปรับปรุงพันธุ์พริกชี้ฟ้า "น่านเจ้า". เอกสารในการประชุมวิชาการพืชผักแห่งชาติ ครั้งที่ 15 11 - 14 สิงหาคม ณ โรงแรมรามาคาร์เนต, กรุงเทพฯ. หน้า 343 - 349.
- มณีฉัตร นิกกรพันธุ์. 2538. พริก. เอกสารประกอบการสอนวิชาการจำแนกพืชผักและการปรับปรุงพันธุ์ผัก. ภาควิชาพืชสวน คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 244 หน้า.
- สุชีลา เตชะวงศ์เสถียร. 2536. การผลิตการตลาดพริก. โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย, กรุงเทพฯ. 66 หน้า.

- สุชีลา เตชะวงศ์เสถียร. 2540. การปรับปรุงพันธุ์พริกข่อก้อนแดง. เอกสารในการประชุมวิชาการพืชผัก
แห่งชาติครั้งที่ 15 11-14 สิงหาคม ณ โรงแรมรามการ์เด้นส์, กรุงเทพฯ. หน้า 155-169.
- อักษร ศรีปลั่ง. 2523. พริก. ข่าวสารเกษตรศาสตร์, เดือนสิงหาคม-กันยายน. หน้า 8-24.
- Allard, R. W. and A. D. Bradshaw. 1964. Implications of genotype-environment interaction in
applied plant breeding. *Crop sci.* 4:503-508.
- Andrasfalvy, A. and G. Csillery. 1983. Cytoplasm systems of interspecific hybrid in *Capsicum*,
reconsidered. *Eucarpia Vth Meeting on Genetic and Breeding of Capsicum and
Eggplant. Plovdiv, Bulgaria.* p. 18-20.
- Andrzejewski, R.P. 1992. The use of isozymes as genetic markers in the breeding of pepper.
*Eucarpia VIIIth Meeting on Genetics and Breeding of Capsicum and Eggplant. Rome,
Italy.* p. 210-220.
- Arus, P. 1983. Genetics purity of commercial seed lots in isozymes, *In S.D.*
Tanksley and J. Orton. *Plant genetics and breeding, part a. Amsterdam.* 540p.
- Balley, D.C. 1983. Isozymetic variation and plant breeding rights in isozymes, S. D. Tanksley
and T. J. Orton. *Plant genetics and breeding, part a. Amsterdam.* 540 p.
- Bechir, A.M. 1994. Evaluation of pepper genotypes to *Leveillula taurica* Lev. (Arn)
resistance in Tunisia. *Plant Breeding Abstracts.* 64(4) : 563.
- Beck, J.G. and A. Van der Ltifi. 1992. Evidence for salt tolerance in pepper varieties
(*Capsicum annuum* L.) in Tunisia. *Plant Breeding Abstracts.* 62(7) : 182.
- Belletti, P. and L. Quagliotti. 1989. Problem of seed production and storage of peppers,
tomato and pepper production in the tropics. *Asian Vegetable Research and
Development Center, Taiwan.* p. 28-41.
- Birecka, H., J.L. Catalfamo and M.O. Garrway. 1975. Cell wall and protoplast isozyme
peroxidases f leaf in relation to cut injury and infection with *Helminthosporium maydis*.
Plant Physiol. 55 : 607-610.
- Boiteux, L.S. 1995. Alitlic relationships between gene for resistance to tomato spotted wilt
virus in *Capsicum chinense*. *Plant Breeding Abstracts.* 65(5) : 747.
- Boiteux, L.S., F.P. Cupertino and F.J.B. Reifschneider. 1994. *Capsicum chinense* PI159236 :
a source of resistance to *Phytophthora capsici* and tomato spotted wilt virus (TSWV).
Plant Breeding Abstracts. 64(4) : 563.

- Bosland, P.W., J. Iglessias and M.M. Gonzales. 1994. NuMex Joe E. Paprika Chili. Plant Breeding Abstracts. 64(4) : 561.
- Chen, X.S. 1985. Determination of combining ability and analysis of heterosis in pollen line *C. annuum* var. *grossum* Sendt. Acta Horticulture Science. 12(4) : 267 - 272.
- Consoli, D., A. Andolfi, A. Errico and F. Saccardo. 1994. Studies of incompatibility of interspecific crosses between *C. annuum* and different line of *C. baccatum*. Plant Breeding Abstract. 64(1) : 92.
- Cristinzio, G., V. Zema, A. Errico and F. Saccardo. 1994. Introduction of resistance genes to *Phytophthora capsici* in to cultivar of *Capsicum annuum* 'Friariello'. Plant Breeding Abstracts. 64(1) : 93.
- Daskaloff, S. 1971. Two new male sterile pepper (*C. annuum*) mutants. C.R. Acad. Sci. Agric. Bulg. 4 : 291 - 294.
- Daskaloff, S. 1972. Male sterile pepper (*C. annuum*) mutants and their utilization in heterosis breeding. Eucarpia Meeting on Genetic and Breeding of Capsicum and Eggplant. Torino, Italy. p. 205 - 210.
- Daskaloff, S. 1976. Seed setting of male sterile mutants in connection with heterosis breeding in pepper *C. annuum*. Genet. Agric. 30 : 407 - 417.
- Daskaloff, S. and L. Mikailov. 1988. A new method for hybrid seed production based on cytoplasmic male sterility combined with a lethal gene and a female sterile pollenizer in *Capsicum annuum*. Theor. Appl. Genet. 76 : 530 - 532.
- Deshpande, A.A., C.S. Pathak and D.P. Singh. 1983. Types of male sterility in chili pepper *Capsicum* spp. Capsicum Newsl. 2 : 104 - 105.
- Dolgikh, S.T. and I.A. Siviridora. 1983. Combining ability of sweet pepper varieties in the plastic greenhouse. Genetika URSS. 19(12) : 2037 - 2043.
- Dumas de Vaulx, R. and M. Pitrat. 1977. Interspecific crosses between *C. annuum* and *C. baccatum*. Eucarpia III th Meeting on Genetics and Beeding of Capsicum and Eggplant. Avignon - Montfavet, France. p. 75 - 80.
- Egava, Y. and M. Tanaka. 1986. The pattern of meiotic chromosome pairing of interspecific hybrids among Capsicum pepper species. Eucarpia VIth Meeting on Genetics and Breeding of Capsicum and Eggplant. Zaragoza, Spain. p. 7 - 11.
- Erwin, A.T. 1932. The peppers. Towa. Agr. Expt. Sta. Bul. 293 p.

- Espelie, K.E., V.R. Franceschi and P.E. Kolattukudy. 1986. Immunocytochemical localization and time course of appearance of an anionic peroxidase associated with suberization in wound-healing potato tuber tissue. *Plant Physiol.* 81 : 487 – 492.
- Fischer, I. 1994. The role of exocarp thickness in the production, consumption and selection of eating capsicum. *Plant Breeding Abstracts.* 64(12) : 1806.
- Geng, S.S., A.Y. Wang, J.Z. Jiang and H.L. Shen. 1995. Cytological studies on microsporogenesis of the male sterile lines of pepper. *Plant Breeding Abstracts.* 65(12) : 1821.
- Gopalakrishna, T.R. and K.V. Peter. 1994. Screening and selection for bacterial wilt resistance in Chili. *Plant Breeding Abstracts.* 64(1) : 93.
- Hajnalka, L.D. and M. Hevesi. 1995. Results of breeding for resistance against bacterial diseases of paprika. *Plant Breeding Abstracts.* 65(8) : 1221.
- Heiser, C.B. 1976. *Pepper Capsicum (Solanaceae)*, N.W. Simmond. (Evaluation of crop plants) Longman, London. p. 265 - 268.
- Henz, G.P., L.S. Boiteux and M.F. Lima. 1994. Reaction of *Capsicum* spp. fruits to *Colletotrichum gloeosporioides*. *Plant Breeding Abstracts.* 64(4) : 563.
- Hirose, T. 1965. Fundamental studies on the breeding of pepper. *Tech. Bull. Fac. Agric. Kyoto.* 2 : 1 - 85.
- Hirose, T. and Y. Fujime. 1980. Studies on the hybrid seed production by using a new male sterile line in pepper (*Capsicum annuum*) morphology and the mode of inheritance. *J. Jpn. Soc. Hort. Sci.* 48 : 453 - 458.
- Huffman, V.I., E.R. Schadle, B. Villalon and E.E. Burns. 1978. Volatile components and pungency in fresh and processed jalapeno peppers. *J. food sci.* 43 : 1809 - 1811.
- IBPGR. 1983. Descriptions for pepper. International Board for Plant Genetic Resource: Genetic Resource of Capsicum IBPGR resources of Capsicum IBPGR secretariat, Rome. 49 p.
- Jarnail, S. 1994. Improvement of Chilies. *Plant Breeding Abstracts.* 64(5) : 709.
- John, W.C. and R.A. Whitney. 1983. Differences in the embryo-specific globulina among maize inbred lines and their hybrids. *Crop Science.* 23 : 1160 - 1162.
- Joshis, S., P.C. Thakur, T.S. Verman and H.C. Verma. 1994. Selection of spice Paprika breeding lines. *Plant Breeding Abstracts.* 64(4) : 561.

- Kim, H.J. and H.G. Park. 1984. Application of electrophoresis in testing the genetic purity of F1 hybrid seed of radish (*Raphanus sativus*). Journal of the Korean Society for Horticultural Science. 25(4) : 256 - 262.
- Kobayashi, R.S., J.L. Brewbaker and H. Kamemoto. 1987. Identification of *Anthurium andreanum* cultivar by gel electrophoresis. J. Amer. Soc. Hort. Sci. 112(1) : 164 - 167.
- Kubisova, S. and H. Hasibachova. 1991. The sixth international symposium on pollination. Tilburg, The Netherlands. p. 364 - 370.
- Lagrimini, L.M. and S. Rothstein. 1987. Tissue specificity of tobacco peroxidase isozymes and their induction by wounding and tobacco mosaic virus infection. Plant Physiol. 84 : 438 - 442.
- Lal, S., J.L. Mangal and P.S. Hooda. 1992. Salt tolerance of six varieties of chili. Plant Breeding Abstracts. 62(9) : 995.
- Lattova, J. 1994. Testion two selected methods for evaluation cold resistance in Capsicums. Plant Breeding Abstracts. 64(12) : 1806.
- Ledo, H.D., V.S. Anikeenko and M.V. Voronina. 1992. Examination of five CMS lines in *Capsicum annuum* in Hungary. Eucarpia VIIIth Meeting on Genetics and Breeding of Capsicum and Eggplant. Rome, Italy. p. 66 - 68.
- Lee, P.S. and H.G. Park. 1986. The use of isozyme analysis to determine the purity of Cucumber (*Cucumis sativus* L.) F1 hybrid seeds. Journal of the Korean Society for Horticultural Science. 27 : 311 - 319.
- Lin, S.Y. and H. Ikehashi. 1993. A gamete abortion locus detected by segregation distortion of isozyme locus Est-9 in wide crosses of rice (*Oryza sativus* L.). Euphytica. 67 : 35 - 40.
- Liffi, A., J. Beck and G. Vander. 1993. Salt tolerance in pepper (*Capsicum annuum*) K / Na ratio as a discrimination character for tolerance. Plant Breeding Abstracts. 63(7) : 973.
- Marinkovic, N., Z. Aleksic, A. Obradovic and M. Mijatovic. 1994. New pepper line resistant to Verticillium wilt. Plant Breeding Abstracts. 64(1) : 93.
- Martin, J. and J.H. Grawford. 1951. Several types of sterility in *C. frutescens*. Proc. Am. Soc. Hort. Sci. 57 : 335 - 338.
- McLeod, M.J. 1983. Pepper (*Capsicum annuum*) in isozymes. In S.D. Tanksley and T.J. Orton. Plant genetics and breeding, Vol B. Amsterdam. 659 p.

- Merino, F., A. Bernal and J. Dfaz. 1992. An electrophoretic study in Padron pepper (*Capsicum annuum* L. var. *annuum*). Eucarpia VIIIth meeting Genetics and Breeding of Capsicum and Eggplant. Rome, Italy. p. 227 - 230.
- Meshram, L.D., R.V. Choudhari, B.K. Kudade and M.W. Marawar. 1992. Functional male sterility in hot chili (*C. annuum*). Eucarpia VIIIth Meeting on Genetics and Breeding of Capsicum and Eggplant. Rome, Italy. p. 61 - 65.
- Meshram, L.D., R.V. Choudhari, B.K. Kukade and M.W. Merawar. 1993. Functional male sterility in hot chili (*Capsicum annuum*). Plant Breeding Abstracts. 63(7) : 972.
- Meshram, L.D. and M.N. Narkhede. 1982. Natural male sterile mutant in hot chili (*C. annuum*). Euphytica. 31 : 1003 - 1005.
- Milkova, L. and S. Daskalov. 1984. Ljulin - a hybrid cultivar of pepper base on induced male sterility. Mutation Breeding Newsl. 24 : 9.
- Moor, A. 1986. Hybrid seed production by male sterile female lines in Hungary. Eucarpia Vith Meeting on Genetics and Breeding of Capsicum and Eggplant. Zaragoza, Spain. p. 51 - 56.
- Mundges, H., W. Kohler and W. Friedt. 1990. Identification of rape seed cultivars (*Brassica napus*) by starch gel electrophoresis of enzymes. Euphytica. 45 : 179 - 187.
- Murty, N.S.R. and N. Lakshmi. 1979. Male sterile mutant in *C. annuum*. Crop. Sci. 48 : 312.
- Nelson, E. K. 1920. The constitutions of capsaicin , the pungency principle of *Capsicum* III. J. Am. Chem. Soc. 42: 597-599.
- Novak, F. 1971. Cytoplasmic male sterility in sweet pepper (*C. annuum*). II Tapetal development in male sterile anthers. Z Planzenzucht. 65 : 221 - 232.
- Novak, F., J. Betlach and J. Dubovsky. 1971. Cytoplasmic male sterility in sweet pepper (*C. annuum*), Phenotype and inheritance of male sterile character. Planzenzucht. 65 : 129 - 140.
- Nowaczyk, L., and P. Piszczek. 1994. Breeding value of selected varieties and lines of red pepper (*Capsicum annuum* L.). Plant Breeding Abstract. 64(5) : 709.
- Ohta, Y. 1962. Genetical studies in the genus *Capsicum*. Tech. Bull. Tech. Kihara. Inst. for Biol. Res. Yokohama, Japan. p. 1 - 94.

- Ohta, Y. 1971. Nature of a cytoplasmic entity causing male sterility in *C. annuum*. Eucarpia Meeting on Genetics and Breeding of Capsicum and Eggplant. Torino, Italy. p. 229 - 238.
- Pathak, C.S., D.N. Singh and A.A. Deshpanda. 1983. Male and female sterility in Chili pepper (*Capsicum annuum* L.). *Capsicum Newsl.* 2 : 102 - 103.
- Peterson, P.A. 1958. Cytoplasmically inherited male sterility in *Capsicum annuum* L. *Amer. Nat.* 92 : 111 - 119.
- Peirce, L.C. and J.L. Brewbaker. 1973. Applications of isozyme analysis. *Hortic. sci.* 8(1) : 17 - 22.
- Pickersgill, B. 1980. Some aspects of interspecific hybridization in *Capsicum*. Eucarpia IVth Meeting on Genetics and Breeding of *Capsicum* and Eggplant. Wageningen, The Netherlands. p. 15 - 17.
- Pochard, E. 1970. Obtaining three new male sterility mutants of pepper (*C. annuum*) through application of mutagenes monoploid material. Eucarpia Meeting on Genetics and Breeding of *Capsicum* and Eggplant. Versailles, France. p. 93 - 95.
- Ponz, F., R. Arroyo, M.J. Soto, C. Martinez - Zapater and C.D.E. Blas. 1994. On the mechanism of ratio of plant virus recessive resistance gene. *Plant Breeding Abstracts.* 64(5) : 710.
- Poonam D., J.K. Dang, M.S. Sangwan and S.K. Arora. 1996. Screening of chili cultivars and accessions for resistance to cucumber mosaic virus Y. *Capsicum and Eggplant Newsletter.* 15 : 55 - 57.
- Purseglove, J.W. 1968. *Dicotyledons 2. Tropical crop.* London. p. 524 - 530.
- Rapoot, N. C. and Govindarajam, V. S. 1981. Paper chromatographic determination of total capsaicinoid in capsicums and oleoresin with precision, reproducibility and variation through correlation with pungency in Scoville unites. *J. Assoc. of Anal. Chem.* 64: 311-318.
- Richard, L., F. James and M. Schik. 1991. Resistance in pepper (*Capsicum annuum*) to Western Flower Thrips (*Frankliniella occidentalis* Pergande). *Hortic. Sci.* 26(8) : 10737 - 10744.
- Saccardo, F. and K. S. Rumulu. 1977. Cytological investigation in the genus *Capsicum*. Eucarpia III Meeting on Genetics and Breeding of *Capsicum* and Eggplant. Avignon - Montfavet, France. p. 51 - 66.

- Saga, K. and K. Ogawa. 1995. Changes in the ascorbic acid, 4 - tocopherol and carotenoid contents in developing pepper fruits, and their varietal differences. *Plant Breeding Abstracts*. 65(10) : 1534.
- Shifriss, C. 1973. Additional spontaneous male - sterile mutant in *C. annuum* L. *Euphytica*. 22 : 527 - 529.
- Shifriss, C. 1997. Male sterility in pepper (*Capsicum annuum* L.). *Euphytica*. (93) : 83 - 88.
- Shifriss, C. and R. Frankel. 1969. A new male sterility gene in *C. annuum* L. *J. Am. Soc. Hort. Sci.* 94 : 385 - 387.
- Shifriss, C. and R. Frankel. 1971. New sources of cytoplasmic male sterility in cultivated peppers. *J. Hered.* 64 : 254 - 256.
- Shifriss, C. and A. Guri. 1979. Variation in stability of cytoplasmic male sterility in *C. annuum* L. *J. Am. Soc. Hort. Sci.* 104 : 94 - 96.
- Shifriss, C. and M. Pilowsky. 1993a. Production of hybrid pepper seeds with *Bombus terrestris* as pollenizer. *Capsicum & Eggplant Newsl.* 12 : 88 - 89.
- Shifriss, C. and M. Pilowsky. 1993b. Digenic nature of male sterility in pepper (*Capsicum annuum* L.). *Euphytica*. 67 : 111 - 112.
- Shifriss, C. and I. Rylski. 1972. A male sterile (ms - 2) gene in 'California Wonder' pepper (*C. annuum* L.). *Hort. Sci.* 7 : 36.
- Shifriss, C. and J.M. Sacks. 1980. The effect of distance between parents on the yield of sweet pepper x hot pepper hybrids, *Capsicum annuum* L. in a single harvest. *Theor. Appl. Genet.* 58 : 253 - 256.
- Smith, P.G. and C.B. Heiser. 1957. Taxonomy of *Capsicum chinenses* Jacq. and the geographic distribution of the cultivated *Capsicum* species. *Bull. Torrey. Bot. Club.* 84 : 413 - 420.
- Stevanovic, D., Z. Miladinovic, D. Savic and V. Todorovic. 1992. Use of interspecies hybridization method in the selection and breeding of new red pepper varieties. *Savremena poljoprivreda.* 40(1-2) : 32 - 36.
- Tamietti, G., G. Neruo and F. Restaino. 1994. Screening of capsicum genotypes for resistance to *Phytophthora capsici* Leon. and *Verticilium dahliae* Kleb. *Plant Breeding Abstracts*. 64(1) : 93.

- Tanksley, S.D. and R.A. Jones. 1981. Application of alcohol dehydrogenase allozymes in testing the genetic purity of F1 hybrid of tomato. *HortScience*. 1(2) : 179 - 181.
- Tase, L. 1985. Comparative study of some cultivars and hybrids of sweet pepper for early production. *Buletin II Shkencave Bujquesore*. 24(4) : 39 - 44.
- Udomprasert, N. and S. Attathom. 1991. Peroxidase isozyme activity in tomato plant infected by tomato yellow leaf curl virus. *J. Kasetsart*. 25 : 40 - 44.
- Verma, M.M., D.S. Virk and G.S. Chahal. 1993. Heterosis breeding in crop plants - theory and application. Short Communications Symp Ludhiana, India.
- Villalon, B. 1986. 'Tambel-2' bell pepper. *HortScience*. 21(2) : 328.
- Vito, M.D., F. Saccardo, A. Errico, G. Zaccheo and F. Catalano. 1994. Genetic of resistance to root - knot nematodes (*Meloidogyne* spp.) in *Capsicum chacoense*, *C. chinense* and *C. frutescens*. *Plant Breeding Abstracts*. 64(1) : 93.
- Webber, H. J. 1912. Preliminary notes on pepper hybrids. *Am. Breed. Assoc., Annu. Rep.* 7:188-189
- Woong, Y.L. 1985. Inheritance of cytoplasmic male sterility in pepper (*Capsicum annuum* L.). M.Sc. thesis. Kyung Hee University, South Korea. p. 1 - 43
- Woong, Y.L. 1990. The inheritance of male sterility and Its utilization for breeding in pepper (*Capsicum* spp.). PhD. Thesis. Kyung Hee University, South Korea. p. 1 - 70
- Worayos, Y. 1986. Collection of *Capsicum* Germplasm in Thailand. *IBPGR Newsletter*. 10(3) : 4 - 7.
- Yaakov, S. and J.M.J. de Wet. 1975. Comparative electrophoresis and isozyme analysis of seed proteins from cultivated race of Sorghum. *Amer. J. Bot.* 62(3) : 254 - 261.
- Zema, V., G. Cristinzio, A. Errico and F. Saccardo. 1994. Characterization of resistance to *Phytophthora capsici* in *C. frutescens* L. *Plant Breeding Abstracts*. 64(1) : 93.