เอกสารอ้างอิง

จักรี เส้นทอง. 2539. พลวัตผลผลิตของพืช. ภาควิชาพืชไร่ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 276 หน้า.

จักรี เส้นทอง สุทัศน์ จุลศรีไกวัล และ สาวิตร มีจุ้ย. 2540. การสำรวจเบื้องต้นของสภาวะน้ำท่วมขังระยะสั้นในแปลงปลูกข้าวบาร์เลย์ของเกษตรกร. โครงการวิจัยพัฒนาพันธุ์ข้าวบาร์เลย์ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. หน้า 30-39.

ทรรศนะ ลาภรวย, ไพบูลย์ หงษ์สกุล, นคร แสงปลั่ง และ ชวาลวุฒฑ ไชยนุวัติ. 2540. สภาพการใช้เทคโนโลยีของเกษตรกรในการปลูกข้าวสาลี และข้าวบาร์เลย์ ฤดูปลูกปี 2535-2536. การประชุมวิชาการธัญพืชเมืองหนาว ครั้งที่ 15 เรื่องอนาคตของธัญพืชเมืองหนาวกับการพัฒนาอุตสาหกรรมเกษตร. 2-4 มี.ค. 2540 โรงแรมคลอลิตี้เชียงใหม่ฮิลล์ จ. เชียงใหม่ หน้า 236-262.

วิฑูรณ์ ขันธิกุล. 2528. ระบบการให้น้ำข้าวบาร์เลย์. เอกสารทางวิชาการการปลูกข้าวบาร์เลย์ การฝึกอบรมการปลูกข้าวบาร์เลย์ โครงการส่งเสริมการปลูกข้าวบาร์เลย์ 14-22 กันยายน 2528. หน้า 118-124.

ศูนย์สถิติการเกษตร. 2536. สินค้าเกษตรนำเข้า. สถิติการเกษตรของประเทศไทย ปีเพาะปลูก 2539/40. หน้า 198-199.

สาวิตร มีจุ้ย และ จักรี เส้นทอง. 2543. ผลกระทบของสภาวะน้ำท่วมขังระยะสั้น ที่มีต่อการเจริญเติบโตและผลผลิตข้าวบาร์เลย์. เอกสารประกอบการบรรยายในการประชุมวิชาการธัญพืชเมืองหนาวแห่งชาติ ครั้งที่ 20 ระหว่างวันที่ 10-12 มกราคม 2543 ณ.โรงแรมเวียงอินทร์ อ.เมือง จ.เชียงราย. 12 หน้า.

สุทัด ปินตาเสน. 2541. ผลของน้ำขังและโบรอนต่อการเป็นหมันในข้าวสาลี. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยเชียงใหม่. 61 หน้า.

สุทัศน์ จุลศรีไกวัล. 2536. เอกสารคำสอนวิชาการปรับตัวของพืชภาควิชาพืชไร่ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 723 หน้า.

อาวุธ ณ ลำปาง. 2530. การใช้ดัชนีทนแล้งคัดพันธุ์ถั่วเหลืองเพื่อปลูกในภาคตะวันออกเฉียงเหนือ. ว.วิชาการเกษตร. 5 หน้า 3-8.

Armstrong W., J. Armstrong, P.M. Beckett and S.H.F.W. Justin. 1991. Convective gas flows in wetland plant aeration. Pp. 283-302 in: M.B. Jackson, D.D. Davis, and H.

Lambers (eds.), Plant Life Under Oxygen Deprivation. SPB Academic Publishing, The Hague.

Armstrong W., M.E. Strange, S. Cringle and P.M. Becket. 1994. Microelectrode and modelling study of oxygen distribution in roots. Annuals of Botany. 74: 287-299.

Ashraf. M and Habib-ur-Rehman. 1999. Interactive effects of nitrate and long-term waterlogging on growth, water relation, and gaseous exchange properties of maize (*Zea mays* L.). Plant Science. 144 (1): 35-43.

Bandyopadhyay, B.K. and H.S. Sen. 1992. Effect of excess soil water conditions for a short period on growth and nutrition of crops on coastal saline soil. J. of the Indian Society of Soil Sci. 40: 823-827.

Bishnoi N.R. and H.N. Krishnamoorthy.1992. Effect of waterlogging and gibberellic acid on leaf gas exchange in peanut (*Arachis hypogaea L.*). Plant Physiology. 139: 503-505.

Box, J.E. 1986. Winter wheat grain yield responses to soil oxygen diffusion rates. Crop Sci. 26: 355-361.

Bradford, K.J. and Dilley, D.R. 1978. Effects of root anaerobiosis on ethylene production, epinasty, and growth of tomato plants. Plant Physiol. 61: 506-509.

Cannell, R.Q. (1977). Soil aeration and compaction in relation to root growth and soil management. Appl. Biol. Vol. II. pp. 1-86.

Cannell, R.Q., R.K. Belford, G.R. Bettlestone, A.D. Bailey and C.W. Dennis. 1978. Lysimeter studies on the effects of short-term waterlogging on crop growth. Annual report 1978: 36-38.

Chai, Y.R., L.R. He, Z.W. Li, J.G. Zeng, J. Guan and J.Q. Yu. 1993. A study of the mechanism of wetness stress injury in barley. J. of Southwest Agri. University. 15: 95-100.

Chirkova, T.V. and T.S. Gutman. 1972. Physiological role of branch lenticels of willow and poplar under conditions of root anaerobiosis. Fiziol Rast. 19: 352-359.

Constable, J.V.H. and D.J. Longstreth. 1994. Aerenchyma carbon dioxide can be assimilated in cattail (*Typha latifolia* L.) leaves. Plant Physiology. 106: 1065-1072.

Cowie, A.L., R.S. Jessop and D.A. Macleod. 1996. Effect of waterlogging on chickpeas. Plant and Soil. 183: 105-115.

Crawford, L.A., A.W. Brown, K.E. Breitkreuz and F.C. Guinel. 1994. The synthesis of α-amino butyric acid in response to treatments reducing cytosolic pH. Plant Physiology. 104: 865-871.

Dacey, J.W.A. and M.J. Klug. 1979. Methane efflux from lake sediments through water lilies. Science. 203: 1253-1255.

Daugherty , C.J. and M E. Musgrave. 1994. Characterization of population of rapid-cycling Brassica rapa L. Selection for differential waterlogging tolerance. Journal of Experimental Botany. 45 (272): 385-392.

Drew, M.C. 1991. Oxygen deficiency in root environment and plant mineral nutrition. In: Jackson M.B., Davies, D.D., Lambers, H., eds. Plant life under oxygen deprivation. The Nertherlands : Academic Publishing, The Hague: 303-316.

Drew, M.C. and J.M. Lynch.1980. Soil anaerobiosis, micro-organisms and root fuchtion. Annual Review of Phytopathology.18: 37-66.

Drew, M.C. and E.J. Sisworo. 1979. The development of waterlogging damage in young barley plant in relation to plant nutrient status and change in soil properties. New Phytol. 82: 301-314.

Fair, P., J. Tew and C.F Cresswell. 1973. Enzyme activities associated with carbon dioxide exchange in illuminated leaves of *Hordeum vulgare* L: II. Effect of external concentrations of carbon dioxide and oxygen. Ann. Bot. 37: 1035-1039.

Flavio H.G.B., S.L. Ratil and A.P. Claudia . 1996. Note on the effect of winter and spring waterlogging on growth, chemical composition and yield of rapeseed. Field Crops Research. 47(2-3): 175-179.

Garcia-Novo, F. and R.M.M Crawford. 1973. Soil aeration nitrate reduction and flooding tolerance in higher plants. New Phytol. 72: 1031-1039.

Getachew, B. 1996. Expression and inheritance of tolerance to waterlogging stresses in wheat (*Triticum aestivum* L.). PhD.Thesis, Oregon state university. 88 pp.

Hodgson, A.S. and K.Y. Chan. 1982. The effect of short-term waterlogging during furrow irrigation of cotton in a cracking grey clay. Australian Journal of Agricultural Research. 33 (1): 109-116.

Hook, D.D. 1984. Adaptations to flooding with fresh water. Pp. 265-294 in: T.T. Kozlowski (ed.), Flooding and Plant Growth. Academic Press, New York.

Huang B., J.W. Johnson and D.S. Nesmith. 1997. Response to root-zone CO_2 enrichment and hypoxia of wheat genotype differing in waterlogging tolerance. Crop Sci. 37: 464-468.

Huang B., J. W. Johnson, D.S. Nesmith and D.C. Bridges. 1994. Root and shoot growth of wheat genotype in response to hypoxia and subsequent resumption of aeration. Crop Sci. 34: 538-1544.

Huck, M.G. (1970). Variation in tap root elongation rate as influenced by composition of the soil air. Agron. J. 67: 815-818.

International Rice Research Institution (IRRI). 1980. Standard Evaluation System for Rice. International Rice Testing Programme. page 11.

Jackson, M.B. and D.M.E. Pearce. 1991. Hormones and morphological adaptation to aeration stress in rice. In: Jackson M.B., Davies, D.D., Lambers, H., eds. Plant life under oxygen deprivation. The Nertherlands : Academic Publishing, The Hague: 47-67.

Jackson, M.B., M.C. Drew and S.C. Giffard. 1981. Effects of applying ethylene to the root system of *Zea mays* on growth and nutrient concentration in relation to flooding tolerance. Physiologia Plantarum. 52:23-28.

James, E.B. 1986. Winter wheat grain yield responses to soil oxygen diffusion rates. Crop Sci. 26: 355-361.

Kawase, M. 1974. Role of ethylene in induction of flooding damage in sunflower. Physiol. Plant. 31: 29-38.

Kramer, P.J. 1951. Causes of injury to plants resulting from flooding of soil. Plant Physiology. 26: 722-736.

Kramer, P.J. 1969. Plant and soil water relationship. New York : McGraw-Hill.482 pp.

Kuo, G.C. and B.W. Chen, 1980. Physiological response of tomato cultivars to flooding. J. Amer. Soc. Hort. Sci. 105 (5): 751-755.

Laan P. and C.W.P.M. Blom. 1990. Growth and survival responses of *Rumex* species to flooded and submerged conditions: The importance of shoot elongation, underwater photosysthesis and reserve carbohydrates. Journal of Experimental Botany. 40: 775-783.

Labanauskas, C.K., L.H. Stolzy and R.J. Luxmoore. 1975. Soil temperature and soil aeration effects on concentrations and total amounts of nutrients in 'Yecora' wheat grain. Soil. Science. 120 (6): 450-454.

Levitt,J. 1972. Responses of plants to environmental stresses. Volume II. Water, radiation, salt, and other stresses. Academic Press, New York, U.S.A. 607 pp.

Leyshon, A.J. and R.W. Sheard. 1974. Influence of short-term flooding on the growth and plant nutrient composition of barley. Can.J. Soil Sci. 54: 463-473.

Lincoln, T. 1991. Stress Physiology. Plant Physiology. The Benjamin/Cummings publishing company, Inc.U.S.A.: 365-367.

Lizaso, Jon I. and J.T. Ritchie. 1997. Maize shoot and root response to root zone saturation during vegetative growth. Agronomy J. 89: 125-134.

Luxmoore, R.J., R.A. Fischer and L.H. Stolzy. 1973. Flooding and soil temperature effects on wheat during grain filling. Agronomy J. 65: 361-364.

Mason, W.K., K.E. Pritchard and D.R. Small. 1987. Effects of early season waterlogging on maize growth and yield. Aust. J. Agric. Res. 38: 27-35.

McDonald, G.K. and W.K. Gardner. 1987. Effect of waterlogging on the grain yield response of wheat to sowing date in south-western Victoria. Australian Journal of Experimental Agriculture. 27 (5): 661-670.

Musgrave, M.E. 1994. Waterlogging effects on yield and photosynthesis in eight winter wheat cultivars. Crop Sci. 34: 1314-1318.

Musgrave, M.E. and N. Ding. 1998. Evaluating wheat cultivars for waterlogging tolerance. Crop Sci. 38 : 90-97.

Nilsen, T.E. and D.M. Orcutt. 1996. Physiology of Plants under Stress. John Wiley & Sons,Inc., New York, U.S.A. 689 pp.

Patrick, W.H.Jr. 1982. Nitrogen transformation in submerged soils. pp. 449-465 in : Nitrogen in Agricultural soil (Agronomy Monograph No.22). American Association of Agronomists.

Perata, P., A. Alpi and F. LoSchiavo. 1986. Influence of ethanol on plant cells and tissues. J. of Plant Physiology. 126: 181-188.

Peter T. Yu, L.H. Stolzy, and J. Letey.1969. Survival of plant under prolong flooded conditions. Agron j. 61: 844-849.

Pezeshki, S.R. 1994. Plant Response to Flooding . pp. 289-321 in : R.E. Wilkinson (ed.), Plant-Environment Interactions, Marcel Decker, New York.

Raskin, I. and H. Kende. 1984. Regulation of growth in stem sections of deep-water rice. Planta. 160: 66-72.

Reece, C.P. and S.J. Riha. 1991. Role of root systems of eastern larch and white spruce in response to flooding. Plant, Cell and Environment. 14: 229-234.

Regehr, D.L., F.A. Bazzaz and W.R. Boggess. 1975. Photosynthesis, transpiration, and leaf conductance of *Populus deltoides* in relation to flooding and drought. Photosynthetica. 9: 52-61.

Rubio, G., M. Oesterheld, C.R. Alvarez and R.S. Lavado. 1997. Mechanisms for the increase in phosphorus uptake of waterlogged plants: Soil phosphorus availability, root morphology and uptake kinetics. Oecologia. 112: 150-155.

Saunders, D.A. 1985. Agronomic management issues for wheat production in more tropical environments of Southeast Asia. In wheat for more tropical environments. CIMMYT, Mexico. pp. 260-264.

Sawit Meechoui. 2001. Physiological responses of barley under waterlogging condition. Ph.D. Thesis. Chiang Mai University. 149 pages.

Schravendijk, H.W. and O.M. Andel. 1985. Interdependence of growth, water relations and abscisic acid level in *Phaseolus vulgaris* during waterlogging. Physiologia Plantarum. 63: 215-220.

Setter, T.L., I. Water, H. Greenway, B.J. Atwell and T. Kupkanchanakul. 1987. Carbohydrate status of terrestrial plants during flooding. In Plant life in aquatic and

amphibious habitats. Ed. R. M. M. Crawford. Blackwell Scientific Publications, Oxford. Pp. 411-433.

Shipway, M.R. and W.J. Bramlage. 1973. Effects of carbon dioxide on activity of apple mitochondria. Plant Physiol. 51: 1095-1098.

Singh, B.P., K.L. Tucker, J.D. Sutton and H.L. Bhardwaj. 1991. Flooding reduces gas exchange and growth in snap bean. Hort Sci. 26: 372-373.

Singh, S. and D.P. Bhattacharjee. 1988. Effect of waterlogging on yield and yield attributes in late high yielding rice varieties. Oryza. 25 (3): 315-318.

Sojka, R.E., L.H. Stolzy, and M.R. Kaufmann. 1975. Wheat growth related to rhizosphere temperature and oxygen levels. Agron. J. 67(5): 591-596.

Somrith, B. 1988. Problem associated with soil management issue in rice – wheat rotation areas. In wheat production constraints in tropical environment. CIMMYT, Mexico. pp. 63-70.

Steel, R.G. and J.H. Torrie. 1960. Principle and Procedures of Statistics. Mc Graw Hill Book Company, N.Y. 481 pp.

Takemoto, B.K. and R.D. Nobel. 1986. Differential sensitivity of duckweeds (*Lemnaceae*) to sulfite. I. carbon assimilation and frond replication rate as factors influencing sulfite phytotoxicity under low and high irradiance. New Phytol. 103: 525-539.

Thomson, C.J. , T.D. Colmer, E.L.J. Watkin and H. Greenway. 1992. Tolerance of wheat (*Triticum aestivum* cvs. Gamenya and Kite) and triticale (*Triticosecale* cv. Muir) to Waterlogging. New Phytol. 120: 335-344.

Trought, M.C.T. and M.C. Drew. 1980(a). The development of waterlogging damage in wheat seedlings (*Triticum aestivum* L.). Plant and Soil. 54:77-94.

Trought, M.C.T. and M.C. Drew. 1980(b). The development of waterlogging damage in young wheat plants in anaerobic solution cultures. Journal of Experimental Botany. 31: 1573-1585.

Ueckert, J., T. Hurek, I. Fendrik and E.G. Niemann. 1990. Radial gas diffusion from roots of rice (*Oryza sativa* L.) and kallar grass (*Leptochloa fusca* L.Kunth) and the effects of innoculation with *Azospirillum brasilense* Cd. Plant and Soil. 122: 59-65.

Vantoai, T.T. 1993. Field performance of Abscisic Acid- induced flood-tolerant corn. Crop Sci. 33: 344-346.

Vartepetian, B.B. 1991. Flood-sensitive plants under primary and secondary anoxia : ultrastructural and metabolic responses. Pp. 201-216 in : M.B. Jackson, D.D. Davis, and H. Lambers (eds.), Plant Life Under Oxygen Deprivation. SPB Acadamic Publishing, The Hague.

Wang S.G., H. Liren, L. Zhengwei, Z. Jinguo, C. Yuorong and H. Lei. 1996. A comparative study on the resistance of barley and wheat to waterlogging . Acta Agronomica Sinica. 22: 228-232.

Waters, S.M., H. Greenway, and T.D. Colmer. 1991. Effects of anoxia on wheat seedlings. J. Exp. Bot. 42 (244): 1437-1447.

Watson, E.R., P. Lapins and R.J.W. Barron. 1976. Effect of waterlogging on growth, grain and straw yield of wheat, barley and oats. Australian Journal of Experimental Agriculture and Animal Husbandry. 16: 114.122.

Wignarajah, K., H. Greenway, and C.D. John. 1976. Effect of waterlogging on growth and activity of alcohol-dehydrogenase in barley and rice. New Phytol. 77: 585-592.

Wondimagegne S., H.M. Shelton and H.B. So. 1992. Tolerance of some subtropical pasture legumes to waterlogging. Tropical Grasslands. 26: 187-195.

Yamamoto, F. and T.T. Kozlowski. 1987. Effect of flooding of soil on growth, stem anatomy, and ethylene production *Cryptomeria Japonica* seedlings. Scandinavian Journal of Forest Research. 2: 45-58.

Zarambinski, T.I. and A. Theologis. 1993. Anaerobiosis and plant growth hormones induce two genes encoding 1-aminocyclopropane-1-carboxylate synthase in rice (*Oryza sativa L.*). Molecular Biology of the cell. 4: 363-373.

Zhang, J. and W.J. Davies. 1987. ABA in roots and leaves of flooded pea plants. J. of Exp. Bot. 38: 649-659.

Zhou You Gen, Hua Zheng Xiong, Zhou You Yan and Gao Wen Dao. 1999. Effect of waterlogging and cold injury on growth and development of wheat and barley. Jiangsu Agricultural Sciences. 1: 6-9

Zolezzi, O., T.A. Howell, C.J. Ravelo and E.A. Hiler. Grain sorghum response to inundation duration at the early reproductive growth stage. Transactions of the ASAE. 21 (4): 687-690.