

References

- Aarts, H.F.M. and de Visser, C.L.M. 1985. A management information system for weed control in winter wheat. p. 679-686. In Proceedings 1985 British Crop protection conference (BCPC). Weeds 7A-2.
- Alexander, M.W. and C.F. Center. 1962. Production of corn and soybean in alternate pairs of rows. *Agronomy Journal* 54:233-234.
- Altieri, M.A., and Anderson. 1986. An ecological basis for the development of alternative agricultural systems for small farmers in Third World. *American Journal of Alternative Agriculture* 1(1): 30-38.
- Andrews, D.J. 1974. Response of sorghum varieties to intercropping. *Experimental Agricultural* (10) 57-63.
- _____. and A.H. Kassan. 1976. In P.A. Sanchez and G.B. Triplett (ed.), Importance of Multiple Cropping in Increasing World Food Supplies. p. 1-10. In R.I. Papendick Multiple Cropping. *Madison: American Society of Agronomy*.
- Anderson, W.K. and I.F. Whan. 1974. Multiple cropping in Australia. *Journal of Australian Institute of Agriculture Science* 40:29-35.
- Akobundu, I.O. 1980a. Weed control strategies for multiple cropping systems of the humid and subhumid tropics. In Akobundu, I.O. (ed), Weeds and their control in humid and subhumid tropics. p. 80-100. In *Proceedings, Serial No. 3*. Nigeria: International Institute of Tropical Agricultural.
- _____. 1980b. Economics of weed control in African tropics and subtropics. p. 911-920. In Proceedings 15th Brighton. Crop Protect. Conference. Weeds. Brighton, England.
- Armigate, M.S. and Brook, C.E. 1976. The case for weed control to spearhead improvements in maize production and cotton husbandry in Swaziland. *Proceedings. 13th Brit. Weed Control Conference. Volume.1. pp. 165-172.*

- Ayub, A. 1982. The labor factor in Malaysian agriculture. Paper presented at AIM seminar on the "State of the Malaysian agriculture-A critical review" August 1982. Kuala Lumpur, Malaysia.
- Bantilan, R.T., M.C. Palada, and R.R. Harwood. 1974. Integrated weed management. I. Key factors effecting (sic) crop-weed balance. Philippines. *Weed science Bulletin* 1(20): 16-36.
- _____. and R.R. Harwood. 1973b. The influence of intercropping field corn (*Zea mays*) with mungbean (*Phaseolus aureus*) or cowpea (*Vigna sinensis*) on the control of weeds. p. 416-427. In Proceeding. 4th Annual. Meet. Crop science. Social. Philippines., Cebu City, Philippines.
- Bariuan, J.U and B.L. Mercado. 1980a. Effect of maize/legume monoculture and intercrops on weed seed reserve in the soil. p. 100-102. *Weed Science Report 1979-1980*. Los Banos: Department of Agronomy, University of Philippines.
- Beets, W.C. 1976. Multiple cropping practices and their fertilizer requirements. FAO. Fertilizer Programme. *Paper Presented at Weekly Staff Meeting FAO*, Bangkok, Thailand.
- _____. 1982. Multiple cropping and tropical farming systems. Boulder, CO: Westview Press.
- Bergh, J.P. Vanden. 1968. An analysis of yield of grasses in mixed and pure stand. *Verslag landbouwkudge onderzoek: Netherlands*. 714:1-71.
- Berkowitz, A.R. 1988. Competition for resources in weed-crop mixtures. p. 89-119. In Altieri, M.A. and Liebman, M. (eds), *Weed management in agroecosystems: ecological approaches*. Florida: CRC press.
- Binswanger, H.P. and S.V.R. Shetty. 1977. Economics aspects of weed control in semi-arid tropical areas of India. p. 75-91. *In Proceedings Weed Science Conference*. 1977. Indian social. Weed Science., Andhra pradesh Agricultural. University., Hyderabad, India.
- Bohringer, A., M. Tano and H.M. Dreyer. 1994. Growth and productivity of pigeon pea genotypes for use in alley cropping and their interaction with the environment. *Experiment Agricultural* 30:207-215.

- Cancian, F 1972. Change and uncertainty in a peasant economy. The Maya corn producer of Zinacantan. California: Stanford University. Presses.
- Castin, E.M., S. S. Antonio, and K. Moody. 1976. The effect of different weed control practices on corn yield and weed weight in dole cropped and intercropped corn and mungbeans. *Paper Presented at the 7th Annual Conference. Pest Control Council, 5-7 May 1976, Cagayan de Oro City, Philippines.* (mimeo).
- Chen, J. 1997. The assessment of socio-economic status in Nahom area. p. 46-59. In *The Assessment and Eco-Economy Programming on the Agro-Ecosystem of Nahom Area, Beng District, Oudomxay Province, Lao PDR.* Yunan: Chinese Academy of Sciences.
- Chisaka, H.1977. Weed damage to crops: Yield loss due to weed competition. p. 1-16. In (J.D. Fryer and S. Matsunaka,eds). *Integrated Control of weed.* Japan Scientific Societies Press.
- Chowdhury, S.L. 1979. Recent studies intercropping systems on the dry-land of India-some thoughts. p. 299-305. In *Proceeding of the International Workshop on Intercropping, 10-13 Jan 1979, ICRISAT, India.*
- Cousens, R. 1987. Theory and reality of weed control thresholds. *Plant Protection Quarterly* 2(1): 13-20.
- Crookston, R.K. and R. Kent. 1976. Intercropping-a new version of an old idea. *Crops and Soils* 28(9): 7-9.
- Crookston, R.K. and D.S. Hill. 1979. Grain yields and land equivalent ratios from intercropping corn and soybean in Minnesota. *Agronomic Journal* 71:41-44.
- DAFO, 2000. Agriculture production. Annul Report. Oudomxay: Oudoxay provincial, Agriculture and Forestry Office.
- David, J.H. C. and J.N. Woolley. 1993. Genotypes requirement for intercropping. *Field Crops Research* 34:405-430.
- Dew, D.A. 1972. An index of competition for estimating crop loss due to weeds. *Canadian Journal of Plant Science* 52: 921-927.

- Druijff, A.H. and G.J. Kerkhoven. 1970a. Influence of weed growth on cotton yields and weeding time based on experiments at Gabloe in Eastern Kenya. pp. 397-700. In *Proceedings of Crop Protection Conference on Weeds*, Brighton, England.
- _____. and G.J. Kerkhoven. 1970b. The economics of hand weeding versus chemical weeding in irrigated cotton at Gabole in Eastern Kenya. p. 697-700. In *Proceedings of Crop Protection Conference on Weeds*, Brighton, England.
- _____. and G.J. Kerkhoven. 1970c. Effect of efficient weeding on yields of irrigated cotton in Eastern Kenya. *PANS* 16:596-605.
- Enyi, B.A.C. 1973. Effect of intercropping of maize or sorghum with cowpea, pigeon pea or bean. *Experimental Agriculture* 9:83-90.
- Fageria, N.K., V.C. Baligar and A.J. Charles. 1991. Peanut: Chapter 11. p. 315-325. In *Groundnut and Mineral Nutrition of Field Crop*.
- Fisher, N.M. 1975. Investigation into the competitive relations of maize and beans mixed crop. *Technical Communication No. 5*. Nairobi: Department of Crop Science.
- _____. 1977. Experiment. *Agricultural*. 13:185-191. In *Advances in Agronomic* Volume. 41. Academic Press Inc. 62 p.
- Francis, C.A. 1989. Biological efficiencies in multiple cropping systems. In *Advances In Agronomy*. Academic Press Inc. 42:1-45.
- _____. 1986. Multiple Cropping Systems. p. 227-247. In *Agroecosystem Diversity and Stability*. New York: MacMillan.
- Food and Agriculture Organization of the United Nations. 1997. Expert consultation on weed ecology and management. Plant Production Division. [Online]. Available:<http://www.fao.org/waicent/faoinfo/agricult/agp/ipm/weeds/download/auldwec.html> [August 17, 2002].
- Faris, M.A., R.C. Mafra, M. de A. Lira. A.S.S. Arcoverde and G.Roberio. 1979. Studies on the intercropping of sorghum and corn with phaseolus bean and

- cowpea. p. 46-51. In *Proceedings of the International Workshop on Intercropping*, 10-13 Jan 1979. ICRISAT, India.
- Fukai. S. 1993. Intercropping based of productivity. *Field Crops Research* 34:230-250.
- Furoc, R.C., D.Z. Magpantary, and E.Q. Javier. 1977. Intercropping of fodder soybean (Glycine max (L.) Merr.) with green corn. *Paper Presented at the 8th Annual Meeting on Crop Science Society*, 5-7 May, La Trinidad, Benguet, Philippines.
- Gamble, W.K. 1980. Welcome address. p vii. In Akobundu, I.O. (ed.), *Weeds and their control in humid and subhumid tropics*. In *Proceeding Serial No.3*. Nigeria: International Institute of Tropical Agriculture.
- Gill, H.S. and L.S. Brar. 1972. Investigations on the chemical control of Phalaris minor L. in wheat. *Punjab Agricultural University Research Journal* 9:287-294.
- Gliessman, S.R. 1988. *Agroecology: ecological processes in sustainable agriculture*. Michigan: Ann Arbor Press.
- _____. and M.F. Amador. 1981. The ecological basis for the application of traditional agricultural technology in the management of tropical agroecosystems. *Agro-Ecosystems* 7:173-185.
- Grace, J.B. and Tilman, D. (eds) (1990). *Perspectives on Plant Competition*. San Diego: Academic press.
- Hall, R.L. 1974. Analysis of the nature of inference between plants of different species. Concepts and extension of de Wit analysis to examine effects. *Australian Journal of Agricultural Research* 25:739-747.
- Hammerton, J.L. 1974. Problems of herbicide use in peasant farming. *Paper Presented at the Annual Meeting on Weed Science and Society*. America., Las Vegas, Nevada, USA. 10 p. (mimeo.)
- Hart, R.D. 1984. Agroecosystem determinants. p. 105-119. In R. Lowrance, B.R. Stinner, and G.J. House (ed), *Agricultural Ecosystems: Unifying Concepts*. New York: John Wiley & Sons.

- Harwood ,R. and E. Price. 1976. Multiple cropping in tropical Asia. p. 11-40. In Papendick, R.I., P.A. Sanchez, and G.B. Triplett (ed.) Multiple Cropping Species. Publication 27. American Society of Agronomy, Madison, Wisconsin, USA.
- _____. and R.T. Bantilan. 1974. Integrated weed management. II. Shifts in composition of the weed community in intensive cropping systems. *Philippines Weed science Bulletin* 1(2):37-59.
- Heemst, H.D.J. van. 1985. The influence of weed competition on crop yield. *Agricultural systems* 18, 81-93.
- Herrera, W.A.T. 1975. Corn-legume combinations: recent IRRI multiple cropping results. p. 77-88. In *Proceeding of the 6th Annual Conference on Upland Crop Extension*. Programe University. Philippines. Los Banos, College, Laguna, Philippines.
- _____. R.R. Hawood, and B.T. Samson. 1975. The effect of row arrangement and plant density on productivity of corn-rice and crop-peanut intercrops. p. 8-10. In *Paper Presented at the Sixth Annual Convention of the Crop Science Society of the Philippines*, at the 6th May, Balcod City, Philippines.
- Ibrahim, A.F., K.M. Al-Rawi, and A.A. Salman. 1977. Performance of corn and soybean under intercropping in alternate rows and at different plant population densities. *Z. Acker-und pflanzenbau* 145: 224-237.
- International Rice Research Institute. 1973. Multiple cropping. In IRRI annual report for 1972. Los Banos: IRRI.
- International Rice Research Institute. 1978. Report on a study on different methods of controlling weeds on two intercrops. In *Report of Research Conducted by Participants Attending a Six-Month Cropping Systems Training Program*, 14 September 1977-17 March 1978. Los Banos: IRRI.
- Isidro, C.C. 1977. Duration of weed control on the growth and yield of soybean. B.S. thesis, Center. Luzon State University., Munoz, Nueva Ecija, Philippines.
- Jansen, H.G. and Kock. 1982. The Rahad Scheme-the agricultural system and its problems. p. 23-35. In Heinritz, G. (ed.), Problems of agricultural development

in Sudan. Selected Papers of a Seminar. Gottingen, Federal Republic of Germany.

- Kanemasu. E.T. and G.F. Arkin. 1974. Radiant energy and light environment of crops. *Agricultural Meteorological* 14:211-225.
- Keating, B.A. and P.S. Carberry. 1993. Resource capture and use in intercropping. Solar radiation. *Field Crops Research* 34:275-295.
- Koch, W.C. Beshir, M.E. and Unterladstatter. R. 1982. Crop loss due to weeds. FAO Plant protection. Bull. 30.103-111.
- Kuo, G.C., J.J.S. Tsay, and S.C.S. Tsou. 1977. Physiological studies on tropical soybean. *Bulletin of the Institute of Tropical Agriculture* 2:12-24.
- Kurtz, T., S.W. Meisted, and R.M., Bray. 1952. The importance of nitrogen and water in reducing competition between intercrop and corn. *Agronomy Journal* 44:13-17.
- Lao-IRRI. 1991. National Rice Research Program and Lao-IRRI project. p 130-148. Annual Technical Report. Summaries of Individual Studies in the Rainfed Environment.
- Litsinger, J.A. and K. Moody. 1976. Integrated pest management in multiple cropping systems. In Papendick. R. I., P.A. Sanchez, and G. B. Triplett (ed.). Multiple Cropping. *American Society of Agronomy* 293-316.
- Lotz,L.A.P., Kropff, M.J. and Groeneveld, R.M.W.1990. Herbicide application in winter wheat. Experimental results on weed competition analyzed by a mechanistic model. *Netherlands Journal of Agricultural Science* 30, 711-718.
- Malapaya, C.and R.P. Robles. 1979. Effect of *Ipomoea triloba* L. on growth and development of soybean. Paper presented at the 10th Annual. Conference. Pest Control. Council. Philippines., 2-5 May 1979. Manila, Philippines.
- Mandal, B.K., P.K. ray and S. Dasgupta. 1986. Water use by wheat, Chickpea and mustard grown on sole crops and intercrops. *Indian. Journal. Agricultural Science*. 56(3): 187-193.

- Medd, R.W., Auld, B.A. and Kemp, D.R. 1985. The influence of wheat density and spatial arrangement on annual ryegrass, *Lolium rigidum* Gaud. *Competition Australia Journal Agricultural Research*. 36:361-371.
- Mercado, B.I., R.S. Rejesus, and D.B. lapis. 1977. Pest dynamic studied and development control strategies on practical mutiple cropping pattern (Dry season 1976-77). p. 76-82. In Weed science report 1976-1977. Department. Agronomic., University. Philippines Los Banos, College, Laguna, Phillipines.
- _____. and J.V. Bariuan. 1978a. Influence of corn-legume intercropping on weed population (Dry season 1978). p. 65-69. In Weed science report 1977-78. Department Agronomy., University. Philippines, Los Banos, college, Laguna, Philippines.
- Midmore, D.J. 1993. Agronomic modification of resource use and intercrop productivity. *Field Crops Research*. 34:352-380.
- Miller, S.F. 1976. Weed control systems for representative farms in developing countries. In Technical Report of International Plant Protection Center. Corvallis: Oregon State University.
- Ministry of Agriculture and Forestry. 2000. Agricultural statistics. (1975-2000). Vientiane: Department of Planning. Vientiane, Lao PDR.
- Minjas, A.N. 1980. Weed problems in Tanzania. p. 207-212. In Akobundu, I.O. (ed.) Weeds and their control in the humid and subhumid tropics. Proceedings. Serial. No. 3. International. Institute. Tropical. Agricultural., Ibadan. Nigeria.
- Mohta, N.K., and R. De. 1980. Intercropping maize and sorghum with soybean. *Journal. Agricultural. Science. Cambridge* 95: 344-353.
- Moody, K. 1973b. Weed control in tropical grain legumes. In International Institute of Tropical Agriculture. p.162-183. In Proceeding of the First Grain Legume Improvement Workshop, Ibadan, Nigeria.
- _____. 1976. Weed control in Asian soybeans. In Goodman, R.M. (ed.). Expanding the Use of Soybeans. p. 69-73. INTSOY Serial No. 10. Urbana: International Agricultural Publication, University of Illinois.

- _____. 1980. Weed control in intercropping in tropical Asia. p. 101-108. In Akobundu, I.O. (ed) Weeds and their control in the humid and subhumid tropics. International. Institute. *Tropical. Agriculture Proceeding*. Series. No. 3, Ibadan, Nigeria.
- _____. 1977a. Weed control in multiple cropping. p.281-294. In International Rice Research Institute. Proceedings of the symposium on Cropping Systems Research and Development for the Asian Rice Farmer. Los Banos, Laguna, Philippines.
- _____. 1977b. Weed populations as affected by crop rotations and weed control methods. IRRI Saturday seminar, 13 August 1977. los Banos, Laguna Philippines 29 p. (mimeo).
- Myers, R.J.K. and M.A. Foale. 1981. Row spacing and population density in grain sorghum- a simple analysis. *Field Crop Research*. 4:146-154.
- Ngugi, D.N. 1980. Weed problems and control strategies in Kenya. p. 198-206. In Akobundu, I.O. (ed.) Weed and their control in the humid and subhumid tropics. Proceedings. Serial. No. 3. International. Institute. Tropical. Agriculture., Ibadan, Nigeria.
- Niemann, P. 1986. Mehrjährige Anwendung des Schadensschwellenprinzips bei der Unkrautbekämpfung auf einem landwirtschaftlichen Betrieb. p. 385-392. In Proceedings of the Eulopean Weed Research Society Symposium 1986. Economic Weed Control, Stuttgart-Hohenheim, Germany.
- Norris, R.F. 1992. Have ecological and biological studies improved weed control strategies. p. 7-33. In Combellack, J.H., levick, K.J., Parsons, J. and Richardson, R.G. (eds). In Proceedings of the First International Weed Control Congress, Volume 1, Monash University, Melbourne, Australia.
- Ogbon, J. 1976. The analysis of weed growth in hand hoed experiments. p. 151-158. In Proceeding. 13th Brighton. Crop Protect. Conference. Weed. Brighton. England.
- Okigbo, B.N. 1980. Weed problems and food production in developing countries. p. 1-11. In Akobundu, I.O. (ed.) Weeds and their control in the humid and

- subhumid tropics. Proceedings. Serial. No. 3. international. Institute. Tropical. Agriculture., Ibadan, Nigeria.
- Paller, E.C., jr. and M.R. Vega. 1972b. Advanced evaluation of promising herbicide treatments in bust itao. p. 82-84. In Weed science report 1971-72. Department. Agricultural. Bot., University. Philippines. College. Agriculture., college, Laguna, Philippines.
- Pendleton, J.W., C.D. Bolen, and R.D. Seif. 1963. Alternating strips of corn and soybean vs. Solid plantings. *Agronomic Journal*. 55: 293-295.
- Plucknett, D.L., E.S. Rice, L.C. Burrill, and H.H. Fisher. 1977. Approaches to weed control in cropping systems. p. 295-308. In International Rice Research Institute. Proceedings of the Symposium on cropping Systems Research and development for the Asian Rice farmer. Lo Banos, Laguna, Philippines.
- Pookpahdi, a.1977. A study of growth and yield components of soybean (Ph.D. Dissertation). University of Missouri. Columbia, Missouri, USA.
- Radanachaless, T. and Krasaechai, A. 1990. Woody perennial systems for rainfed uplands: The performance of the multipurpose trees during the third year. Paper presented at university research grants programme, ACNARP-CMU workshop, Chiang Mai University, 8 June, 1990. *Journal of agriculture* 6,4: 239-251.
- Rajat, de and S.P. Singh. 1979. Management practices for intercropping systems. p. 17-21. In Proceedings. The International Workshop on intercropping help on 10-13 Jan, 1979. ICRISAT, India.
- Reeves, T.G. 1976. effect of annual ryegrass (*Lolium rigidum* Gaud.) on wheat yield. *Weed Research*. 16:57-63.
- Reichelderfer, K.H. 1984. Factors affecting the economic feasibility of biological control of weeds. p. 135-144. In Proceedings. VI international. Symposium. Biological. Control. Weeds. Vancouver.
- Responso, E.M., E.B. Gamila, N.R. Alemania, and R.V. Labios. 1982. Developing weed control recommendations for intensive cropping pattern, Bukidnon settlement. Paper presented at the 4th Annual. ABC-ASC Review, 8-10 March 1982, Lahug, Cebu City, Philippines.

- Roder, W. 1991. National Rice Research Program and Lao-IRRI project. p. 130-148. Annual Technical Report. Summaries of Individual Studies in the Rainfed Environment.
- Roquib, A., A.L. Kundu, and B.N. Chatterjee. 1973. Possibility of growing soybean in association with other crops. *Indian Journal. Agricultural Science*, 43(80):792-794.
- Shahapurkan, P.R., and V.C. Patil. 1989. Intercropping studies in maize. *Karataka Journal. Agricultural Science*, 2(4)320-323. In Maize Abstracts (1991).7(3)-1703.
- Shetty, S.V.R. 1980. Some agronomical aspects of improved weed management systems in Indian semi-arid tropics. p. 899-909. In proceedings 1980 Brighton. Crop protection. Conference. Weeds. Brighton, Enland.
- _____. and M.R. Rao. 1977. Weed management studies in pigeon pea based intercropping. p. 655-672. In Proceeding. 6th Asian-Pacific. Weed science. Social. Conference., Jakarta, Indonesia.
- Sivarkumar, M.V.A. and S.M. Vimana. 1980. Growth and resource use of maize, pigeo pea and maize-pigeo pea intercropping an operational research watershed. *Experiment Agricultural* 16:377-386.
- Spitters, C.J.T. 1980. Competition effects within mixed stands. p. 219-231. In (eds) R.G. Hurd et al. Opportunities for Increasing Crop Yield. Pitman publicsher, London.
- Srivastava, v.V., C. soren, and M.N. Shahani. 1980. Performance of soybean in association with companion crop. *Tropical Grain Legume Bulletin* 20:11-14.
- SSLCC, 1997. Soil Survey and Land Classification Center. Ministry of Agriculture and Forestry Department of agriculture and extension. Report on soil study and land suitability classification of Eco-Development and Irrigation project.
- Stern, W.R. and Donald, C.M. 1962. Australian. *Journal Agricultural Research*.,13: 615-623.

- Sucharin, W. 1981. effect of plant population density. Pre plant tillage practices and cultivation on the productivity of soybean. M.S. thesis, University. Philippines. Los Banos, college, Laguna, Philippines.
- Trenbath, B.R. 1976. Plant interaction in mixed crop communities. *American Society of Agronomy Special Publications*. 27: 129-169.
- _____. 1986. Resource use by intercrop. p. 57-81. In C.A. Francis (ed). *Multiple Cropping Systems*.
- _____. and S. Fukai. 1993. Processes determining intercrop productivity and yields of component crops. *In Field Crop Research*. 34:245-272.
- Tsay, J. 1985. physiological studies of cassava-soybean intercropping . Ph.D. Thesis, university. Of Queensland, Australia. In *Advances in Agronomy* Volum. 41. Academic Press.
- Tsay, J.S., S. Fukai and G.L. Wilson. 1988. Intercropping cassava with soybean cultivars of varying maturities. *Field Crop Research*. 19:211-225.
- Veerawudh, J. 1974. Growth analysis of various soybean varieties as affected by different spacing (MS Agr. Thesis). Kasetsart University, Bangkok, Thailand.
- Vorasoot, N., A. Patanothai, K. Wongpichet, A. Jintratwet and K. Boontop. 1976. Crop production and cropping system. p. 73-88. In Annual Report of the Khon Kaen University. International Department Research Center Semi-arid Crops Project, Khon Khaen, Thailand.
- Wahmhoff, W. and Heitefuss, R. 1988. Studies on the use of economic injury thresholds for weeds in winter barley. p. 59-91. In *Plant Research and Development; A Biannual Collection of Recent German Contributions*. Institute fur wissenschaftliche Zusammenarbeit, Tubingen, Germany, Volume 27.
- West, T.D., and D.R. Griffith. 1992. Effect of strip intercropping corn and soybean on yield and profit. *Products Agricultural*. 5:107-110.
- Wetala, M.p.E. 1980. Weed problems and control practices in Uganda. p. 213-220. In Akobundu, I.O. (ed.) *Weeds and their control in the humid and subhumid*

tropics. Proceedings. Serial. No. 3. International. Institute. Tropical. Agricultural., Ibadan, Nigeria.

Whyte, R.O., G. Nilsson-Leiner, and H.C. Trumble. 1969. Legumes in agriculture. p.18-120. Food and Organixation of the United Nations, Italy.

_____. 1981. A Scientific Approach to Intercropping research. p. 4-14. In Proceedings, International Workshop on Intercropping . ICRIST: India.

_____. 1979a. Intercropping- its is importance and research needs. Part 1. Competition and yield advantages. Field Crops Abstracts 32(1):1-10.

_____. 1979b. Intercropping- its is importance and research needs. Part 2.

_____. and D.S.O. Osiru. 1972. J. Agricultural. Science. 79:515-525. p. 61-62. In Advannces in Agronomy Volume. 14. academic press In congress.

Wirjahardja, S. and J.V. Pancho. 1975. Weed survey sampling method and vegetation analysis. Paper No. 12. In Workshop on Research Methodology in Weed science, 18-21 June, Bandung, Indonesia. BIOTROP, Bogor, Indonesia. iv+20p.

Young, D. and S.F. Miller. 1976. Economic considerations affecting alternative weed control methods for developing countries. p. 66-87. In Proceedings. 6th East African Weeds. Science. Congress., Nairobi, Kenya.

Zimdahl, R.L. 1980. Weed-Crop Competition. A Review. International Plant Protection Center, Corvallis, Oregon.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved