
TABLE OF CONTENTS

	101019	Page
ACKNOWLE	DGEMENT	iii
ENGLISH ABSTRACT		iv
THAI ABSTR	ACT	vii
TABLE OF C	ONTENTS	x
LIST OF TAB	LES	xiii
LIST OF ILL	USTRATIONS	xiv
CHAPTER I	INTRODUCTION	1
CHAPTER II	LITERATURE REVIEW	503
	Botanical characteristic of bitter gourd (Momordica charantia L.)	4
	Momordica anti-viral protein of 30 kilodalton (MAP30)	5
	Activities and potentialities of MAP30	6
	Toxicity of MAP30	9
	Activities and toxicity of other ribosome-inactivating protein in	10
	bitter gourd	
	Extraction and isolation of Momordica seed proteins	13
	Methods for increasing protein levels in plants	15
	Factors affecting the quality and yield of seed protein	18
CHAPTER III	MATERIALS AND METHODS	20
	1. Varietal collection and inbred seeds production.	20
	2. Yield and horticultural characteristics.	20
	3. Extraction of 30 kDa protein in inbred seeds.	25
	4. Extraction of 30 kDa protein in F ₁ hybrid seeds.	28/ 🖰
	5. Genetic analysis of 30 kDa protein in F. hybrid seeds	1 20

TABLE OF CONTENTS (continue)

	P	'age
CHAPTER IV	RESULTS	32
	1. Varietal collection and inbred seeds production.	32
	2. Yield and horticultural characteristics.	32
	2.1 Botanical characteristics,	32
	2.2 Fruit yield,	42
	2.3 Horticultural characteristics,	44
	2.4 Correlation analysis of yield and some horticultural characteristics,	49
	2.5 Ripe fruit, seed and endosperm	52
	3. Extraction of 30 kDa protein in inbred seeds.	57
	3.1 Weight of partially purified protein,	57
	3.2 Weight of total protein,	57
	3.3 Weight of 30 kDa protein	58
	3.4 Correlation analysis of weights of partially purified protein,	59
	total protein and 30 kDa protein in inbred seeds	
	4. 30 kDa protein in F ₁ hybrid seeds.	61
	4.1 Seed yield,	61
	4.2 Partially purified protein,	62
	4.3 Total protein,	62
	4.4 30 kDa protein,	62
	4.5 Correlation of partially purified protein, total protein and	64
	30 kDa protein in F, hybrid seeds	
	5. Genetic analysis of 30 kDa protein in F ₁ hybrid seeds.	67 SITY
CHAPTER V	DISCUSSION A S P E S E P	70 e o
CHAPTER VI	CONCLUSION	74
REFERENCES		76

TABLE OF CONTENTS (continue)



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University -All rights reserved

LIST OF TABLES

Table	Page	
1 Diallel crosses of 4 parental lines of local bitter gourd	28	
(16 treatments combination of 4 parents).		
2 Color and size of leaf of local bitter gourd.	34	
3 Botanical characteristics and sessile bract of pistillate flowers	36	
of local bitter gourd.		
4 Botanical characteristics and sessile bract of staminate flowers	37	
of local bitter gourd.		
5 Botanical characteristics of fruit of local bitter gourd.	39	
6 Botanical characteristics of seeds of local bitter gourd.	41	
7 Fruit yield of local bitter gourd.	43	
8 Horticultural characteristics of local bitter gourd.	46	
9 Yield of ripe fruit of local bitter gourd.	53	
10 Yield of seed and endosperm of local bitter gourd.	54	
11 Some horticultural characteristics of local bitter gourd.	56	
12 Mean values of seed yield, partially purified protein, total protein	63	
and 30 kDa protein in 5 g endosperm of F ₁ hybrid and parental lines		
of local bitter gourd.		
13 Analysis of variance and combining ability for seed yield,	68	
partially purified protein, total protein and 30 kDa protein		
in 5 g endosperm of F ₁ hybrid and parental lines of local bitter gourd.		
14 Estimates of the effects of combining ability for seed yield,	69	
partially purified protein, total protein and 30 kDa protein in 5 g endosperm		
of F hybrid and parental lines of local bitter gourd		

LIST OF ILLUSTRATIONS

Figure	Page
1 The Hunter L, a, b Color Space.	23
2 CIE chromaticity diagram.	24
3 Pistillate flower of local bitter gourd accession.	35
4 Stamilate flower of local bitter gourd accession.	35
5 Correlation of width and length of seeds of local bitter gourd.	42
6 Fruits of accession numbers 7 and 10.	43
7 Correlation between fruit yield and fruit weight/fruit of local bitter gourd.	44
8 Correlation between fruit yield and days to 50% female flower and	49
days to first harvest of local bitter gourd.	
9 Correlation between fruit yield and number of node/plant	49
of local bitter gourd.	
10 Correlation between number of fruit/plant and main stem length	50
of local bitter gourd.	
11 Correlation between number of fruit/plant and number of lateral vine/plant	51
of local bitter gourd.	
12 Correlation between fruit weight/fruit and main stem length	51
of local bitter gourd.	
13 Correlation between fruit weight/fruit and number of lateral vine/plant	52
of local bitter gourd.	
14 Ripe fruit and seed of accession numbers 12 and 13.	55
15 Weight of partially purified protein of endosperm of local bitter gourd.	57
16 Weight of total protein of endosperm of local bitter gourd.	58/
17 Protein fractions with molecular weight at 30 kDa of endosperm	59
of local bitter gourd.	
18 Weight of 30 kDa protein of endosperm of local bitter gourd.	59

LIST OF ILLUSTRATIONS (continue)

Figure	
19 Correlation between partially purified protein and total protein of	60
endosperm of local bitter gourd.	
20 Correlation between 30 kDa protein and total protein of	60
endosperm of local bitter gourd.	
21 Ripe fruits and seeds of accession numbers 1 and 10.	61
22 Correlation between partially purified protein and total protein of	64
endosperm of F, hybrid and parental lines of local bitter gourd.	
23 Correlation between partially purified protein and 30 kDa protein	of 64
endosperm of F, hybrid and parental lines of local bitter gourd.	
24 Correlation between total protein and 30 kDa protein of	65
endosperm of F ₁ hybrid and parental lines of local bitter gourd.	
25 Correlation between partially purified protein and seed yield of	66
endosperm of F ₁ hybrid and parental lines of local bitter gourd.	
26 Correlation between total protein and seed yield of	66
endosperm of F, hybrid and parental lines of local bitter gourd.	
27 Correlation between 30 kDa protein and seed yield of	67
endosperm of F, hybrid and parental lines of local bitter gourd.	

ลิขสิทธิมหาวิทยาลัยเชียงใหม Copyright[©] by Chiang Mai University – All rights reserved