References

Ahmad, L., A. H. Zakri, B. S. Jalani, and D. Omar. 1986. Detection of additive and nonaditive variation in rice. pp. 555 – 564. In: Rice Genetics. Proceedings of The International Rice Genetics Symposium, 27 – 31 May 1985. International Rice Research Institute, Manila, Philippines.

Ahmed, M. I. and E. A. Siddig. 1998. Rice. pp. 221-256. In: S. S. Banga and S. K. Banga (eds.) Hybrid Cultivar Development. Narosa publishing House, New Delhi, India.

Athwal, D. S. and S. S. Virmani. 1972. Cytoplasmic male sterility and hybrid breeding in rice. pp 615-620. In: Rice breeding. Int Rice Res Inst, Manila, Philippines.

Azzini, L. E. and J. N. Rutger. 1982. Amount of outcrossing on different male steriles of rice. Crop Sci. 22: 905-907.

Bertran, F. J., J. M. Ribaut., D. Beck, and D. Gonzalez de Leon. 2003. Genetic diversity, specific combining ability, and heterosis in tropic maize under stress and nonstress environments. Crop Sci. 43: 797-806.

Bharaj, T. S., S. S. Virmani, and G. S. Khush. 1995. Chromosomal location of fertility Restoring Genes for wild abortive cytoplasmic male sterility using primary trisomics in Rice. Euphytica. 83: 169-173.

Bollich C. N., B. D. Webb., M. A. Marchetti., J. E Scott, and Dv. H. Petersen. 1988. Performance of hybrid rice in Texas, USA. pp 289-290. In: Hybrid Rice. Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Byeong, T. J., Y. C. Soo, and Y. C. Kwon. 1985. Studies on the inheritance of Quantitative characters in rice. VI. Differences of degree of heterosis and gene distribution for several agronomic characters of rice 9-parent diallel cross F1 and F2. Korean J. Crop. Sci. 30: 287-293.

Certer for Agricultural Information. 1999. Agricultural Statistics of Thailand Crop Year 1998/99. Office of Agricultural Economics. Ministry of Agriculture and Co-operatives. Bangkok, Thailand. 311 p.

Chan,Y.W. and C.H. Cheah. 1983. Evaluation of Ethrel as a selective gametocyte in the breeding of rice (*Oryza sativa* L.). SABRAO J. 15: 149-155.

Chandler, Jr. R. F. 1979. Rice in the Tropics. A Guide to the Development of National Programs. Westview Press, Inc. Colorado. 256 p.

Chen, X., W. Sorajjapinum., S. Reiwthongchum, and P. Srinvies. 2003. Identification of parental mungbean lines for production of hybrid varieties. CMU. J. 2(2): 97-105.

Deng, H. 1988. Biochemical basis of heterosis in rice. pp 55-66. In: Hybrid Rice Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Devanand, P. S., M. Rangaswamy, and H. Ikehashi. 2000. Identification of hybrid sterility gene loci in two cytoplasmic male sterility line in rice. Crop Sci. 40: 640-646.

Devarthinam, A.A. 1984. Studies of heterosis in relation to per se performance in rainfed rice. Madras Agri. J. 71: 568-572.

Dong, N. V., P. K. Subudhi, P. N. Luong, V. D. Quang, T. D. Quy, H. G., Zheng, B. Wang, and H. T. Nguyen. 2000. Molecular Mapping of a Rice Gene.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Conditioning. Thermosensitive Genic Male Sterility Using AFLP, RFLP and SSR Techniques. Theor Appl. Gener. 100: 727-734.

Falconer, D. S. and T. F. C. Mackay. 1996. Introduction to Quantitative Genetics. 4 th Edition. Longman Group Limited England. 464 p. Betran, F. J., J.M.

FAO, 1995. World Rice Information. The International Rice Commission, Food and Agriculture Organization of the United Nations. Rome, Italy. 21 p.

Forde, B. G. and C. J. Leaver. 1980. Nuclear and cytoplasmic genes controlling synthesis of Variant mitochondrial polypeptides in male sterile maize. Proc Natl. Acad. Sci. USA 77: 418-422.

Griffing, B. 1956. Concept of general and specific combining ability in relation to dialed crossing systems. Aust. J. Biol. Sci. 9: 463-493.

Grossniklaus, U., J. M. Moore, and W. B. Gagliano. 1998. Molecular and genetic approaches to under standing and engineering apomixes: Arabidopsis as powerful tool. pp 187-211 In: Advances in Hybrid Rice Technology. Proceedings of the 3rd International Symposium on Hybrid Rice. 14-16 November 1996. Hyderabad, India. International Rice Research Institute. Manila, Philippines.

Govinda R. K. and S. S. Virmani. 1988. Genetics of fertility restoration of WA type cytoplasmic male Sterility in rice. Crop Sci. 28: 787-792.

Horner, H. T. and R. G. Palmer. 1995. Mechanism of Genic Male sterility. Crop Sci. 35: 1527-1535.

Hu, J. and Z. Li. 1985. A preliminary study on the inheritance of male sterility of rice male sterile lines with four different kinds of cytoplasms. J. Huazhoung Agri. Coll. 4(2): 15-22.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Ikehashi, H. and H. Araki. 1986. Genetics of sterility in remote crosses of rice. pp 119-130. In: Rice genetics. International Rice Research Institute, Manila, Philippines.

IRRI. 1996. Standard Evaluation System for Rice. 4th edition. International Rice Research Institute Manila, Philippines. 52 p.

Jin, D., Z. Li. and J. Wan. 1988. Use of photoperiod-sensitive genic male sterility. pp. 267-268. In: Hybrid rice. Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Kadowaki, K., T. Ishige, S. Suzuki, K. Harada, and C. Shinjyo. 1986. Differences in the Characteristics of mitochondrial DNA below a normal and male sterile cytoplasms of japonica rice, Jpn. J. Breed. 36: 333-339.

Khush, G. S. 1996. Prospects of and approaches to increasing the genetic yield potential of rice. pp. 59–71. In: R.E. Evenson, R.W. Herdt and M.Hossian. (eds.). Rice Research in Asia: Progress and Priorities. International Rice Research Institute. CAB International. University Press, Cambridge, UK.

Kim, C.H. 1985. Studies on heterosis in F1 hybrids using cytoplasmic genetic male steriles lines of rice (*Oryza sativa* L.). Res. Rep Rural Dev Administration, Suweon, Korea. 27: 1-33.

Kim, C.H. and J. N. Rutger. 1988. Heterosis in rice. pp 39-54. In: Hybrid Rice. Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Kitamura, E. 1962. Studies on cytoplasmic sterility of hybrids in distantly related varieties of rice Oryza sativa L. I. Fertility of F1 hybrids between strains derived

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

from a certain Philippine x Japanese variety crosses and Japanese varieties. Jpn. J. Breed. 12: 81-84.

Kunta, T., L. H. Edwards, and K. R. Keim. 1997. Heterosis, inbreeding depression, and combining ability in soybeans (*Glycine max* (L) Merr.). Sabrao J. 29(1): 21-32.

Levings, C.S. and D.R. Pring. 1976. Restriction endonuclease analysis of mitochondrial DNA form normal and Texas cytoplasmic male-sterile maize, Science. 193: 158-160.

Li, Z. and Y. Zhu. 1988. Rice male sterile cytoplasm and fertility restoration. pp. 85-102 In: Hybrid rice. Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Li, J. and L. P.Yuan. 2000. Hybrid rice: genetics, breeding, and seed production. pp.15-158. In: J. Janick. (ed.) Plant Breeding Reviews 17. John Wiley and Sons, Inc. New York.

Lin, S. C. and L. P. Yuan. 1980. Hybrid rice breeding in China. In: Innovative approaches to rice breeding. IRRI, Manila, Philippines, pp. 35-51.

Lopez, M. T. and S. S. Virmani. 2000. Development of TGMS line for developing Two-line rice hybrids for the tropics. Euphytica. 114:211-215.

Lu, X. and J. Wang. 1988. Fertility transformation and genetic behavior of Hubei photoperiod-sensitive genetic male sterile rice. pp. 129-138. In: Hybrid rice. Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Mallick, E. H., N. G. Hapia, and P. Bairagi.1978. Heterosis in indica rice. Indian J. Agri. Sci. 48: 384-487.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Maruyama, K., H. Araki, and H. Kato. 1991. Thermosensitive genetic male sterility induced by irradiation. pp. 227-232 In: Rice genetics II. International Rice Research Institute Manila, Philippines.

Parmar K. S., E. A. Siddiq, and M. S. Swaminathan. 1979. Chemical induction of male sterility in rice. Indian J. Genet. 39: 529-541.

Paroda, R. S. 1998. Hybrid rice technology in India: problems and prospects. pp.5-9. In: S. S. Virmani, E. A. Siddiq and K. Muralidharan. (eds.). Advances in Hybrid Rice Technology. Proceedings of the 3rd International Symposium on Hybrid Rice. 14-16 November 1996. Hyderabad, India. International Rice Research Institute. Manila, Philippines.

Peng, S. K., G. S. Cassman., S. S. Virmani., J. Sheehy, and G. S. Kush. 1999. Yield potential trends of tropical rice since the release of IR8 and the challenge of increasing rice yield potential. Crop Sci. 39:1552-1559.

Perez, A. T., T. T. Chang., H. M. Beachell., B. S. Vergara, and A. P. Marciano. 1973. Induction of male sterility in rice with Ethrel and RH-531. SABRAO Newsl 5 (2): 133-139.

Pradhan, S. B., S. N. Ratho, and P. J. Jachuck. 1990. Development of new cytoplasmic genetic male sterile lines through Indica x Japonica hybridization in rice. Euphytica. 51: 127-130.

Prakash, B. G. and M. Mahadevappa. 1987. Evaluation of some experimental rice hybrids for field performance and standard heterosis. Oryza 24: 75-78.

Ramalingam, J., N. Nadarajan., P. Rangasamy, and C. Vannirajan. 1992. Genetic analysis of fertility restoration in hybrid rice (*Oryza sativa* L.). Ann. Agri. Res. 13: 221-223.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Ramesha, M. S., B. C. Viraktamath., M.l. Ahmed, and C. H. M. Vijaya kumar. 2002. Improving parental lines to enhance heterosis. pp. 42. In: Abstracts of 4th International Symposium on Hybrid Rice 14–17 May 2002, Melia Hanoi Hotel, Hanoi, Vietnam.

Ribaut, D. B. and D. G. d. Leon. 2003. Genetic diversity specific combining ability, and heterosis in tropical maize under stress and nonstress environments. Crop Sci. 43: 797-806.

Rothschild, G. L. H. 1998. IRRI's role and vision for hybrid rice. pp. 1-4. In: S. S. Virmani, E. A. Siddiq and K. Muralidharan. (eds.). Advances in Hybrid Rice Technology. Proceedings of the 3rd International Symposium on Hybrid Rice. 14-16 November 1996. Hyderabad, India. International Rice Research Institute. Manila, Philippines.

Rutger, J. N. 1988. Genetic mechanisms to enhance hybrid rice seed production. pp. 272. In: Hybrid Rice. Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Sanini, S. S., I. Kumar, and M. R. Gagneja. 1974. A study on heterosis in rice (*Oryza sativa* L.). Euphytica. 23: 219-224.

Sampath, S. and H. K. Mohanty. 1954. Cytology of semi-sterile rice hybrid. Curr. Sci. 23: 182-183.

Sano, Y. 1983. A new gene controlling sterility in F1 hybrids of two cultivated rice species. Its association with photoperiodic sensitivity. J. Hered 74: 435-439.

Shao K. X. and D. W. Hu. 1988. Chemical emasculators for hybrid rice. In: Hybrid rice Shi M.S. 1981. Preliminary report of later japonica natural 2-lines and applications. Hubei Agri. Sci. 7.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Shinjyo, C. 1969. Cytoplamic-genetic male sterile in cultivated rice, *Oryza sativa* L. II. The inheritamer of male sterility. Jpn. J. Genet 54: 149-156.

Shinjyo, C. 1975. Genetical studies of cytoplasmic male sterility and fertility restoration in rice, *Oryza sativa* L. Bull Coll Agric, Univ Ryukyus, 22: 1-57.

Shivani, D., B. C. Viraktamath., N. S. Rani, and S. S. Kumar. 2002. Effect of nucleo-cytoplasmic interactions on expression of quality characteristics of rice hybrids pp. 41. In: Abstracts of 4th International Symposium on Hybrid Rice. 14 – 17 May 2002, Melia Hanoi Hotel Hanoi, Vietnam.

Siddiq E. A., M. I. Ahmed., B. C. Veraktamath., M. Rangaswamy., R. V. Kumar., B. Vidyachandra., F. U. Zaman, and S. D. Chatterje. 1998. Hybrid rice technology in India: current Status and future out look. pp. 311-324. Advances in Hybrid Rice Technology. Proceedings of the 3rd International Symposium on Hybrid Rice. 14-16 November 1996. Hyderabad, India. International Rice Research Institute. Manila, Philippines.

Singh, S. P. and H. G. Singh. 1978. Heterosis in rice. Oryza 15: 271-277.

Steel, R. G. and J. H. Torrie. 1960. Principle and procedure of statistics. Mc. Graw Hill Comp, Inc. New York 481 p.

Subramanian, S. and M. Rathinam. 1984. Studies on combining ability for yield components in rice. Madras Agri. J. 71: 424-430.

Teng, L. S. and Z. T. Shen. 1994. Inheritance of fertility restoration for cytoplasmic male sterility in rice. Rice Genet Newsl 11: 95-97

Van der Have, D. J. 1979. Plant Breeding Perspectives J. Sneep and A. J. T. Hendriksen (Eds.). O. Holbek (Coed.) Center for Agricultural Publishing and Documentation Wageningen. 435 p.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Vasal. S. K., G. Srinivasan., S.Pandey., F. C. Gonzales., J. Crossa, and D. L. Beck. 1993. Heterosis and combining ability of CIMMYT's quality protein maize germplasm: lowland tropical. Crop Sci. 33: 46-51.

Vergara, B. S. 1979. A Farmer's Primer on Growing Rice. International Rice Resaerch Institute. Los Banos, Philippines. 221 p.

Virk, P. S., G. S. Khush, and S. S. Virmani. 2002. Breeding strategies for enchaining heterosis in rice. pp.5. In: Abstracts of 4th International Symposium on Hybrid Rice. 14–17 May 2002 Melia Hanoi Hotel, Hanoi, Vietnam.

Virk, P. S., G. S. Khush, and S. Peng. 2004. Breeding to enhance yield potential of rice at IRRI: the ideotype approach. IRRN 29.1: 5-9.

Virmani S. S. 1985. Use of male sterility in crop improvement. In Chopra (ed). Genetic manipulation for crop improvement. Oxford and Indian Book House, New Delhi

Virmani, S. S. 1994. Heterosis and hybrid rice breeding. Springer Berlin Heidelberg New York, 280 p.

Virmani, S. S, R.C. Aquino, and G. S Khush. 1982. Heterosis breeding in rice, *Oryza sativa* L. Theor Appl. Genet 63: 373-380.

Virmani, S. S. and W. Banghui. 1988. Development of CMS lines in hybrid rice Breeding. pp. 103-114. In: Hybrid Rice Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Virmani, S. S., R. C. Chaudhary, and G. S. Khush. 1981a. Current outlook on hybrid rice. Oryza 18: 67-84.

Virmani, S. S. and I. B. Edwards. 1983. Current status and future prospects for breeding hybrid rice and wheat. Adv. Agron. 36: 145-214

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Virmani, S. S. and I. Kumar. 2004.Development and use of hybrid rice technology to increase rice productivity in the tropic. IRRN. 29(1): 10-20.

Virmani, S. S., H. P. Moon, and P.A. Aurin. 1990. Heterosis in rice under tropical and Temperature Environments. Agron Abstr, San Antonio, 114 pp.

Virmani, S. S., B. C. Viraktamath., C. L. Casal., R.S. Toledo., M.T. Lopez, and J. O. Manalo. 1997. Hybrid Rice Breeding Manual. IRRI. International Rice Research Institute. Los Banos Laguna, Philippines.149 p.

Virmani S. S. and B.H. Wan. 1988. Development of CMS lines in hybrid rice breeding. pp.103-114. In: Hybrid Rice Proceedings of the International Symposium on hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Virmani, S. S., L. P. Yuan, and G. S. Khush. 1981b. Current Status of Hybrid Rice Research. Paper Presented at the International Rice Research Conference. IRRI. Los Banos, Philippines. 27 April –1 May 1981.

Watchara, P. 1991. Rice Breeding for Insect Pest Resistance. Pathumthini Rice Research Center, Pathumthini. 116 p.

Weerapun, K., S. Julsrigival., C. Senthong, and D. Karladee. 2006. Estimation of heterosis and combining ability in azukibean under highland growing condition in Thailand. 13th Australasian, Plant Breeding Conference Proceedings. Christchurch, New Zealand, 18-21 April 2006.

Xu, S. and B. Li. 1988. Managing hybrid rice seed production. pp. 157-163. In: Hybrid Rice Proceedings of the International Symposium on hybrid Rice. October 1986. Changsha, Hunan, China.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Yingsheng, R. 1988. Cytohistology of cytoplasmic male sterile line in hybrid rice. pp. 114-128 In: Hybrid Rice. Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Yogeesha, H.S. and M. Mahadevappa. 1994. Restorers and maintainers for MS 577A and wild abortive cytoplasmic male sterility system. IRRN. 19 (25):5.

Yoshida, S., J. H. Cock, and F. Parao. 1972. Physiological aspects of high yields. In: Rice breeding. Int Rice Res Inst, Manila, Phillippines, pp 455-469.

Young, J. B. and S. S. Virmani. 1990. Effect of cytoplasm on heterosis and combining ability for agronomic traits in rice (*Oryza sativa* L.). Euphytica 488: 177-188.

Yuan, L. P. and S. S. Virmani. 1988. Status of hybrid rice research and development. pp. 7-24 In: Hybrid Rice Proceedings of the International Symposium on Hybrid Rice. 6-10 October 1986. Changsha, Hunan, China.

Yuan, L. P. and X. Q. Fu. 1995. Technology of hybrid rice production. Food and Agriculture. Organization of the United Nations Rome. 84 p.

Yuan, L. P., X. Wu., F. Liao., G. Ma, and Q. Xu. 2003. Hybrid Rice Technology, China Agriculture press, Beijing, China. 131 p.

Yuan, L. P. and X. Wu. 2004. Development of hybrid rice in China. Agric. Sci. and Tech. 5(1): 2-5.

Zebing, L. and Z. Yingguo. 1988. Rice male sterile cytoplasm and fertility restoration. pp. 85-102. In: Hybrid Rice, Proceedings of the international Symposium on Hybrid Rice. 6-10 October 1986 Changsha, Hunan, China International Rice Research Institute, Manila, Philippines.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

Zhang, Z. G., T. S. Bharaj., Y. Lu., S.S. Virmani, and N. Huang. 1997. Mapping of the Rf-3 Nuclear fertility-restoring gene for WA cytoplasmic male sterility in rice using RAPD and RFLP markers. Theor Appl. Genet 94: 27-33



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved