

เอกสารอ้างอิง

- ไพบุลย์ วิวัฒน์วงศ์วนา. 2546. *เคมีดิน*. คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่.
- ขงยุทธ โอสดสภา. 2546. หน้าที่ของธาตุหลัก. *ธาตุอาหารพืช*. หน้า 200-243. สำนักพิมพ์ มหาวิทยาลัยเกษตรศาสตร์.
- รัตยา ยานะพันธุ์ สันสนีย์ จำจด และเบญจวรรณ ฤกษ์เกษม. กลไกทางสรีระและโมเลกุลที่กำหนดสมรรถภาพในการใช้ธาตุเหล็กในพันธุ์ข้าวไทย. *วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต (เกษตรศาสตร์) สาขาวิชาพืชไร่ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่*. 2547.
- วิไลลักษณ์ สมมติ. 2544. *การปรับปรุงพันธุ์ข้าวขึ้นน้ำ*. ศูนย์วิจัยข้าวปราชญ์บุรี สถาบันวิจัยข้าว กรมวิชาการเกษตร กระทรวงเกษตรและสหกรณ์. หน้า 9-10.
- สำนักงานวิทยาศาสตร์และเทคโนโลยีแห่งชาติ. 2544. *วิทยาศาสตร์และเทคโนโลยีกับข้าวไทย*. ศูนย์พันธุวิศวกรรมและเทคโนโลยีชีวภาพแห่งชาติ สำนักงานพัฒนาวิทยาศาสตร์และเทคโนโลยีแห่งชาติ.
- Armstrong, W. 1979. Aeration in higher plants. *Advances in Botanical Research*. 7: 225-332.
- Atwell, B., P. Kriedemann and C. Turnbull. 1999. *Plant in action: adaptation nature performance in cultivation*. South Yarra, McMillan Education Australia.
- Bange, M.P., Milrory, S.P. and Thongbai, P. 2004. Growth and yield of cotton in response to waterlogging. *Field Crops Research*. 88(2-3): 129-142.
- Barrow, N.J. 1975 The response to phosphate of two annual pasture species. II. The specific rate of uptake of phosphate, its distribution and use for growth. *Australian Journal of Agriculture Research*. 26: 145-156.
- Bates, T.R. and Lynch, J.P. 1996. Stimulation of root hair elongation in *Arabidopsis thaliana* by low phosphorus availability. *Plant, Cell and Environment*. 19(5): 529-538.
- Begg, C.B.M., Kirk, G.J.D., Mackenzie, A.F. and Neue, H.U. 1994. Root-induced iron oxidation and pH changes in the lowland rice rhizosphere. *New Phytologist*. 128(3): 469-477.

- Bell, R.W., Ros, C. and Seng, V. 2001. Improving the efficiency and sustainability of fertilizer use in drought-and submergence-prone rainfed lowlands in Southeast Asia. In Fukai, S. and Basnayake (eds). *ACIAR Proceedings No. 101. Increased Lowland Rice Production in the Mekong Region*. pp. 155-169. Australian Centre of Internal agricultural Research, Canberra: Australia.
- Blair, G. 1993. Nutrient efficiency -what do we really mean?. Genetic aspects of plant mineral nutrition: 205-213.
- Cassman, K.G., Peng, S., Olk D.C., Ladha J.K., Reichardt, W., Dobermann A. and Singh, G. 1998. Opportunities for increased nitrogen use efficiency from improved resource management in irrigated rice systems. *Field Crop Research*. 56: 7-39.
- Colmer, T.D., Gibberd, M.R., Wiengweera, A. and Tinh, T.K. 1998. The barrier to radial oxygen loss from roots of rice (*Oryza sativa* L.) is induced by growth in stagnant solution. *Journal of Experimental Botany*. 49: 1431-1436.
- Colmer, T.D. 2003a. Aerenchyma and an Inducible Barrier to Radial Oxygen Loss Facilitate Root Aeration in Upland, Paddy and Deep-water Rice (*Oryza sativa* L.). *Annals of Botany*. 91(2): 301-309.
- Colmer, T.D. 2003b. Long-distance transport of gases in plants: a perspective on internal aeration and radial oxygen loss from roots. *Plant, Cell and Environment*. 26(1): 17-36.
- Colmer, T.D. and Bloom, A.J. 1998. A comparison of NH_4^+ and NO_3^- net fluxes along roots of rice and maize. *Plant, Cell and Environment*. 21(2): 240-246.
- De Datta, S.K. 1981. *Principle and Practices of Rice Production*. Los Banos, Philippines.
- Dobermann, A. And Fairhurst, T. 2000. Rice Nutrient Disorders & Nutrient Management. 1st ed. Potash and Phosphate Institute (PPI), Potash and Phosphate Institute of Canada (PPIC) and IRRI.
- Drew, M.C., Cobb, B.G., Johnson J.R., Andrews, D., Morgan P.W., Jordan, W. and He, C.J. 1994. Metabolic Acclimation of Root Tips to Oxygen Deficiency. *Annals of Botany*. 74(3): 281-286.
- Drew, M.C. and Saker L.R. 1986. Ion Transport to the Xylem in Aerenchymatous Roots of *Zea mays* L. *Journal of Experimental Botany*. 37(1): 22-33.

- Dunlop, J. and Gardiner, S. 1993. Phosphate Uptake, Proton Extrusion and Membrane Electropotentials of Phosphorus-Deficient *Trifolium repens* L. *Journal of Experimental Botany*. 44(12): 1801-1808.
- Fageria, N.K., Wright, R.J. and Baligar, V.C. 1988. Rice cultivar evaluation for phosphorus use efficiency. *Plant and Soil*. 111(1): 105-109.
- Fan, M., Zhu, J., Richards, C., Brown, K.M. and Lynch, J.P. 2003. Physiological roles for aerenchyma in phosphorus-stressed roots. *Functional Plant Biology*. 30: 493-506.
- Fist, A.J., Smith, F.W. and Edwards, D.G. 1987. External phosphorus requirements of five tropical grain legumes grow in flowing-solution culture. *Plant and Soil*. 99: 75-84.
- Fukai, S., Inthapanya, P., Blamey, F.B.C. and Khunthasuvon, S. 1999. Genotypic variation in rice grown in low fertile soils and drought-prone rainfed lowland environment. *Field Crops Research*. 64: 121-130.
- Gardner, W., Barber, D. and Parberry, D. 1983. The acquisition of phosphorus by *Lupinus albus* L. III. The probable mechanism by which phosphorus movement in soil/root interface is enhanced. *Plant and Soil*. 70: 107-124.
- Gerloff, G.C. 1977. Plant efficiencies in use of N, P and K. In *Plant Adaptation to Mineral Stress in Problem Soil*. Ed. M. J. Wright. Pp 161-174. Cornell University Press, New York.
- Graham, R.D. 1984. *Breeding for nutritional characteristics in cereals*. Praeger, New York.
- Gupta, P.C. and O'Toole, J.C. 1986. *Upland Rice: A Global Perspective*. Los Ba nos, Philippines.
- Hayes, J.E., Richardson, A.E. and Simpson, R. J. 1999. Phytase and acid phosphatase activities in extracts from roots of temperate pasture grass and legume seedling. *Australian Journal of Plant Physiology*. 26: 801-809.
- Hedley, M.J., Kirk, G.J.D. and Santos, M.B. 1994. Phosphorus efficiency and the forms of soil phosphorus utilized by upland rice cultivars. *Plant and Soil*. 158: 53-62.
- Insalud, N. Genotypic variation in responses to aerobic and anaerobic conditions in rice. Ph.D. Thesis. Chiang Mai University. 2006.
- Insalud, N., Bell, R.W., Colmer, T.D. and Rerkasem, B. 2004. Response of Rice Cultivars to Aerobic Conditions. A paper presented in of 4th Crop Science Congress. Convention & Exhibition Centre, Queensland, Australia:
http://www.cropscience.org.au/icsc2004/poster/2/7/1/896_insaludn.htm. (9 April 2008)

- Insalud, N., Bell, R.W., Colmer, T.D. and Rerkasem, B. 2006. Morphological and Physiological Responses of Rice (*Oryza sativa*) to Limited Phosphorus Supply in Aerated and Stagnant Solution Culture. *Annals of Botany*. 98(5): 995-1004.
- IRRI. 1971. Program report for 1970. International Rice Research Institute. Los Banos, Philippines.
- IRRI. 1993. IRRI Rice Almanac. International Rice Research Institute. Los Banos, Philippines.
- IRRI. 2001. World rice statistic, Rice ecosystem, Distribution of rice crop area (000 ha), by environment, 2001: <http://www.irri.org/science/ricestat/pdfs/Table%2030.pdf>. (22 June 2005)
- Jackson, M.B. and Drew, M.C. 1984. Effects of flooding on growth and metabolism of herbaceous plants. In Kozlowski, T.T. (ed) Flooding and plant growth. New York: Academic Press. pp. 47-128.
- Justin, S.H.F.W. and Armstrong, W. 1987. The anatomical characteristics of roots and plant response to soil flooding. *New Phytologist*. 106: 465-495.
- Kamoshita, A., Wade, L.J. and Yamauchi, A. 2000. Genotypic variation in response of rainfed lowland rice to drought and renewing III. Water extraction during the drought period. *Plant Production Science*. 3(2): 189-196.
- Kirk, G.J.D. 2003. Rice root properties for internal aeration and efficient nutrient acquisition in submerged soil. *New Phytologist*. 159(1): 185-194.
- Kirk, G.J.D. and Bajita, J.B. 1995. Root-induced iron oxidation, pH changes and zinc solubilization in the rhizosphere of lowland rice. *New Phytologist*. 131(1): 129-137.
- Kirk, G.J.D. and Du, L.V. 1997. Changes in rice root architecture, porosity, and oxygen and proton release under phosphorus deficiency. *New Phytologist*. 135(2): 191-200.
- Kirk, G.D.J., George, T., Courtois, B. and Sehadhira, D. 1998. Opportunities to improve phosphorus efficiency and soil fertility in rainfed lowland and upland rice ecosystem. *Field Crops Research*. 56: 73-92.
- Kondo, M., Pablico, P.P., Aragonos, D.V., Agbisit, R., Abe, J., Morita, S. and Courtois, B. 2003. Genotypic and environmental variations in root morphology in rice genotypes under upland field conditions. *Plant and Soil*. 255(1): 189-200.

- Kronzucker, H.J., Kirk, G.J.D., Yaeesh Siddiqi, M. and Glass, A.D.M. 1998. Effects of Hypoxia on $^{13}\text{NH}_4^+$ Fluxes in Rice Roots. Kinetics and Compartmental Analysis. *Plant Physiology*. 116(2): 581-587.
- Lambers, Hans., Pons, T.L. and Chapin, F.S. 1998. Plant physiological ecology. Berlin: Springer-Varlag, Ner York.
- Land development Department, Bangkok, Thailand. 2002. In P.U.T. Chanakan. 2003. Iron (Fe) in rice grain. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand. pp. 39.
- Lipton, D.S., Blanchar R.W. and Blevins, D.G. 1987. Citrate, Malate, and Succinate Concentration in Exudates from P-Sufficient and P-Stressed *Medicago sativa* L. Seedlings. *Plant Physiology*. 85(2): 315-317.
- Lu, Y., Wassmann, R., Neue, H. U. and Huang, C. 1999. Impact of phosphorus supply on root exudation, aerenchyma formation and methane emission of rice plants. *Biogeochemistry*. 47(2): 203-218.
- Ma, Z., Bielenberg, D.G., Brown, K.M. and Lynch, J.P. 2001. Regulation of root hair density by phosphorus availability in *Arabidopsis thaliana*. *Plant, Cell and Environment*. 24(4): 459-467.
- Mackill, A.I., Coffman, W.R. and Garrity, D.P. 1996. Rainfed lowland rice improvement. P.O. Box 933, Manila, Philippines. International Rice Research Institute.
- Marschner, H. (1995). Mineral nutrient of higher plant. London, Academic press.
- Mazid, M.A., Wade, L.J., Saleque, M.A., Sarkar, A.B.S., Mollah, M.I.U., Olea, A.B., Amarante, S.T. and McLaren, C.G. 1988. Nutrient management in rainfed lowland rice for the high barind tract of Bangladesh. IRRI, MCPO Box 3127, Makti City 1271, Philippines.
- McDonald, M.P., Galway, N.W., Ellneskog-Staam, P. and Colmer, T.D. 2001. Evaluation of *Lophopyrum elongatum* as a source of genetic diversity to increase the waterlogging tolerance of hexaploid wheat (*Triticum aestivum*). *New Phytologist*. 151: 369-380.
- McDonald, M.P., Galwey, N.W. and Colmer, T.D. 2002. Similarity and diversity in adventitious root anatomy as related to root aeration among a range of wetland and dryland grass species. *Plant, Cell and Environment*. 25(3): 441-451.
- Panish, D.H. 1971. Effects of compaction on nutrient supply to plants. St. Joseph, Michigan, *Am. Soc. Agr. Eng.*

- Ponnamperuma, F.N. 1972. The chemistry of submerged soil. *Advance in Agronomy*. 24: 29-96.
- Ponnamperuma, F.N. 1975. Growth limiting factors of aerobic soil. Los Banos, Laguna, Phillipines.
- Peng, S., Bounman, B., Visperas, M., Castaneda, A., Nie, L. and Park, H.K. 2005. Comparison between aerobic and flooded rice in tropics: Agronomic performance in an eight-season experiment. *Field Crops Research* (Article in Press).
- Ranathunge, K., Kotula, L., Steudle, E. and Lafitte, R. 2004. Water permeability and reflection coefficient of the outer part of young rice roots are differently affected by closure of water channels (aquaporins) or blockage of apoplastic pores. *Journal of Experimental Botany*. 55: 433-447.
- Rubinigg, M., Stulen, I., Elzenga, J.T.M., and Colmer, T.D. 2002. Spatial patterns of radial oxygen loss and nitrate net flux along adventitious roots of rice raised in aerated or stagnant solution. *Functional Plant Biology*. 291: 1475-1481.
- Sanchez, P.A. and Salinas, J.G. 1981. Low input technology for managing oxisols and ultisols in tropical America. *Advance in Agronomy*. 34: 279-398.
- Shimizu, A., Yanagihara, S., Kawasaki, S. and Ikehashi, H. 2004. Phosphorus deficiency-induced root elongation and its QTL in rice (*Oryza sativa* L.). *Theor Appl Genet*. 109: 1361-1368.
- Thang, D.H. Comparing growth, yield and nutrients uptake of rice in alternate aerated and anaerated conditions. Master's thesis. Chiang Mai University. 2006.
- Vartapetain, B.B. and Jackson, M.B. 1997. Plant adaptation to anaerobic stress. *Annals of Botany*. 79: 3-20.
- Wade, L.J., Fukai, S., Samson, B.K., Ali, A. and Mazid, M.A. 1999. Rainfed lowland rice: physical environment and cultivar requirements. *Field Crops Research*. 64: 3-12.
- Wiengweera, A., Greenway, H. and Thomson, C.J. 1997. The Use of Agar Nutrient Solution to Simulate Lack of Convection in Waterlogged Soils. *Annals of Botany*. 80: 115-123.
- Wissuwa, M. 2003. How do plants achieve tolerance to phosphorus deficiency? small cause with big effects. *Plant Physiology*. 133. 1947-1958.
- Wissuwa, M. and Ae, N. 2001. Genotypic variation for tolerance to phosphorus deficiency in rice and the potential for its exploitation in rice improvement. *Plant Breeding*. 120(1): 43-48.
- Yoshida, S. 1979. Fundamental of rice crop science. Los Banos, Phillipines.