

เอกสารอ้างอิง

เกย์ม สร้อยทอง. 2532. การควบคุมโรคพืชโดยชีววิธี. คณะเทคโนโลยีการอาหาร. สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง. 326 หน้า.

จรรักษ์ แก้วประสิทธิ์ และอดิศร์ รัตนบุรี. 2549. พริก (Chili) ตอนที่ 4. (ระบบออนไลน์).

แหล่งที่มา: http://library.uru.ac.th/webdb/images/charpa_chili_4.html (1 มกราคม 2550).

ชนินทร ดวงสาด. 2545. การศึกษาและคัดเลือกเชื้อแบคทีโนมยีสต์ในรากรและดินบริเวณราชบุรีเพื่อนำมาใช้ควบคุมเชื้อร้าย *Fusarium moniliforme* Sheldon ที่เป็นสาเหตุโรคถ่อดฝัก才干.

ปัญหาพิเศษระดับปริญญาโท ภาควิชาโรคพืช คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 45 หน้า.

ทวีศักดิ์ นวลพลับ. 2539. การป้องกันโรค. สำนักพิมพ์ฐานเกษตรกรรม. กรุงเทพฯ. 63 หน้า.

นุชนารด จงเลขา. 2545. รายงานตัวที่เป็นปรสิตของพืช. ภาควิชาโรคพืช คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. 93 หน้า.

พรพรรณ อุ่นสุวรรณ สถาณ วงศ์แก้ว และ หนึ่ง เตียวบำรุง. 2550. การคัดเลือกเชื้อ *Streptomyces* spp. ที่ต่อต้านเชื้อราสาเหตุโรคพืช. สาขาวิชาเทคโนโลยีการผลิตพืช สาขาวิชาเทคโนโลยีชีวภาพ สำนักวิชาเทคโนโลยีการเกษตร มหาวิทยาลัยเทคโนโลยีสุรนารี จ. นครราชสีมา. (ระบบออนไลน์). แหล่งที่มา: <http://www.grad.chula.ac.th/gradresearch6/pdf/14.pdf> (1 เมษายน 2550).

พันธุ์ศรี มะลิสุวรรณ. 2548. การป้องกันปลดปล่อยสารพิษและวิธีเพิ่มผลผลิตให้สูงกว่าเดิมเท่าตัว. บริษัทสำนักพิมพ์ยุทธ์ไอลซ์ จำกัด. กรุงเทพฯ. 32 หน้า.

พิทักษ์ เพพสมบูรณ์. 2540. การป้องกันโรค. อักษรสยามการพิมพ์. กรุงเทพฯ. 72 หน้า.

มนัสส์ นิกรพันธ์. 2541. พริก. คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. สำนักพิมพ์ ไอเดียนสโตร์. 186 หน้า.

ศศิธร วุฒิวนิชช์. 2545. โรคของผักและการควบคุมโรค. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์. 173 หน้า.

ศุภลักษณ์ หอกตะวัด. 2527. โรคพืชผัก. คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น. 101 หน้า.

Abd-Allah, E. F. 2001. *Streptomyces plicatus* as a model biocontrol agent. *Folia Microbiology (Praha)*. 46 (4): 309-314.

Agrios, G. N. 1997. *Plant Pathology*, 4th ed. Academic Press, Inc. San Diego. 635 p.

- Anderson, N. A., 1982. The genetics and pathology of *Rhizoctonia solani*. Annual Review of Phytopathology. 20: 329-347.
- Asaka, O. and Shoda, M. 1996. Biocontrol of *Rhizoctonia solani* damping-off of tomato with *Bacillus subtilis* RB14. Applied and Environmental Microbiology. 62 (11): 4081-4085.
- Baker, R. and Martinson, C. A. 1970. Epidemiology of diseases caused by *Rhizoctonia solani*. In: Parmeter, J. R. (Ed.). *Rhizoctonia solani*, Biology and Pathology. University of California Press. Berkeley. 172-188.
- Baron, E. J. Chang, R. S., Howard, D. H., Miller, J. M. and Turner, J. A. 1994. Medical Microbiology: a short course. John Wiley and Sons, Inc. New York. 407-424.
- Bell, C. H., Price, N. and Chakrabarti, B. 1996. The Methyl Bromide Issue. John Wiley and Sons. Inc. New York. 412 p.
- Bordoloi, G., Kumari, B., Guha, A., Thakur, D., Bordoloi, M., Roy, M. and Bora, T. 2002. Potential of a novel antibiotic, 2-methylheptylisonicotinate, as a biocontrol agent against Fusarium wilt of Crucifers. Pest Management Science. 58 (3): 297-302.
- Boudjella, H., Bouti, K., Zitouni, A., Mathieu, F., Lebrihi, A. and Sabaou, N. 2006. Taxonomy and chemical characterization of antibiotics of *Streptosporangium* Sg 10 isolated from a Saharan soil. Microbiological Research. 161: 288-298.
- Brown, E. A. and McCarter, S. M. 1976. Effect of seedling disease caused by *Rhizoctonia solani* on subsequent growth and yield of cotton. Phytopathology. 66: 111-115.
- Bruckner, H. and Przybylski, M. 1984. Isolation and structural characterization of polypeptide antibiotics of the peptaibol class by HPLC with field desorption and fast atom bombardment mass spectrometry. Journal of Chromatography. 296: 263-275.
- Cao, L., Qiu, Z., You, J., Tan, H. and Zhou, S. 2005. Isolation and characterization of endophytic streptomycete antagonists of fusarium wilt pathogen from surface-sterilized banana roots. FEMS Microbiology Letters. 247: 147-152.
- Castillo, U. F., Strobel, G. A., Ford, E. J., Hess, W. M., Porter, H., Jensen, J. M., Albert, H., Robinson, R., Condeon, M. A. M., Teplow, D. B., Stevens, D. and Yaver, D. 2002. Munumbicins, wide-spectrum antibiotics produced by *Streptomyces* NRRL 30562, endophytic on *Kennedia nigricans*. Microbiology. 148: 2675-2685.

- Ceresini, P. 1999. *Rhizoctonia solani*. (online). Available: <http://www.cals.ncsu.edu/course/pp728/Rhizoctonia/Rhizoctonia.html> (3 April 2007).
- Coombs, J. T. and Franco, C. M. M. 2003. Isolation and identification of actinobacteria from surface-sterilized wheat roots. *Applied and Environmental Microbiology*. 69 (9): 5603-5608.
- Cook, R. J. 1985. Biological control of plant pathogens: theory of application. *Phytopathology*. 75: 25-29.
- Cook, R. J. and Baker, K. F. 1983. *The Nature and Practice of Biological Control of Plant Pathogens*. The American Phytopathological Society, St. Paul. Minnesota. 539 p.
- Cooper, B. A. and Aronson, J. M. 1967. Cell wall structure of *Pythium debaryanum*. *Mycologia*. 59: 658-670.
- Davies, F. L. and Williams, S. T. 1970. Studies on the ecology of actinomycetes in soil. I. The occurrence and distribution of actinomycetes in a pine forest soil. *Soil Biology and Biochemistry*. 2: 239-246.
- Demain, A. L. 1999. Pharmaceutically active secondary metabolites of microorganisms. *Applied Microbiology and Biotechnology*. 52: 455-463.
- Elad, Y. and Baker, R. 1985. The role of competition for iron and carbon in suppression of chlamydospore germination of *Fusarium* spp. by *Pseudomonas* spp. *Phytopathology*. 75: 1053-1059.
- Elad, Y. and Chet, I. 1987. Possible role of competition for nutrients in biocontrol of *Pythium* damping-off by bacteria. *Phytopathology*. 77: 190-195.
- El-Tarabily, K. A. 2003. An endophytic chitinase-producing isolate of *Actinoplanes missouriensis*, with potential for biological control of root rot of lupine caused by *Plectosporium tabacinum*. *Australian Journal of Botany*. 51: 257-266.
- El-Tarabily, K. A., Soliman, M. H., Nassar, A. H., Al-Hassani, H. A., Sivasithamparam, K., McKenna, F. and Hardy, G. E. S. J., 2000. Biological control of *Sclerotinia minor* using a chitinolytic bacterium and actinomycetes. *Plant Pathology* 49: 573-583.
- Endo, R. M., and Colt, W. M. 1974. Anatomy, cytology and physiology of infection by *Pythium*. *Proceedings of the American Phytopathological Society*. 1: 215-223.

- Getha, K. and Vikineswary, S. 2002. Antagonistic effects of *Streptomyces violaceusniger* strain G10 on *Fusarium oxysporum* f. sp. *cubense* race 4: indirect evidence for the role of antibiosis in the antagonistic process. *Journal of Industry Microbiology Biotechnology*. 28 (6): 303-310.
- Gomes, R. C., Semedo, L. T. A. S., Soares, R. M. A., Alviano, C. S., Linhares, L. F. and Coelho, R. R. R. 2000. Chitinolytic activity of actinomycetes from a cerrado soil and their potential in biocontrol. *Letters in Applied Microbiology*. 30 (2): 146-150.
- Gonsalves, A. K., Specialist, E. and Ferreira, S. A. 1994. Rhizoctonia primer Extension. Plant Pathologist Department of Plant Pathology, College of Tropical Agriculture and Human Resources. University of Hawaii at Manoa. (online). Available: http://www.extento.hawaii.edu/Kbase/Crop/Type/rhi_prim.htm (1 April 2007).
- Goodfellow, M. and Williams, S. T. 1983. Ecology of actinomycetes. *Annual Review of Microbiology*. 37: 187-216.
- Gullino, M. L., Camponogara, A., Gasparrini, G., Rizzo, V., Clini, C. and Garibaldi, A. 2003. Replacing methyl bromide for soil disinfestations the Italian experience and implication for other countries. *Plant Disease*. 87: 1012-1021.
- Haque, S. F., Sengmaol, S. K. and Pal, S. C. 1992. Screening and identification of antibiotic producing strains of *Streptomyces*. *Hindustan Antibiotics Bulletin*. 34: 76-84.
- Heffer, V., Powelson, M. L. and Johnson, K. B. 2002. The Plant Health Instructor . (online). Available: <http://www.apsnet.org/education/LabExercises/oomycetes/top.html> (1 March 2007).
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T. and Williams, S. T. 1994. Bergey's Manual of Determinative Bacteriology. Williams and Wilkins. Baltimore. 787 p.
- Hultberg, M., Alsanius, B. and Sundin, P. 2000. *In vivo* and *in vitro* interactions between *Pseudomonas fluorescens* and *Pythium ultimum* in the suppression of damping-off in tomato seedlings. *Biological Control*. 19: 1-8.
- Hussain, H. A. and Ward, J. M. 2003. Enhanced heterologous expression of two *Streptomyces griseolus* cytochrome P450s and *Streptomyces coelicolor* ferredoxin reductase as potentially efficient hydroxylation catalysts. *Applied and Environmental Microbiology*. 69 (1): 373-382.

- Jones, C. R. and Samac, D. A. 1996. Biological control of fungi causing alfalfa seedling damping-off with a disease-suppressive strain of *Streptomyces*. *Biological Control*. 7: 196-204.
- Janete, M., Adilson, C. S. and Azevedo, L. J. 2000. Isolation of endophytic actinomycetes from roots and leaves of maize (*Zea mays* L.). *Brazilian Archives of Biology and Technology*. 43 (4): 447-451.
- Kalakoutskii, L. V. and Agre, N. 1976. Comparative aspects of development and differentiation in actinomycetes. *Bacteriological Review*. 40 (2): 469-524.
- Keast, D. and Tonkin, C., 1983. Antifungal activity of Western Australian soil actinomycetes against *Phytophthora* and *Pythium* species and a mycorrhizal fungus *Laccaria lacata*. *Australia Journal of Biology Science*. 36: 191-203.
- Kim, B. S., Moon, S. S. and Hwang, B. K. 1999. Isolation, identification, and antifungal activity of a macrolide antibiotic, oligomycin A, produced by *Streptomyces labani*. *Canadian Journal of Botany*. 77: 850-858.
- Kong, P., Richardson, P. A. and Hong, C, X. 2004. Characterization and Control of Pythium Pathogens in Recycled Irrigation Water. (online). Available: http://www.firstinfloriculture.org/pdf/research/recycled_water.pdf (1 March 2007).
- Kudo, T., Matsuhima, K., Itoh, T., Sasaki, J. and Suzuki, K. 1998. Description of four new species of the genus *Kineosporia* : *Kineosporia sucinea* sp. nov., *Kineosporia hizophila* sp. nov., *Kineosporia mikuniensis* sp. nov. and *Kineosporia rhamnosa* sp. ov., isolate from plant samples, and amended description of the genus *Kineosporia*. *International Journal of Systemic Bacteriology*. 48 (4): 1245-1255.
- Lee, R. 2007. Crop Profile for Peppers (Chile) in New Mexico. (online). Available: <http://www.ipmcenters.org/cropprofiles/docs/nmpeppers-chili.html> (1 March 2007).
- Mao, W., Lumsden, R. D., Lewis, J. A. and Hebbar, P. K. 1998. Seed treatment using pre-infiltration and biological agents to reduce damping-off of corn caused by species of *Pythium* and *Fusarium*. *Plant Disease*. 82: 294-299.
- Marja, L. L. 2000. How mycostop acts in the control of fungal plant diseases. (online). Available: http://www.verdera.fi/Infoletter_5.pdf (1 April 2007).

- McNeil, M. M. and Brown, J. M. 1994. The medically important aerobic actinomycetes: epidemiology and microbiology. *Clinical Microbiology Reviews*. 7 (3): 357-417.
- Mendez, C., Brana, A. F., Mamzanal, M. B. and Hardisson, C. 1985. Role of substrate mycelium in colony development in *Streptomyces*. *Canadian Journal of Microbiology*. 31: 446-450.
- Minuto, A., Spadaro, D., Garibaldi, A. and Gullino, M. L. 2006. Control of soilborne pathogens of tomato using a commercial formulation of *Streptomyces griseoviridis* and solarization. *Crop Protection*. 25: 468-475.
- Miyadoh, S., Hamada, M., Hotta, K., Kudo, T., Seino, A., Vobis, G. and Yokpya, A. 1997. *Atlas of actinomycetes*. The Society for Actinomycetes. Tokyo. 233 p.
- Moulin, F., Lemanceau, P., and Alabouvette, C. 1994. Pathogenicity of *Pythium* species on cucumber in peat-sand, rockwool and hydroponics. *European Journal of Plant Pathology*. 100: 3-17.
- Nassar, A. H., El-Tarably, K. A. and Sivasithamparam, K. 2003. Growth promotion of bean (*Phaseolus vulgaris* L.) by a polyamine-producing isolate of *Streptomyces griseoluteus*. *Plant Growth Regulation*. 40 (2): 97-106.
- Okami, Y. and Hotta, K. 1988. Search and discovery of new antibiotics. In: Goodfellow, M., Williams, S. T. and Mordarski, M. (eds.). *Actinomycetes in Biotechnology*. Academic Press. London. 33-67.
- Omura, S. 1992. The expanded horizon for microbial metabolites. *Gene*. 115: 141-149.
- Oz, B. and Jacob, F. 1999. Allelopathic bacteria and their impact on higher plants. *Critical Reviews in Plant Sciences*. 18: 741-755.
- Parker, K. C. 2007. *Pythium aphanidermatum*. (online). Available: http://www.cals.ncsu.edu/course/pp728/Pythium/Pythium_aphanidermatum.html (3 April 2007).
- Rini, C. R. and Sulochana, K. K. 2006. Short communication management of seedling rot chilli (*Capsicum annuum* L.) using *Trichoderma* spp. and fluorescent pseudomonads (*Pseudomonas fluorescens*). *Journal of Tropical Agriculture*. 44: 79-82.
- Sabaratum, S. and Traquair, J. A. 2002. Formulation of a streptomyces biocontrol agent for the suppression of Rhizoctonia damping-off in tomato transplants. *Biological Control*. 23: 245-253.

- Samac, D. A., Willert, A. M., McBride, M. J. and Kinkel, L. L. 2003. Effects of antibiotic-producing *Streptomyces* on nodulation and leaf spot in alfalfa. *Applied Soil Ecology*. 22: 55-66.
- Sardi, P., Saraeehi, M., Quaroni, S., Peterolini, B., Borgonovi, G. E. and Merli, S. 1992. Isolation of endophytic *Streptomyces* strains from surface-steriled roots. *Applied and Environmental Microbiology*. 58 (8): 2691-2693.
- Scher, F. M., and Baker, R. 1982. Effect of *Pseudomonas putida* and systemic iron chelator on induction of soil suppressive to Fusarium wilt pathogens. *Phytopathology*. 72: 1567-1573.
- Schwartz, D., Berger, S., Heinzelmann, E., Muschko, K., Welzel, K. and Wohlleben, W. 2004. Biosynthetic gene cluster of the herbicide phosphinothrinicin tripeptide from *Streptomyces viridochromogenes* Tu494 . *Applied and Environmental Microbiology*. 70 (12): 7093-7102.
- Shimizu, M., Nakagawa, Y., Sato, Y., Furumai, T., Igarashi, Onaka, Y., H., Yoshida, R. and Kunoh, H. 2000. Studies on endophytic actinomycetes (I) *Streptomyces* sp. isolated from rhododendron and its antifungal activity. *Journal of General Plant Pathology*. 66: 360-360.
- Solomon, S. 2007. Microbial inhibitors and their action on plants. Soil and Health Library. (online). Available: <http://www.soilandhealth.org/01aglibrary/010112Krasil/010112krasil.ptIV.5.html> (15 March 2007).
- Stamford , T. L. M., Stamford, N. P., Coelho, L. C. B. B. and Araujo, J. M. 2001. Production and characterization of a thermostable α - amylase from *Nocardiopsis* sp. endophyte of yam bean. *Bioresource Technology*. 76 (2): 137-141.
- Stanghellini, M. E., and Rasmussen, S. L. 1994. Hydroponics: A solution for zoosporic pathogens. *Plant Disease*. 78: 1129-1138.
- Sukanda, E. Y., Sastramihardja, I., Padmawinata, K. and Satiadarma, K. 1984. A comparative study between *Streptomyces* sp. S-52 as antifungal antibiotic producer and its related strain. *Microbial Utilization of Renewable Resource*. 4: 244-251.

- Swan, D. G., Rodriguez, A. M., Vilches, C., Mendez, C., and Salas, J. A. 1994. Characterisation of a *Streptomyces antibioticus* gene encoding a type I polyketide synthase which has an unusual coding sequence. *Molecular and General Genetics.* 242: 358-362.
- Takao, O., Kayako, T., Massaki, K. and Ryuso, E. 1995. Studies on actinomycetes isolated from plant leaves. *Annual Report of Sankyo Research Laboratories.* 47: 97-106.
- Takenaka, S., Nishio, Z. and Nakamura, Y. 2003. Induction of defense reactions in sugar beet and wheat by treatment with cell protein fractions from the mycoparasite *Pythium oligandrum*. *Phytopathology.* 93: 1228-1232.
- Valois, D., Fayad, K., Barasubiye, T., Garon, M., Dery, C., Brzezinski, R. and Beaulieu, C. 1996. Glucanolytic actinomycetes antagonistic to *Phytophthora fragariae* var. *rubi*, the causal agent of raspberry root rot. *Applied and Environmental Microbiology.* 62: 1630-1635.
- Waksman, A. 1967. *The Actinomycetes: A Summary of Current Knowledge.* The Ronald Press Company. New York. 250 p.
- Walter, Y. M. and Crawford, D. L. 1995. Characterization of *Streptomyces lydicus* WYEC 108 as a potential biocontrol agent against fungal root and seed rots. *Applied and Environmental Microbiology.* 61 (8): 3119-3128.
- Williams, S. T., Sharpe, M. E. and Holt, J. G. 1989. *Bergey's Manual of Systematic Bacteriology*, Vol. 4. William and Wilkin. Baltimore. 530 p.
- Wikimedia Foundation, Inc. 2007. *Rhizoctonia solani* from wikipedia, the free encyclopedia. (online). Available: http://en.wikipedia.org/wiki/Rhizoctonia_solani (3 April 2007).
- Woo, J. H., Etsushi, Kitamura, H., Myouga, H. and Karnei, Y. 2002. An antifungal protein from the marine bacterium *Streptomyces* sp. strain AP77 is specific for *Pythium porphyrae*, a causative agent of red rot disease in *Porphyra* spp. *Applied and Environmental Microbiology.* 68 (6): 2666-2675.
- Xiao, K., Kinkel, L. L. and Samac, D. A., 2002. Biological control of Phytophthora root rots on alfalfa and soybean with *Streptomyces*. *Biological Control.* 23: 285-295.
- Xu, L. H., Li, Q. R. and Jiang, C. L. 1996. Diversity of soil actinomycetes in Yunnan, China. *Applied and Environmental Microbiology.* 62: 244-248.