

## เอกสารอ้างอิง

- ชนาการต์ พรมอุทัย ศันสนีย์ จำจด และเบญจวรรณ ฤกษ์เกยม 2547 ชาตุเหล็กในเมล็ดพันธุ์ข้าวไทย หนังสือพิมพ์สิกร ปีที่ 77 ฉบับที่ 6 พฤษภาคม 2547 หน้า 105-110
- รายคำ ปินดาเสน. ความแปรปรวนในปริมาณและการสะสมชาตุเหล็กในเมล็ดข้าวพันธุ์ไทย. วิทยานิพนธ์ วิทยาศาสตรมหาบัณฑิต มหาวิทยาลัยเชียงใหม่, 2549
- สุรินทร์ ปะยะ โชคณากุล 2547 จีโนมและเครื่องหมายดีอีนเอ: ปฏิบัติการอาร์เอพีดีและเออเอฟแอลพี ภาควิชาพันธุศาสตร์ คณะวิทยาศาสตร์ มหาวิทยาลัยเกษตรศาสตร์ สำนักพิมพ์ มหาวิทยาลัยเกษตรศาสตร์ พิมพ์ครั้งที่ 1 หน้า 116
- อุทุมพร สิทธิสิงห์ Marc Van der Putten สาคร ชนมิตต์ และแสง โสม สีนະวัตน์ 2545 การวิจัยปฏิบัติการในการควบคุมและป้องกันภาวะพร่อง ขาดชาตุเหล็กและโลหิตจากภาระชาตุเหล็ก ในหญ้าวัยเจริญพันธุ์ในโรงงานอุตสาหกรรม จ.ฉะเชิงเทรา กองโภชนาการ กรมอนามัย กระทรวงสาธารณสุข หน้า 1-2
- Abbo, S., Grusak, M. A., Tzuk, T., and Reifen, R. 2000. Genetic control of seed weight and calcium concentration in chickpea seed. *Plant Breeding.* 119: 427-431.
- Akagi, H., Yokozeki, Y., Inagaki, A., and Fujimura, T. 1996. Microsatellite DNA markers for rice chromosomes. *Theoretical and Applied Genetics.* 93: 1071-1077.
- Beebe, S., Gonzalez, A. V., and Rengifo, J. 2000. Research on trace minerals in the common bean. *Food and Nutrition Bulletin.* 21: 387-391.
- Briat J.F. and Lobreaux S.1998. Iron storage and ferritin in plants. *Metal Ions Biology Systems.* 35: 563-583
- Chen, F., Chun, L., Song, J., and Mi, G. 2007. Heterosis and genetic analysis of iron concentration in grains and leaves of maize. *Plant Breeding.* 126: 107-109.
- Chen, X., Temnykh, S., Xu, Y., Cho, Y. G., and McCouch, S. R. 1997. Development of a microsatellite framework map providing genome-wide coverage in rice (*Oryza sativa* L.). *Theoretical and Applied Genetic.* 95: 553-567.

- Choi, E. Y., Graham, R., and Stangoulis, J. 2007. Semi-quantitative analysis for selecting Fe and Zn dense genotypes of staple food crops. *Journal of Food Composition and Analysis*. 20: 496-505.
- Cichy, K. A., Forster, S., Grafton, K. F., and Hosfield, G. L. 2005. Inheritance of seed zinc accumulation in navy bean. *Crop Science*. 45: 864-870.
- Delhaiza E., Dell B., Kirk G., Loneragan J., Nable R., Plaskett D. and Webb M. 1984. Manual of Research Procedures. First edition. Plant nutrition research group school of environmental and life science. Murdoch University, Australia.
- Edwards, M. D., Stuber, C. W., and Wendel, J. F. 1987. Molecular-marker-facilitated investigations of quantitative-trait loci in maize. I. Numbers, genomic distribution and types of gene action. *Genetics*. 116: 113-125.
- Francia, E., Tacconi, G., Crosatti, C., Barabaschi, D., Bulgarelli, D., Dall Aglio, E., and Valè, G. 2005. Marker assisted selection in crop plants. *Plant Cell Tissue and Organ Culture*. 82: 317-342.
- Frossard, E., Bucher, M., Marchler, F., Mozafar, A., and Hurrell, R. 2000. Potential for increasing the content and bioavailability of fe, zn and ca in plants for human nutrition. *Science of Food and Agriculture*. 80: 861-879.
- Genc, Y., Shepherd, K. W., McDonald, G. K., and Graham, R. D. 2003. Inheritance of tolerance to zinc deficiency in barley. *Plant Breeding*. 122: 283-284.
- Graham, R. D., Senadhira D. and Ortiz-Monasterio I. 1997. A strategy for breeding staple-food crop with high micronutrient density. *Plant Nutrition and Soil Science*. 43: 1153-1157
- Graham, R.D., Welch R.M. and Bouis H.E. 2001 Addressing micronutrient malnutrition through enhancing the nutritional quality of staple foods: principles, perspectives and knowledge gaps. *Advance Agronomy*. 70:77-142
- Graham, R. D., and Gregorio, G. 2001. Breeding for nutritional characteristics in cereals. *Novartis Foundation Symposium*. 236: 205-218.
- Gregorio, G. B. 2002. Progress in Breeding for Trace Minerals in Staple Crops. *Nutrition*. 132, 500S-502.
- Gregorio, G. B., Senadhira, D., Htut, H., and Graham, R. D. 2000. Breeding for trace mineral density in rice. *Food and Nutrition Bulletin*. 21: 382-386.

- Grusak, M. A., and Dellapenna, D. 1999. Improving the nutrient composition of plants to enhance human nutrition and health. *Annual Review of Plant Biology*. 50: 133-161.
- Grusak, M. A., Pearson, J. N., and Marentes, E. 1999. The physiology of micronutrient homeostasis in field crops. *Field Crops Research*. 60: 41-56.
- Harrieson, P. M., and Arosio P. 1996. The ferritins: molecular properties, iron storage function and cell regulation. *Biochimica Et Biophysica*. 1275: 161-203
- Hoan, N. T., Prasada Rao, U., and Siddiq, E. A. 1992. Genetics of tolerance to iron chlorosis in rice. *Plant and Soil*. 146: 233-239.
- Iglesias, C., Mayer, J., Chavez, L. a., and Calle, F. 1997. Genetic potential and stability of carotene content in cassava roots. *Euphytica*. 94: 367-373.
- Jamjod, S., Niruntrayagul, S., and Rerkasem, B. 2004. Genetic control of boron efficiency in wheat (*Triticum aestivum L.*). *Euphytica*. 135: 21-27.
- Krishnan, S., and Dayanandan, P. 2003. Structural and histochemical studies on grain-filling in the caryopsis of rice (*Oryza sativa L.*). *Biosciences*. 28: 455-469.
- Krishnan, S., Ebenezer, G. A. I., and Dayanandan, P. 2001. Histochemical localization of storage components in caryopsis of rice (*Oryza sativa L.*). *Current Science*. 80: 567-571.
- Liu, Z.J., and Cordes, J.F. 2004. DNA marker technologies and their applications in aquaculture genetics. *Aquaculture*. 238: 1-37
- Lobreaux, S. and Briat , J.F. 1991. Ferritin accumulation and degradation in different organs of pea (*Pisum sativum L.*) during development. *Biochemical*. 274: 601-606
- Mackill, D.J. 2003. Mini review: Applications of genomics to rice breeding. *International rice research notes*. 28.1: 9-15
- Mahmood, T., Turner, D. M., Stoddard, F. L., and Javed, M. A. 2004. Genetic analysis of quantitative traits in rice (*Oryza sativa L.*) exposed to salinity. *Agricultural Research*. 55: 1173-1181.
- Mangolin, C. A., de Souza, C. L., Garcia, A. A. F., Garcia, A. F., Sibov, S. T., and de Souza, A. P. 2004. Mapping QTLs for kernel oil content in a tropical maize population. *Euphytica*. 137: 251-259.
- Marentes, E., and Grusak, M.A. 1998. Iron transport and storage within the seed coat and embryo of developing seed of pea (*Pisum sativum L.*). *Seed science Research*. 1998: 365-375

- Marschner, H. 1995. Mineral of higher plants, 2<sup>nd</sup> edn. Academic Press, London.
- Masoje, P. 2002. The application of molecular markers in the process of selection. *Cellular and Molecular Biology Letters*. 7: 499-509.
- McCouch, S. R., Chen, X., Panaud, O., Temnykh, S., Xu, Y., Cho, Y. G., Huang, N., Ishii, T., and Blair, M. 1997. Microsatellite marker development, mapping and applications in rice genetics and breeding. *Plant Molecular Biology*. 35: 89-99.
- McCough, S. R., and Doerge, R. W. 1995. QTL mapping in rice. *Trends in Genetics*. 11: 482-487.
- Michelmore, R., Paran, I., and Kesseli, R. 1991. Identification of markers linked to disease-resistance genes by bulked segregant analysis: A rapid method to detect markers in specific genomic regions by using segregating populations. *Proceedings of the National Academy of Sciences*. 88: 9828-9832.
- Monaster, L. and Graham, R.D. 2000. Breeding for trace minerals in wheat. *Food and Nutrition Bulletin*. 21:392-396
- Monasterio, I., and Graham, R. D. 2000. Breeding for trace minerals in wheat. *Food and Nutrition Bulletin*. 21: 392-396.
- Ni, J., Colowit P.M., Oster J.J., Ku K. and Mackill D.J. 2001. Molecular marker linked to stem rot resistance in rice. *Theoretical and Applied Genetics*. 102: 511- 516
- Oikeh, S. O., Menkir, A., Maziya-Dixon, B., Welch, R., and Glahn, R. P. 2003. Genotypic differences in concentration and bioavailability of kernel-iron in tropical maize varieties grown under field conditions. *Plant Nutrition*. 26: 2307 - 2319.
- Oury, F.-X., Leenhardt, F., Remesy, C., Chanliaud, E., Duperrier, B., Balfourier, F., and Charmet, G. 2006. Genetic variability and stability of grain magnesium, zinc and iron concentrations in bread wheat. *European Journal of Agronomy Modelling Quality Traits and Their Genetic Variability for Wheat*. 25: 177-185.
- Ozturk, L., Yazici, M. A., Yucel, C., Torun, A., Cekic, C., Bagci, A., Ozkan, H., Braun, H.-J., Sayers, Z., and Cakmak, I. 2006. Concentration and localization of zinc during seed development and germination in wheat. *Physiologia Plantarum*. 128: 144-152.
- Panaud, O., Chen, X., and McCouch, S. R. 1996. Development of microsatellite markers and characterization of simple sequence length polymorphism (SSLP) in rice (*Oryza sativa* L.). *Molecular and General Genetics*. 252: 597-607.

- Paterson, A. H., Damon, S., Hewitt, J. D., Zamir, D., Rabinowitch, H. D., Loncoln, S. E., Lander, E. S., and Tanksley, S. D. 1991. Mendelian factors underlying quantitative traits in tomato: Comparison across species, generations, and environments. *Genetics*. 127: 181-197.
- Pintasen, S., Prom-u-thai, C., Jamjod, S., Yimyam, N., and Rerkasem, B. 2007. Variation of grain iron content in a local upland rice germplasm from the village of Huai Tee Cha in northern Thailand. *Euphytica*. 158: 27-34.
- Powell, W., Machray, G. C., and Provan, J. 1996. Polymorphism revealed by simple sequence repeats. *Trends in Plant Science*. 1: 215-222.
- Prom-u-thai, C., 2003. Iron (Fe) in Rice Grain. Ph.D. Thesis, Chiang Mai University, Chiang Mai, Thailand, pp 227.
- Prom-u-thai, C., Dell B., Thomson G. and Rerkasem B. 2003. Easy and rapid detection of iron in rice grain. *Science Asia*. 29: 203-207
- Prom-u-thai, C., Sanchai, C., Rerkasem, B., Jamjod, S., Fukai, S., Godwin, I. D., and Huang, L. 2007. Effect of grain morphology on degree of milling and iron loss in rice. *Cereal Chemistry*. 84: 384-388.
- Prom-u-thai, C., Sanchai, C., Rerkasem, B., Jamjod, S., Fukai, S., Godwin, I. D., and Huang, L. 2007. Effect of Grain Morphology on Degree of Milling and Iron Loss in Rice. *Cereal Chemistry*. 84: 384-388.
- Satija, D.R., and Thukral, S.K. 1985. Genetic analysis of phytic acid content in pearl millet. *Theoretical and Applied Genetics*. 70: 693-696.
- Senadhira, D., Gregorio G.B. and Graham R.D. 1998. Breeding iron and zinc-dense rice. Paper presented at the International Workshop on micronutrient Enhancement of Rice for Developing Countries, September 3, 1998. At Rice Research and Extension Center, Stuttgart, Arkansas.
- Shen, J., Zhang, F., Chen, Q., Rengel, Z., Tang, C., and Song, C. 2002. Genotypic difference in seed iron content and early responses to iron deficiency in wheat. *Plant Nutrition*. 25: 1631-1643.

- Shi, C. H., Zhu, J., Wu, J. G., Yang, X. E., and Yu, Y. G. 1999. Analysis of embryo, endosperm, cytoplasmic and maternal effects for heterosis of protein and lysine content in indica hybrid rice. *Plant Breeding.* 118: 574-576.
- Stangoulis, J., Huynh, B.-L., Welch, R., Choi, E.-Y., and Graham, R. 2007. Quantitative trait loci for phytate in rice grain and their relationship with grain micronutrient content. *Euphytica.* 154: 289-294.
- Taranton, D., Petit, J.M., Lobreaux ,S., Briat, J.F., Soave, C. and Murgie I. 2003. Differential involvement of the IDRS cis-element in the developmental regulation of the AtFer1 ferritin gene from Arabidopsis. *Plant Biology.* 217: 709-716
- Temnykh, S., DeClerck, G., Lukashova, A., Lipovich, L., Cartinhour, S., and McCouch, S. 2001. Computational and experimental analysis of microsatellites in rice (*Oryza sativa* L.): Frequency, length variation, transposon associations, and genetic marker potential. *Genome Research* 11: 1441-1452.
- Temnykh, S., Park, W. D., Ayres, N., Cartinhour, S., Hauck, N., Lipovich, L., Cho, Y. G., Ishii, T., and McCouch, S. R. (2000). Mapping and genome organization of microsatellite sequences in rice (*Oryza sativa* L.). *Theoretical and Applied Genetics.* 100: 697-712.
- Welch, R.M. and Graham, R.D. 2004. Breeding for micronutrients in staple food crop from a human nutrition perspective. *Experimental botany.* 55: 353-364
- World Bank. 1994. Enriching Liver: Overcoming Vitamin and Mineral Malnutrition in Developing Countries: Development in Practice series 1994 World Bank Washington. DC.
- World Health Organization. 2000. Nutrition for Health and Development (NHD). Progress report. Pp. 40-41.
- Wrigley, C., Corke, H., and Walker, C. E. 2004. Encyclopedia of grain science volume 3. 1<sup>st</sup> Elsevier Ltd.
- Wu and Tanksley (1993) Genetic and physical mapping of telomeres and microsatellites of rice. *Plant Molocular Biology.* 22: 861-872.
- Xie, Z.W., Ge, S., and Hong, D.Y. 1999. Preparation of DNA from silica gel a dried mini-amount of leaves of *Oryza rufipogon* for RAPD study and total DAN bank construction. *Integrative Plant Biology.* 41: 807-812.

- Youngkoo, C., Victor, N.N., Kanokphon, T., Abdelmajid, K., Khalid M., David, A.L., and Andrew J.W. 2002. Quantitative trait loci associated with foliar trigonelline accumulation in *Glycine max* L. *Biomedicine and Biotechnology*. 2(3): 157-152
- Zhang, M. W., Guo, B. J., and Peng, Z. M. 2004. Genetic effects on fe, zn, mn and p contents in indica black pericarp rice and their genetic correlations with grain characteristics. *Euphytica*. 135: 315-323.
- Zhang, M., Guo, B., and Peng, Z. 2005. Genetic effects on grain characteristics of indica black rice and their useson indirect selections for some mineral element contents in grains. *Genetic Resources and Crop Evolution*. 52: 1121-1128.
- Zhang, W.-H., Zhou, Y., Dibley, K. E., Tyerman, S. D., Furbank, R. T., and Patrick, J. W. 2007. Review: Nutrient loading of developing seeds. *Functional Plant Biology*. 34: 314-331.
- Zhou, L.-L., Bai, G.-H., Ma, H.-X., and Carver, B. F. 2007. Quantitative trait loci for aluminum resistance in wheat. *Molecular Breeding*. 19: 153-161.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright<sup>©</sup> by Chiang Mai University  
All rights reserved