

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENT	iii
ENGLISH ABSTRACT	iv
THAI ABSTRACT	vi
TABLE OF CONTENTS	viii
LIST OF TABLES	ix
LIST OF FIGURES	x
CHAPTER 1 Introduction	1
CHAPTER 2 Literature Reviews	2
CHAPTER 3 Materials and methods	9
CHAPTER 4 Result and discussion	14
CHAPTER 5 Conclusion	32
REFERENCES	33
APPENDIX	40
CURRICULUM VITAE	43

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF TABLES

Table		Page
4.1	Percentage of rice seed infected by fungi in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	16
4.2	Percentage of rice seed infected by <i>Alternaria padwickii</i> in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	17
4.3	Percentage of rice seed infected by <i>Fusarium moniliforme</i> in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	18
4.4	Percentage of rice seed moisture content in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	21
4.5	Percentage of rice seed germination in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	23
4.6	Percentage of rice seed viability in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	24
4.7	Speed of germination (Seedling/day) of rice seed in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	27
4.8	Seedling growth rate (mg/seedling) of rice seed in dry and wet seed treated with ozone 1.25 mg/g rice seed/ hr at various times	28
4.9	Percentage of rice seed germination by cold test in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	29
4.10	Percentage of adult <i>Sitophilus oryzae</i> (rice weevil) mortality in rice seed treated with ozone 1.25 mg/g rice seed/hr at various time	31

LIST OF FIGURES

Figure	Page
2.1 Geometry of and bonding in ozone	6
3.1 Ozone generator	9
3.2 Ozone chamber	10
4.1 Percentage of rice seed infected by fungi in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	16
4.2 Percentage of rice seed infected by <i>Alternaria padwickii</i> in dry and wet seed treated with ozone 1.25 mg/g rice seed/ hr at various times	17
4.3 Percentage of rice seed infected by <i>Fusarium moniliforme</i> in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	18
4.4 Colonies growth of fungi culture on PDA in dry (A) and wet (B) seed treated with ozone 1.25 mg/g rice seed/hr at 0 (1), 2 (2), 4 (3), 6 (4), 8 (5) hr.	19
4.5 Percentage of rice seed moisture content in dry and wet seed treated with ozone 1.25 mg/g rice seed/ hr at various times	21
4.6 Percentage of rice seed germination in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	23
4.7 Percentage of rice seed viability in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	24
4.8 Speed of germination (Seedling/day) of rice seed in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	27
4.9 Seedling growth rate (mg/seedling/7 days) of rice seed in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	28
4.10 Percentage of rice seed germination by cold test in dry and wet seed treated with ozone 1.25 mg/g rice seed/hr at various times	29
4.11 Growth of rice seedling by cold test in dry (A) and wet (B) seed treated with ozone 1.25 mg/g rice seed/hr at 0 (1), 2 (2), 4 (3), 6 (4), 8 (5) hr.	30

Figure		Page
4.12	Percentage of adult <i>Sitophilus oryzae</i> (rice weevil) mortality in rice seed treated with ozone 1.25 mg/g rice seed/hr at various time	31



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved