

REFERENCES

- Agarwal, P.C., C.N. Mortensen and S.B. Mathur. 1989. *Seed-borne Diseases and Seed Health Testing of Rice*. CAB International Mycological Institute.
- Allen, B., J. Wu and H. Doan. 2003. Inactivation of fungi associated with barley grain by gaseous ozone. *Environmental Science and Health* 38(5): 617-630.
- Aluko, M.O. 1975. Crop losses caused by the brown leaf spot disease of rice in Nigeria. *Plant Disease Reporter* 59: 609-613.
- AOSA. 2002. *Seed Vigor Testing Handbook*. Contribution No. 32 to the Handbook on Seed Testing. Association of Official Seed Analysts.
- Asean Countries. 1993. *Standard of Asean Herbal Medicine. Vol I*. Jakarta : Aaksara Buana.
- Black V.J., C.A. Stewart, J. A. Roberts and C. R. Black. 2007. Ozone affects gas exchange, growth and reproductive development in *Brassica campestris* (Wisconsin Fast Plants). *New Phytologist* 176: 150–163.
- Bott, T.R. 1991. Ozone as a disinfecting in a process plant. *Food Control* 2(1): 44-49.
- Buttery, R. G., L. C. Ling and B. Juliano. 1982. 2-Acetyl-1-pyrroline: An important aroma component of cooked rice. *Chemical Industry (London)*: 958-959.
- Buttery, R. G., B. Juliano and L. C. Ling. 1983. Identification of Rice Aroma Compound 2-Acetyl-1-pyrroline in Pandan Leaves. *Chemical Industry (London)* 23: 478.
- Buttery, R. G., J. G. Turnbaugh and L. C. Ling. 1988. Contribution of volatiles to rice aroma. *Journal of Agricultural and Food Chemistry* 36:1006-1009.
- Cena, A. 1998. Ozone. Keep it fresh for food processing. *Water Conditioning Purification*, Sept.: 112-115.
- Charles, H. 1995. *Oxygen healing therapies*. Vermont : Healing Arts.

- Cheeran, A. and J.S. Raj. 1966. Effect of seed treatment on the germination of rice seeds infected by *Trichoconis padwickii* Ganguly. *Agricultural Research Journal* 4: 57-59.
- Crous, K.Y., K. Vandermeiren and R. Ceulemans. 2006. Physiological responses to cumulative ozone uptake in two white clover (*Trifolium repens* L. cv. Regal) clones with different ozone sensitivity. *Environmental and Experimental Botany* 58: 169–179.
- Dharam V, S.B. Mathur and P. Neergaard. 1971. Efficacy of certain fungicides against seed-borne infection of stackburn disease of rice caused by *Trichoconis padwickii*. *Indian Phytopathology* 24: 343-346.
- Dollear, F.G., G.E. Mann, L.P. Codifer Jr., H.K. Gardner Jr., S.P. Koltun and H.L.E. Vix. 1968. Elimination of aflatoxin from peanut meal. *Journal of the American Oil Chemistry Society* 45: 862–865.
- Donnelly, A., J. Craigon., C.R. Black., J.J. Colls and G. Landon. 2001. Does elevated CO₂ ameliorate the impact of O₃ on chlorophyll content and photosynthesis in potato (*Solanum tuberosum* L.). *Physiologia Plantarum* 111: 501–511.
- Durant, P.J. and B. Durrant. 1970. *Introduction to Advanced Inorganic Chemistry*. 2nd ed. Longmans : 800, 806 and 954.
- Dwarakanath, C.T., E.T. Rayner., G.E. Mann and F.G. Dollear. 1968. Reduction of a toxin levels in cottonseed and peanut meals by ozonization. *Journal of the American Oil Chemistry Society* 45: 93–95.
- Ebeling, W. No date. Urban Entomology. Chapter 7 Pest of Stored Food Products. [Online] Available <http://www.insects.ucr.edu/ebeling/ebeling7.html> [2006, November 10]
- EPA. 1993. Regulatory action under the clean air act on methyl bromide. United States Environmental Protection Agency. *Federal Register* 48: 65018–65044.
- Erdman, H.E. 1980. Ozone toxicity during ontogeny of two species of our beetles, *Tribolium confusum* and *T. castaneum*. *Environmental Entomology* 9: 16–17.
- Gangopadhyay, S. and N.K. Chakrabarti. 1982. Sheath blight of rice. *Review of Plant Pathology* 61: 451-460.
- Glushchenko, L.F. and N.A. Glushchenko. 2003. *Intensifikaciya Processov Piscevyh I Sel'skohozyaystvennyh Proizvodstv Ozonovodushnymi Smesyami*. Velikiy Novgorod.

- Graham, D.M. 1997. Use of ozone for food processing. *Food Technology* 51: 72–75.
- Hassan I.A., M.R. Ashmore and J.B. Bell. 1994. Effects of O₃ on the stomatal behaviour of Egyptian varieties of radish (*Raphanus sativus* L. cv. Baladey) and turnip (*Brassica rapa* L. cv. Sultani). *New Phytologist* 128: 243–249.
- Hinds and Turner. 1991. [Online] Available
<http://www.entomology.ucr.edu/ebeling/ebeling7.html> [2006, October 14]
- Hoigne, J. and H. Bader. 1983. Rate constants of reactions of ozone with organic and inorganic compounds in water-II. *Water Research* 17:184-194.
- Horváth, M., L. Bilitzky and J. Hüttner. 1985. *Ozone*. Oxygen and Dissousgas company. Budapest, Hungary.
- Iriti, M., L. Belli., C. Nali., G. Lorenzi., G. Gerosa and F. Fauro. 2006. Ozone sensitivity of currant tomato (*Lycopersicon pimpellifolium*), a potential bioindicator species. *Environmental Pollution* 141: 275–282.
- ISTA. 2006. *International Rules for Seed Testing*. The International Seed Testing Association (ISTA). P.O.Box 308, 8303 Bassersdorf, CH-Switzerland.
- Jiangning, W., D. Huu and A.C. Manuel. 2006. Investigation of gaseous ozone as an anti-fungal fumigant for stored wheat. *Journal of Chemical Technology and Biotechnology* 81:1288-1293.
- Kells, S.A., L.J. Mason., D.E. Maier and C.P. Woloshuk. 2001. Efficacy and fumigation characteristics of ozone in stored maize. *Journal of Stored Products Research* 37: 371-382.
- Kim, J.G., A.E. Yousef and S. Dave. 1999. Application of ozone for enhancing the microbiological safety and quality of foods: a review. *Journal of Food Protection* 62: 1071–1087.
- Kim, J.G., A.E. Yousef and M.A. Khadre. 2003. Ozone and its current and future application in the food industry. *Advances in Food and Nutrition Research* 45: 167-218.
- Kosaka, T. 1970. Pellicularia sheath blight of rice plants and its control. *Japanese Agricultural Research Quarterly* 5: 12-16.
- Kulkarni, S., K. Ramakrishnan and R.K. Hegde. 1980. Ecology, epidemiology, and supervised control of rice brown leaf spot. *International Rice Research Newsletter* 5: 13-14.

- Laksanalamai, V. and S. Ilangantileke. 1993. Comparison of Aroma Compound (2-Acetyl-1-pyrroline) in Leaves from Pandan (*Pandanus amaryllifolius*) and Thai Fragrant Rice (Khao Dawk Mali-105). *Cereal Chemistry* 70:381-384.
- Lee, F.N. 1983. Sclerotia forming on and in rice by *Rhizoctonia solani*. Abstracts of papers. *IX International Congress of Plant Protection and 71st Annual meeting of the American Phytopathological Society*, Washington D.C. USA: 1-782.
- Lin, C.F., T.C.Y. Hsieh and B.J. Hoff. 1990. Identification and Quantification of the “Popcorn”-like Aroma in Louisiana Aromatic Della Rice (*Oryza sativa* L.). *Journal of Food Science* 55: 1466-1469.
- Marcos, C.F. 1975. Control of sheath blight disease of rice in Ceylon, *MARDI Research Bulletin* 8: 108-114.
- Mason, L.J., C.P. Woloshuk and D.E. Maier. 1997. Efficacy of ozone to control insects, molds and mycotoxins. In: Donahaye, E.J., Navarro, S., Varnava, A. (Eds.), *Proceedings of the International Conference on Controlled Atmosphere and Fumigation in Stored Products*. Nicosia, Cyprus Printer Ltd., Nicosia: 665–670.
- Mathur, S.B., J.I. Mallya and P. Neergaard. 1972. Seed-borne infection of *Trichoconis padwickii* in rice, distribution, and damage to seeds and seedlings. *Proceedings of the International Seed Testing Association* 37: 803-810.
- Maude, R.B. 1996. Seedborne diseases and their control; Principles and practice. *Horticulture Research International Wellesbourne Warwick*, UK. 280pp.
- McKenzie, K.S., L.F. Kubena, A.J. Denvir, T.D. Rogers, G.D. Hitchens, R.H. Bailey, R.B. Harvey, S.A. Buckley and T.D. Phillips. 1998. A atoxicosis in turkey pouts is prevented by treatment of naturally contaminated maize with ozone generated by electrolysis. *Poultry Science* 77: 1094–1102.
- Mermelstein, N.H. 1999. Use of ozone to improve the safety of fresh fruits and vegetables. Based on a paper presented during the IFT Fruit & Vegetable Products Division symposium, “*Intervention Strategies to Improve the Safety of Fruits and Vegetables*,” at the Annual Meeting of the Institute of Food Technologists, Chicago, Ill., July 24-28, 1999.


- Mills, K. A. 2001. Phosphine resistance -where to now? *In Proceedings, International Conference on Controlled Atmospheres and Fumigation in Stored Products*, 29 October-3 November 2000, Fresno, CA.
- Nobel, P.S. 1974. Ozone effects on chlorophylls a and b. *Naturwissenschaften* 61: 80-81.
- Ou, S.H. 1985. *Rice Disease*. CAB International Mycological Institute, Kew, Surrey, U.K.
- Padmanabhan, S.Y. 1949. Occurrence of fungi inside rice kernels. *Current Science* 18: 442-443.
- Paule, C.M. and J. Powers. 1989. Sensory and chemical examination of aromatic and nonaromatic Rices. *Journal of Food Science* 54:343-347.
- Prabhu, A.S., A.S. Lopez and F.J.P. Zimmermann. 1980. Infecção da folha e do grão de arroz por *Helminthosporium oryzae* e seus efeitos sobre os componentes da produção. *Pesquisa Agropecuária Brasileira*, Brasília 15: 183-189. (Seed Abstracts No. 3231, 4, 1981).
- Pryor, A. and R.G. Rice. 1998. Introduction to the use of ozone in food processing applications. *Ozone News* 26: 28-36.
- Raila, A., L. Albinas., S. Dainius., R. Marija., S. Ausra and Z. Egidijus. 2006. Application of ozone for reduction of Mycological infection in wheat grain. *Annals of Agricultural and Environmental Medicine* 13:287-294.
- Rämö, K., H. Slotte., T. Kanerva., K. Ojanperä and S. Manninen. 2006. Growth and visible injuries of four *Centaurea jacea* L. ecotypes exposed to elevated ozone and carbon dioxide. *Environmental and Experimental Botany* 58: 287-298.
- Reddy, A.B. and M.N. Khare. 1978. Seed-borne fungi of rice in Madhya Pradesh and their significance. *Indian Phytopathology* 31: 300-303.
- Reiling, K and A.W. Davison. 1992. The response of native, herbaceous species to ozone: growth and fluorescence screening. *New Phytologist* 120: 29-37.
- Reiling, K and A.W. Davison. 1995. Effects of ozone on stomatal conductance and photosynthesis in populations of *Plantago major* L. *New Phytologist* 129: 587-594.
- Rice, R.G., J.W. Farquhar and L.J. Bollyky. 1982. Review of the applications of ozone for increasing storage times of perishable foods. *Ozone Science and Engineering* 4: 147-163.

- Sánchez-Hernández, D., J.V. Balbastre and J.M. Oscá. 2002. Microwave energy as a visible alternative a metyl bromide and other pesticides for rice disinfection industrial process; Fourth International Working Conference on Alternative a Methyl Bromide-“The Remaining Challenges”, Sevilla, Spain, 5-8 Marzo 2002: 139-162.
- Sanders, G.E., J.J. Colls and A.G. Clark. 1992. Physiological changes in *Phaseolus vulgaris* in response to long-term ozone exposure. *Annals of Botany* 69: 123–133.
- Sharma, I.P. and M.R. Siddiqui. 1978. Study on seed mycoflora of paddy from Assam and West Bengal. *Seed Research* 6:43-47.
- Stephen, A.K., J.M. Linda., E.M. Dirk and P.W. Charles. 2001. Efficacy and fumigation characteristics of ozone in stored maize. *Journal of Stored Products Research* 37:371-382.
- Stewart, C.A. 1998. *Impact of ozone on the reproductive biology of Brassica campestris L. and Plantago major L.* Ph.D. Thesis, University of Loughborough, UK.
- Strait, C.A. 1998. *Efficacy of ozone to control insects and fungi in stored grain.* M.S. Thesis, Purdue University, West Lafayette, IN.
- Tanchotikul, U. and T. C.-Y. Hsieh. 1991. An improved method for quantification of 2-acetyl-1-pyrroline, a “popcorn”-like aroma, in aromatic rice by high-resolution gaschromatography/mass spectrometry/selected ion monitoring. *Journal of Agricultural and Food Chemistry* 39: 944-947.
- UNEP. 2001. United Nations Environment Programme. The ozone secretarial. [Online] Available <http://www.unep.org/ozone/> 7November2001 [2006, September 16]
- White, G.C. 1972. *Handbook of chlorination.* New York : Reinhold.
- World Health Organization. 1979. *Photochemical Oxidants.* Environmental health criteria7. Geneva.
- Yoshihashi, T., T.T.H. Nguyen and N. Kabaki. [No date]. Quality evaluation of Khao Dawk Mali 105, an aromatic rice variety of northeast thailand. *JIRCAS Working Report.* 30: 151-160.
- Zettler, J.L. and G.W. Cuperus. 1990. Pesticide resistance in *Tribolium castaneum* (Coleoptera: Tenebrionidae) and *Rhyzopertha dominica* (Coleoptera: Bostrichidae) in wheat. *Journal of Economic Entomology* 83: 1677–1681.

Zettler, J.L., W.R. Halliday and F.H. Arthur. 1989. Phosphine resistance in insects infesting stored peanuts in the southeastern United States. *Journal of Economic Entomology* 82: 1508–1511.

Zhao, J. and P.M. Cranton. 1995. Microbial decontamination of black pepper by ozone and the effect of the treatment on volatile oil constituents of the spice. *Journal of the Science of Food and Agriculture* 68: 11-18.

Zheng, Y., H. Shmizu and J.D. Barnes. 2002. Limitations to CO₂ assimilation in ozone-exposed leaves of *Plantago major*. *New Phytologist* 155: 67–78.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved