

เอกสารอ้างอิง

- กอบเกียรติ แสงนิล. 2540. รายงานการวิจัย เรื่อง “ปริมาณรงควัตถุแอนโทไซยานิน และแอกติวิตีของ เอนไซม์ phenylalanine amonia-lyase ในผัก ผลไม้ และดอกไม้บางชนิด ภายหลังจากเก็บเกี่ยว”. ภาควิชาชีววิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยเชียงใหม่.
- พันทิพา พงษ์เพ็ญจันทร์. 2541. สัมมนา พัฒนาอาหารสัตว์ : สารอาหารกับภูมิคุ้มกัน. ภาควิชาสัตว ศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่.
- สมวงษ์ ตระกูลรุ่ง. 2547. “ข้าวโภชนาการเพื่อสุขภาพและการใช้ประโยชน์ในอุตสาหกรรม”. [ระบบออนไลน์] แหล่งที่มา <http://dnatec.kps.ku.ac.th/new-dnatec/download/rice.doc> (23 เมษายน 2547).
- อุษณีย์ วจิณเขตค่านวณ. 2547. ข้าวเคมีของลิปิดและไลโปโปรตีน. ภาควิชาเคมี คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.
- AOAC. 1998. Official Method Analysis. 15th ed. Association of official Analytical Chemists, Washington, DC.
- Beers-Schreurs, H.M.G., M.J.A. Nabuurs, L. Vellenga, H.J. Kalsbeek-vander Valk, T. Wensing and H.J. Breukink. 1998. Weaning and the weanling diet influence the villous height and crypt depth in the small intestine of pigs and alter the concentrations of short-chain fatty acid in the large intestine and blood. *J. Nutr.* 128 : 947-953
- Bonner, B., B. Warren, and L. Bucci. 1990. Influence of ferulate supplementation on postexercise stress hormone levels after repeated exercise stress. *J. App. Sci. Res.* 4 : 110.
- Burrin, D. G., B. Stoll, R. Jiang, X. Chang, B. Hartmann, J.J. Holst, G.H. Greeley, Jr. and P.J. Reeds, 2000. Minimal enteral nutrient requirements for intestinal growth in neonatal piglets: How much is enough? *Am. J. Cli. Nutr.* 71: 1603-1610.
- Brouillard, R. 1998. Flavonoids and flower color. In the flavonoids : advances in research since 1980. Harborne, J.B., Eds. Chapman & Hall, London. pp. 525-538.
- David Brownstein. 2001 .[Online]. Available www.dcnutrition.com/miscellaneous.

- Deprez, P., P. Deroose, C. Van den Hende, E. Muylle, W. Oyaert. 1987. Liquid versus dry feeding in weaned piglets : The influence on small intestine morphology. *J. Vet. Med. Biol.* 34 : 254-259.
- Dixon, R. A., D.-Y. Xie, S. B. Sharma. 2005. Proanthocyanidins – a final frontier in flavonoid research. *New Phytologist.* 165 : 9-28.
- Domeneghini, C., A. Di Giancamillo, G. Savoini, R. Parette, V. Bontempo, and V. Dell'Orto. 2004. Structural patterns of swine ileal mucosa following L-glutamine and nucleotide administration during the wean period. An histochemical and histometrical study. *Histol Histopathol.* 19(1) : 49-58.
- Fan, M. Z., B. Stoll, R. Jiang, D. G. Burrin. 2001. Enterocyte digestive enzyme activity along the crypt-villous and longitudinal axes in the neonatal pig small intestine. *J. Anim. Sci.* 79: 371-381.
- Feher, M.D. and W. Richmond. 1994. Lipids and lipid disorders. Gower medical publishing, London, England.
- Finely, P.R. 1978. Cholesterol in high density lipoprotein : use of Mg^{2+} / dextran sulfate in its enzymatic measurement. *Clin. Chem.* 24 (6).
- Foster, L.B. and R.T. Dunn. 1973. Stable reagents for determination of serum triglyceride by a colorimetric Hantzsch condensation method. *Clin. Chem.* 19 (3).
- Fukushima, M., S. Fujii, Y. Yumi, T. Endo, and M. Nakano. 1999. Effect of rice bran on intrainestinal fermentation and cholesterol metabolism in cecectomized rats. *Nutr. Res.* 19: 235-245.
- Garrett, R.H. and C.M. Grisham. 1995. Biochemistry. Saunder College Publishing, Harcourt Brace College Plublishers, U.S.A.
- Graf, E. 1992. antioxidant potential of feruric acid. *Free Radical Biol. Med.* 13: 435-448.
- Guiti, M. 2001. Characterization and measurement of anthocyanins by UV-visible spectroscopy. Currenr protocols in food analytical chemistry. [Online]. Available <http://www.wiley.com/legacy/cp/cofac/facsample.htm> (31 March 2004).
- Halliwell, B. and J. M. C. Gutteridge. 1999. Free radical in biology and medicinal 3rd ed. India:Thomson press Ltd., pp. 22-30.

- Hampson, D.J., 1994. Postweaning *Escherichia coli* diarrhea in pigs. In: gyles, C.L. (Ed.), *Escherichia coli* in Domestic Animals and Humans. CAB International, Wallingford, Oxon, UK, pp. 171-191.
- Harborne, J. B. 1998. Phenolic Compounds In Phytochemical Methods – a guide to modern techniques of plant analysis 3rd edition. Chapman & Hall, New York. pp 66-74.
- Harris, K.B., W. G. Pond, H. J. Mersmann, E. O. Smith, and H. R. Cross, 2002. Evaluation of fat sources on cholesterol and lipoproteins using pigs selected for high or low serum cholesterol. *Meat Sci.* 66 : 55-61.
- He, J. 2004. Absorption, excretion and transformation of individual anthocyanins in rats. Ph.D. dissertation. University of Maryland.
- Hedemann, M.S., S. Hojsgaard, and B.B. Jensen. 2003. Small intestinal morphology and activity of intestinal peptidases in piglets around weaning. *J Anim. Phys. Anim. Nut. (Berl)*. 87 : 32-41.
- Heier A., W. Blaas, A. Drob and R. Wittkowski. 2002. Anthocyanin Analysis by HPLC/ESI-MS *Am. J. Enol.* 53(1): 78-86.
- Hertog, M. G. L., P. C. H. Hollman, M. B. Katan, and D. Kromhout. 1993. Intake of potentially anticarcinogenic flavonoids and their determinants in adults in Netherlands. *Nutr. Cancer.* 20 : 21-29.
- Huang, C. J. 2003. Potential functionality and digestibility of oryzanol as determined using *In vitro* cell culture models. Department of food science. Louisiana State University. Halliwell, B., and J. M. C. Gutteridge. 1999. Free radical in biology and medicine 3rd ed. India : Thomson press Ltd., pp. 22-30.
- Hundermer, J. K., S. P. Nabar, B. J. Shriver and L. P. Forman. 1991. Dietary fiber sources lower blood cholesterol in C57BL/6 mice. *J. Nutr.* 121(9): 1360-5.
- Itani T. 2000. "Red rice, purple black rice and aromatic rice varieties". Cultivation, Processing and Utilization of ancient rice. Nobunkyo. Tokyu. Japan. 160p.
- Jung , D. H., H.G. Biggs and W.R. Moorehead. 1975. Colorimetry of serum cholesterol with use of ferric acetate uranyl acetate and ferrous sulfate/sulfuric acid reagents. *Clin. Chem.* 21 : 1526-1530.

- Kahlon TS., FI. Chow, RN. Sayre, AA. Betschart. 1992. Cholesterol-lowering in hamsters fed rice bran at various levels, defatted rice bran and rice bran oil. *J. Nutr.* 70: 503-13.
- Karladee, D., P. Pongpiachan, T. Taltachum and A. Gavilo. 2003. Accumulation of gamma-oryzanol in purple rice grain. Book of abstracts. BioThailand 2003. p374.
- Kay, C. 2004. Analysis of bioactivity, metabolism and pharmacokinetics of anthocyanins in humans. Ph.D. dissertation. The University of Guelph. 168 pp.
- Kong J. M., L. S. Chia, N. K. Goh, T. F. Chia, R. Brouillard, 2003. Analysis and biological activities of anthocyanins. *Phytochem.* 64 : 923-933.
- Lecce, J. G., D. A. Clare, R. K. Balsbaugh, D. N. Collier. 1983. Effect of dietary regimen on rotavirus-*Escherichia coli* weanling diarrhea of piglets. *J. Clin. Microbiol.* 17: 689 – 695.
- Ling, W. H., Q. X. Cheng, J. Ma, and T. Wang. 2001. Red and Black Rice Decrease Artherosclerotic Plaque Formation and Increase Antioxidant Status in Rabbits. *J. Nutr.* 131: 1421-1426.
- Lloyd, B. J., T. J. Siebenmorgen and K. W. Beers. 2000. Effects of commercial processing on antioxidants in rice bran. *Cereal chem.* 77(5) : 551–555.
- Marks, D.B. 1996. Basic Medical Biochemistry: a clinical approach. Williams & Wilkins, Baltimore. 806 p.
- Marshall, W. E., and J. I. Wadsworth. 1994. Rice science and technology, USA : Marcel Dekker, Inc., pp. 421-473.
- Marrion, A. J., R. J. Niewold, C. F. Margry, M. J. A. Nabuurs. 2002. Small intestinal morphology in weaned piglets fed a diet containing spray-dried porcine plasma. *Res. Vet. Sci.* 71: 17-22.
- Mekbaungwan A., and K. Yamauchi. 2004. Growth performance and histological intestinal alterations in piglets fed dietary raw and heated pigeon pea seed meal. *Histol Histopathol.* 19 : 381-389
- Minami M. and H. Yoshikawa. 1979. A simplified assay method of superoxide dismutase activity for clinical use. *Clin. Chem. Acta.* 92 : 337-343.
- Monhan, F.J. 2000. Oxidation of lipids in muscle foods: fundamental and applied concerns. In E. Decker, C. Faustman and C.J. Lopez-Bote (eds), Antioxidant muscle foods: Nutritional strategies to improve quality (pp.3-23), Wiley-Interscience, New York. 499 p.
- Murray, R. K., D. K. Granner, P. A. Mayes and V. W. Rodwell. 2000. Harper's biochemistry. United states. America. 927 p.

- Nabuurs, M.J.A., A. Hoogendoorn, E. J. Van der Molen and A.L.M. Van Osta. 1993. Villous height and crypt depth in weaned and unweaned pigs, reared under various circumstances in the Netherlands. *Res. Vet. Sci.* 55: 78-84.
- Nash, D. 2004. [Online]. Available www.hygain.com.au/articles-ricebran.htm.
- Newman, R. K., A. A. Betschart, C. W. Newman and P. J. Hofer. 1992. Effect of full-fat or defatted rice bran on serum cholesterol. *Plants Foods Hum Nutr.* 42 (1): 37-43.
- Nicolosi, R. J., L. M. Ausman and D. M. Hegeted. 1994. Rice bran oil lower serum total and low density lipoprotein cholesterol and ApoB levels in non-human primates. *Atherosclerosis.* 88: 133-142.
- Osawa T. 1999. Protective role of rice polyphenols in oxidative stress. *Anticancer Res.* 19: 3645 – 3650.
- Oyanagui Y. 1984. Reevaluation of assay method and establishment of kit for superoxide dismutase activity. *Anal. Biochem.* 142 : 290-296.
- Pluske, R., D. J. Hampson and I. H. Williams. 1997. Factors influencing the structure and function of the small intestine in the weaned pig. *Lives. Prod. Sci.* 51: 215-236.
- Pond, W. G. and K. A. Houpt. 1978. *The Biology of the pig.* Cornell University Press, Ithaca.
- Purushothama, S., P. L. Raina and K. Hariharan. 1995. Effect of long term feeding of rice bran oil upon lipids and lipoproteins in rats. *Mol Cell Biochem.* 146 (1): 63-69.
- Qureshi, A. A., W. A. Salser, R. Parmer and E. E. Emerson. 2001. Novel tocotrienols of rice bran inhibit atherosclerotic lesions in C57BL/6 ApoE – deficient mice. *J Nut.* 131 : 2606-18
- Reddy A.R. 1996. "Genetic and molecular analysis of the anthocyanin pigmentation pathway in rice". Genetic and molecular analysis of anthocyanin pathway. 343-352.
- Roberfroid, M. and P.B. Calderon. 1995. Free radicals and oxidation phenomena in biological systems. Marcel Decker, New York. 272 p.
- Rong N, L. M. Ausman, R. J. Nicolosi. 1997. Oryzanol decreases cholesterol absorption and aortic fatty streaks in hamsters. *Lipids.* 32(3):303-309.
- Rukmini C, T. C. Raghuram. 1991. Nutritional and biochemical aspects of the hypolipidemic action of rice bran oil. *J Am Coll Nutr.* 10(6):593-601
- Sharma, R. D., and C. Rukmini. 1986. Rice bran oil and hypocholesterolemia in rats. *Lipids,* 21:715.
- Sloss, M. W. 1954. The microscopic anatomy of the digestive tract of *Sus scrofa domestica*. *Am J Vet. Res.* 15: 578-593.

- Spreeuwenberg, M. A. M., J. M. J. Verdonk, H. R. Gaskins, and M. W. A. Verstegen. 2001. Small intestine epithelial barrier function is compromised in pigs with low feed intake at weaning. *J. Nutr.* 131: 1520-1527.
- Sugano, M., and E. Tsuji. 1996. Rice bran oil and human health. *Biomed. Envi. Sci.* 9(2-3) : 242-246
- Sugano, M., and E. Tsuji. 1997. Rice bran oil and cholesterol metabolism. *J. Nut.* 127(3) : 521-524
- Su N. R., Z. P. Sun, H. Chi-Tank. 1998. High performance liquid chromatographic determination of anthocyanin pigments in some varieties of black rice. *J. food drug anal.* 6(4) : 729-736.
- Teltatham, T. 2004. Effect of Gamma Oryzanol in Purple Glutinous Rice Bran on Immune Response in Male Mice (*Mus musculus*) Master of Science (Agriculture) in Animal Science. Graduate School Chiang Mai University. Chiang Mai.
- Toyokuni S., T. Itani, Y. Morimitsu, K. Okada, M. Ozeki, S. Kondo, K. Uchida, H. Hiai, T. Tashiro. 2001. Protective effect of coloured rice over white rice on Fenton reaction-based renal lipid peroxidation in rats. *Free Radic Res.* 36: 583-592
- Topping, D. L. 1991. Soluble fiber polysaccharides: effects on plasma cholesterol and colonic fermentation. *Nutr Rev.* 49: 195-203.
- Tsuda T., F. Horio, T. Osawa. 1999. Absorption and metabolism of cyaniding 3-O-β-D-glucoside in rats. *FEBS Lett.* 449: 179-182.
- Van De Graaff, K. M., S. Ir. Fox and K. M. Iafleur. 1997. Synopsis Human Anatomy and Physiology. Wm. C. Brown Publishers. USA. 639 pp.
- Vente-Spreeuwenberg M.A.M., J.M.A.J. Verdonk, G.C.M. Bukker, A.C Beynen, and M.W.A. Verstegen. 2004. Effect of dietary protein source on feed intake and small intestinal morphology in newly weaned piglets. *Lives. Prod. Sci.* 86 : 169-177.
- Voet, D. and J.G. Voet. 1990. Biochemistry. John Wiley & Sons, Singapore. 1223 p.
- Warriss, P.D. 2000. Meat science: an introductory text. CABI Pub, New York. 310 p.
- Winkle-Shirley, B. 2002. Biosynthesis of flavonoids and effect of stress. *Curr. Opin. Plant Biol.* 5 : 218-223.
- Xu, R. J., D. J. Mellor, P. Tunghanathanich, M. J. Birtles, G. W. Reynolds and H. V. Simpson. 1992. Growth and morphological changes in the small and large intestine in piglets during the first three days after birth. *J. Devel. Phys.* 18: 161-172.

Xu, Z., N. Hua and J. S. Godber. 2001. Antioxidant activity of tocopherols, tocotrienols, and gamma oryzanol components from rice bran against cholesterol oxidation accelerated by 2,2'-azobis (2-methylpropionimidine) dihydrochloride. *J Agri. Food Chem.* 49 : 2077-2081.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved