

TABLE OF CONTENTS

	Page
Acknowledgements	iii
Abstract (English)	iv
Abstract (Thai)	vi
List of Tables	viii
List of Figures	ix
Chapter 1 Introduction	1
Chapter 2 Literature Review	5
Chapter 3 Materials and Methods	31
Chapter 4 Results	38
Chapter 5 Discussion	78
References	82
Appendix	97
Curriculum vitae	104

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright © by Chiang Mai University

All rights reserved

LIST OF TABLES

Table		Page
1	Genera of endophytes commonly isolated from the foliage of woody perennials	9
2	Surface Sterilization Materials and Protocols	16
3	Number of endophytic fungi isolated from Thai dwarf fishtail palm fronds	39
4	Colonization rate percentage and isolation rate of endophytic fungi from Thai dwarf fishtail palm	40
5	Number of fungal endophyte genus/morpho type from Thai dwarf fishtail palm fronds	63
6	Distribution of fungal endophyte in different part Thai-dwarf fishtail palm	65
7	Number of potential isolate to control 3 tested pathogens	66
8	Frequency of type and sub-type of interactions between mycelium of endophytic fungi and <i>Sclerotium</i> sp using dual culture technique on PDA	69

LIST OF TABLES (CONTINUED)

Table		Page
9	Frequency of type and sub-type of interactions between mycelium of endophytic fungi and <i>Phytophthora</i> sp. using dual culture technique on PDA	71
10	Frequency of type and sub-type of interactions between mycelium of endophytic fungi and <i>Curvularia senegalensis</i> using dual culture technique on PDA	73
11	List of interest fungal endophyte for further study	75

LIST OF FIGURES

Figure		Page
1	Hypha of endophytic fungi	6
2	Distribution map of Thai dwarf fishtail palm	30
3	Structure of a typical Thai-dwarf fishtail palm frond	32
4	Endophytic fungi isolation	33
5	Sporulation induction technique	35
6	Dual culture technique	35
7	Characteristics of <i>Chaetomium globosum</i>	42
8	Characteristics of <i>Colletotrichum</i> sp.	43
9	Characteristics of <i>Diplodia</i> sp.	44
10	Characteristics of <i>Nigrospora</i> sp.	45
11	Characteristics of <i>Nodulisporium</i> sp. 1	46
12	Characteristics of <i>Nodulisporium</i> sp. 2	46
13	Characteristics of <i>Nodulisporium</i> sp. 3	46
14	Characteristics of <i>Phaeoisaria</i> sp.	47
15	Characteristics of <i>Phoma</i> sp.	48
16	Characteristics of <i>Phomopsis</i> sp.	49

LIST OF FIGURES (CONTINUED)

Figure		Page
17	Characteristics of <i>Trichobotrys</i> sp.	49
18	Characteristics of Coelomycete sp.	50
19	Characteristics of morphotype 1	50
20	Characteristics of morphotype 2	51
21	Characteristics of morphotype 3	51
22	Characteristics of morphotype 4	51
23	Characteristics of morphotype 5	52
24	Characteristics of morphotype 6	52
25	Characteristics of morphotype 7	53
26	Characteristics of morphotype 8	53
27	Characteristics of morphotype 9	54
28	Characteristics of morphotype 10	54
29	Characteristics of morphotype 11	55
30	Characteristics of morphotype 12	55
31	Characteristics of morphotype 13	56
32	Characteristics of morphotype 14	56

LIST OF FIGURES (CONTINUED)

Figure		Page
33	Characteristics of morphotype 15	56
34	Characteristics of morphotype 16	57
35	Characteristics of morphotype 17	57
36	Characteristics of morphotype 18	58
37	Characteristics of morphotype 19	58
38	Characteristics of morphotype 20	59
39	Characteristics of morphotype 21	59
40	Characteristics of morphotype 22	59
41	Characteristics of morphotype 23	60
42	Characteristics of morphotype 24	60
43	Characteristics of morphotype 25	61
44	Characteristics of morphotype 26	61
45	Characteristics of morphotype 27	61
46	Characteristics of morphotype 28	62
47	Characteristics of morphotype 29	62
48	Characteristics of morphotype 30	62

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright © by Chiang Mai University

All rights reserved

LIST OF FIGURES (CONTINUED)

Figure		Page
49	Very high potential isolates against 3 tested pathogens	67
50	Very high potential isolates against each tested pathogens	68
51	Interactions between <i>Sclerotium</i> sp and endophytic fungi in dual culture on PDA	70
52	Interactions between <i>Phytophthora</i> sp and endophytic fungi in dual culture on PDA	72
53	Interactions between <i>Curvularia senegalensis</i> and endophytic fungi in dual culture on PDA	74