

## References

- Acock, B., D.A. Charles-Edwards, and S. Sawyer, 1979. Growth response of a *chrysanthemum* crop to the environment. III. Effects of radiation and temperature on dry matter partitioning and photosynthesis. Ann. of Bot. 44: 289-300.
- Al-Hamdani, S. and G.W. Todd. 1990. Effect of temperature regimes on photosynthesis, respiration, and growth in *Alfalfa*. Proc. Okla. Acad. Sci. 70: 1-4.
- Allsopp, A. 1954. Juvenile stages of plants and the nutritional status of the shoot apex. Nature. 173: 1032–1035.
- Apavatjrut, P., S. Anuntalabchais., P. Sirirugsa, and C. Alisi. 1999. Molecular Markers in the identification of some early flowering *Curcuma* (Zingiberaceae) species. Ann. Bot. 84: 529-534.
- Bakken, A.K. and M. Flones. 1995. Morphology and field performance of *Brassica* transplants propagated under different day and night temperature regimes. Sci. Hort. 61: 167-176.
- Barton, M.K. 1998. Cell type specification and self renewal in the vegetative shoot apical meristem. Cur. Opin. in Plant Bio. 1: 37-42.
- Bergfeld, A., R. Bergmann, and P. V. Sengbusch. 2003. The flowering hormone or florigen. [online]. Available <http://www.biologie.uni-hamburg.de/b-online/e30/30c.htm> (2008, November 12).

- Berghage, R.D. 1998. Controlling height with temperature. Hort. Tech. 8(4): 615-620.
- Berghage, R.D., J. Flore, R.D. Heins, and J.E. Erwin. 1990. The relationship between day and night temperature influences photosynthesis but not light compensation point or flower longevity of Easter Lily *Lilium longiflorum* Thunb. Acta Hort. 272: 91-96.
- Bernier, G. 1992. Attempt to bridge the molecular genetics and physiology of inflorescence and flower morphogenesis are an exciting experience. Flowering Newsletter, n. 14, p. 34-40.
- Bernier, G. 1988. The control of floral evocation and morphogenesis. Annu Rev Plant Physiol. Plant Mol Biol. 39: 175–219.
- Bernier, G., A. Havelange., C. Houssa., A. Petitjean, and P. Lejeune. 1993. Physiological signals that induce flowering. Plant Cell. 5: 1147–1155.
- Bernier, G., J-M. Kinet., and R.M. Sachs. 1981a. The physiology of flowering. The initiation of flowers. Boca Raton: CRC Press. Vol. I.
- Bernier, G., J.-M. Kinet. and R.M. Sachs. 1981b. The physiology of flowering. transition to reproductive growth. Boca Raton: CRC Press. Vol. II.
- Besnard-Wibaut, C. 1981. Effectiveness of gibberellins and 6-benzyladenine on flowering of *Arabidopsis thaliana*. Physiol. Plantarum. 53: 205–212.
- Bewick, T. A., J. F. Gaffney, S. K. McDonald, C. A. Chase, and E. R. R. L. Johnson. 1997. Ecology, physiology, and management of cogongrass (*Imperata cylindrica*) [online]. Available <http://www.fipr.state.fl.us> 128 p. (2008, November 12).
- Blackshaw R. E. and T. Entz. 1995. Day and night temperature effects on vegetative growth of *Erodium cicutarium*. Weed res. 95(35): 471-476.

- Blanchard. M. G. and E. S. Runkle. 2006. Temperature during the day, but not during the night, controls flowering of *Phalaenopsis* orchids. *J. of Experi. Bot.* 57(15): 4043-4049. [online]. Available <http://jxb.oxfordjournals.org/cgi/content/abstract/erl176v1> (2008, March 14).
- Boller, B. C. and J. Nösberger. 1983. Effects of temperature and photoperiod on stolon characteristics, dry matter partitioning, and nonstructural carbohydrate concentration of two white clover ecotypes. *Crop Sci. Soc. of America*. 23: 1057-1062.
- Bowman, J.L., and Y. Eshed. 2000. Formation and maintenance of the shoot apical meristem. *Trends Plant Sci.* 5: 110-115.
- Brown, P. 1992. Morphological and physiological aspects of flowering initiation and development in *Tanacetum cinerariaefolium* L. [online]. Available <http://www.ifa.unimelb.edu.au/abstracts/phdabstract/1992/brown1992> (2004 March 16).
- Cao, H. and K. Komatsu. 2003. Molecular identification of six medical *Curcuma* plants produced in Sichuan: evidence from plastid trnK gene sequences. *Yao. Xue. Xue. Bao.* 38: 871-875.
- Castro, A.H.F., M.C.M. Young., A.A.D. Alvarenga and J.D. Alves. 2001. Influence of photoperiod on the accumulation of allantoin in comfrey plants. *R. Bras. Fisiol. Veg.*, 13(1): 49-54.
- Charles, A. 2006. Flowering and its manipulation. *Ann. plant revs.* Vol 20. Oxford: Blackwell Pub. 304 p.

- Chidburee, A. 2008. Effect of daylength and red light on growth of *Curcuma alismatifolia* Gagnep rhizome. Ph. D. Thesis, Chaing Mai university, Thailand. 138 p.
- Coleman, Q.D., T.H.H.Chen., S.G. Ernst and L. Fuchigami. 1991. Photoperiod control of poplar bark storage protein accumulation. Plant physiol. 96(3): 682-692.
- Coyne, P. I., M. J. Trlica and C.E. Owensby. 1995. Carbon and nitrogen dynamics in range plants. Pages 59-167. in D.j. Bedunah and R.E. Sosebee (eds). Wildland plants: physiological ecology and developmental morphology. Society for Range Management. Denver, CO.
- De Hertogh, A. and M. Le Nard. 1993. The Physiology of flower bulbs. Elsevier, The Netherlands.
- Deikman. J., and M. Ulrich. 1995. A novel cytokinin-resistant mutant of *Arabidopsis* with abbreviated shoot development. Planta. 195(3): 440–449.
- Department of Agricultural Extension, 2005: Annual Report 2004. p. 110-120. In: Annual Report of Department of Agriculture and Extension, Department of Agriculture and Extension, Bangkok.
- Dewitte. W., A. Chiappetta., A. Azmi., E. Witters., M. Strnad., J. Rembur., M. Noin., D. Chriqui., and H. V. Onckelen. 1999. Dynamics of cytokinins in apical shoot meristems of a day-neutral tobacco during floral transition and flower formation. Plant Physiol. 119: 111-122.
- Dong, S., F.S. Carolyn., C. Lailiang., H.F. Leslie and T.R. Paul. 2001. Soil temperature and plant growth stage influence nitrogen uptake and amino acid concentration of apple during early spring growth. Tree Physiol., 21: 541–547.

- Dorais. M., S. Yelle. and A. Gosselin. 1996. Influence of extended photoperiod on photosynthethate partitioning and export in tomato and pepper plants. New Zealand J. of Crop and Hort. Sci. 24: 29-37.
- Ephrath, J. E., J. Ben-Asher., C. Alekperov., M. Silberbush and E. Dayan. 2001. The growth and development of *Hippeastrum* in response to temperature and CO<sub>2</sub>. Biotronics. 30 : 63-73.
- Erwin, J.E., R.D. Heins, and M.G. Karlsson. 1989. Thermomorphogenesis in *Lilium longiflorum* Thunb. Amer. J. Bot. 76: 47-52.
- Erwin, J.E. and R.D. Heins. 1995. Thermomorphogenic responses in stem and leaf development. Hort Sci. 30(5): 940-949.
- Evans, L.T. 1971. Flower induction and the florigen concept. Annu. Rev. Plant Physiol. Plant Mol. Biol. 22: 365-394.
- Franck, D. H. 1976. Comparative morphology and early leaf histogenesis of adult and juvenile leaves of *Darlingtonia californica* and their bearing on the concept of heterophylly. Bot. Gazette. 137: 20-34
- Ferraris R. 2005. The Effect of photoperiod and temperature on the first crop and ratoon growth of *Pennisetum purpureum* Schum. Aus. J. of Agri. Res. 29(5): 941-950. [online]. Available <http://www.publish.csiro.au/paper/AR9780941.htm> (2005, August 5).
- Goldschmidt, E.E. and S.C. Huber. 1992. Regulation of photosynthesis by end-product accumulation in leaves of plants storing starch, sucrose and hexose sugars. Plant Physiol. 99: 1443-1448.
- Hackett, W.P, and R.M. Sachs. 1967. Chemical control of flowering in *Bougainvillea* "San Diego Red." Proc Am Soc Hort Sci. 90: 360-364.

- Hagiladi, A., N. Umiel and X.H. Yang. 1997a. *Curcuma alismatifolia* II. Effect of temperature and daylength on the development of flowers and propagules. Acta Hort. 430: 755-761.
- Hagiladi, A., N. Umiel, Z. Gilad and X.H. Yang. 1997b. *Curcuma alismatifolia* I. Plant morphology and the effect of tuberous root number on flowering date and yield on inflorescence. Acta Hort. 430: 747-753.
- Haile-Micheal, K., 1973. The effect of direction of hybridization (4x x 2x vs 2x x 4x) on yield of cultivated potato, Ph. D. Thesis, University of Wisconsin, USA.
- Harbaugh, B.K. 1995. Flowering of *Eustoma grandiflorum* (Raf.) Shinn. Cultivars influenced by photoperiod and temperature. Hort. Sci. 30: 1375-1377.
- Haywood, V.H. 1985. Flowering plants of the world. Croom Helm, London, Sydney: 297-298.
- Heck G.R., S.E. Perry, K.W. Nichols and D.E. Fernandez. 1995. *AGL15*, a MADS domain protein expressed in developing embryos. Plant Cell. 7: 1271-1282.
- Hempel, F.D and L.J. Feldman. 1994. Bi-directional inflorescence development in *Arabidopsis thaliana*: acropetal initiation of flowers and basipetal initiation of paraclades. Planta. 192: 276-286.
- Hong-Biao, H., W.-J. Zhang., B.-L. C., Y.-H. Wang., H.-M. S. and Z.-G. Zhou. 2008. Changes in C/N ratio of subtending leaf of cotton boll and its relationship with cotton boll dry matter accumulation and distribution. Acta Agron Sin. 34(2): 254-260.
- <http://extension.oregonstate.edu/mg/botany/light.htm>. (2006, April 20).

- Ison. R. L. and L. R. Humphreys. 1984. Day and night temperature control of floral induction in *Stylosanthes guianensis* var. *guianensis* cv. Schofield. Ann. of Bot. 53: 207-212.
- Joe, B., M. Vijaykumar., and B.R. Lokesh. 2004. Biological properties of curcumin-cellular and molecular mechanisms of action. Crit. Rev. Food Sci. Nutr. 44: 97-111.
- Johansen, DA. 1940. Plant microtechnique. Mc Graw – Hill, New York. 523 p.
- Jonathan F., G. Ritchie., N. Cometti., J. Robinson, and B. Bugbee. 2006. Exploring the limits of crop productivity: quantum yield, radiation capture, and carbon use efficiency of lettuce in a high light, temperature, and CO<sub>2</sub> environment. [online]. Available <http://www.usu.edu/cpl/research-lettuce.htm> (2006, May 20).
- Julien, M. H. R. 1973. Physiology of flowering in *Saccharum* I. daylength control of floral initiation and development in *S. spontaneum* L. J. of Exp. Bot. 24(3): 549-557.
- Kamenetsky, R., H. Zemah., A. Van der Toorn., H. van As and P. Bendell. 2000. Morphological structure and water status in tulip bulbs during their transition from dormancy to active growth: visualization by magnetic resonance imaging In : Dormancy in plants. Eds J.D. Viemont and J. Grabbe. CAB International, pp. 121-138.
- Kanellos, E. A. G. and S. Pearson. 2000. Environmental regulation of flowering and growth of *Cosmos atrosanguineus* (Hook.) Voss. Sci. Hort. 83: 265-274.

- Kim. S.H., C.E. Niedziela, Jr., P.V. Nelson., A.A. De Hertogh, W.H. Swallow and N.C. Mingis. 2006. Growth and development of *Lilium longiflorum* ‘Nellie White’ during bulb production under controlled environments II. Effects of shifting day/night temperature regimes on scale bulblets. *Sci. Hort.* 112(1): 95-98.
- Kinet, J.M. 1993. Environmental, chemical, and genetic control of flowering. *Horticultural Reviews*, Westport. 15: 279-333.
- Kinet, J.-M., R.M. Sachs., and G. Bernier,. 1981.The physiology of flowering. The development of flowers. Boca Raton: CRC Press. Vol. III.
- Kiyotoshi Wada. 2003. Physiology of flowering in *Pharbitis nil*. [online]. Available <http://www.sc.niigata-u.ac.jp/biologyindex/wada/english/p11-1-1.html> (2006, August 20).
- Kozii, T., K. Watanabe, and B.R. Jeong. 1995. Stem elongation and growth of *Solanum tuberosum* L. *in vitro* in response to photosynthetic photon flux, photoperiod and difference in photoperiod and dark period temperatures. *Sci. Hort.* 64:1-9.
- Kuehny. J. S., M. Sarmiento, M. Pilar Paz, and P.C. Branch. 2006. Effect of light intensity, photoperiod and plant growth retardants on production of Zingiberaceae as pot plants. *Acta Hort. International Symposium on New Floricultural Crops.* ([http://www.actahort.org/books/683/683\\_14.htm.7](http://www.actahort.org/books/683/683_14.htm.7)) (2006, August 20).

- Lahav, E. and T. Trochoulias. 2006. The Effect of temperature on growth and dry matter production of avocado Plants. Aus. J. of Agri. Res. 33(3): 549-558. [online]. Available [\(2006, July 21\).](http://www.publish.csiro.au/paper/AR9820549.htm)
- Lang, A. 1952. Physiology of flowering. Annu. Rev. Plant Physiol. 3: 265-306.
- Lejeune, P., J.M.Kinet., and G. Bernier. 1988. Cytokinin fluxes during floral induction in the long day plant *Sinapsis alba* L. Plant Physiol. 86: 1095-1098.
- Lekawatana, S. and O. Pituck. 1998. New floricultural crops in Thailand. Acta Hort. 454: 59-63.
- Levy, Y.Y., and C. Dean, 1998. The transition to flowering. Plant Cell. 10: 1973-1990.
- Llewellyn, L.M. 2001. Environmental factors to consider during planning of management for range plants in the Dickinson, North Dakota, region, 1892-2000. NDSU Dickinson Research Extension Center. Range Research Report DREC 01-1018d. Dickinson, ND. 37 p.
- Lyndon, R.F. 1990. Plant development: The cellular Basic. Unwin Hyman. London. 320 p.
- Maciel, N. and Criley, R. A. 2003. Morphology growth and flowering behavior of *Curcuma zedoaria*. Acta Hort.(ISHS) 624: 111-116.
- Majeed, M., V. Badmeav., U. Shivakumar., and R. Rajendran. 1995. Curcuminoids: antioxidant phytonutrients. Sabinsa corporation, NJ, USA.
- Marschner H. 1995. Mineral nutrition of higher plants, 2<sup>nd</sup> edn. London: Academic Press.

- McElroy. J. S., H. Y. Fred., C. N. Joseph., and W. R. Thomas. 2004. Influence of photoperiod and temperature on vegetative growth and development of Florida betony (*Stachys floridana*). Weed Sci. Article. 52: 267–270.
- Mengel, K. 1992. Agricultural productivity and environmental problems. Nitrogen metabolism of plant. K. Mengel and D.J. Pilbeam (Editors). Oxford Science Publications. New York. 289 p.
- Meriam G. K., M.E. Hackmann and R.D. Heins. 2006. Temperature controlled laef unfolding rate in *Hibiscus*. Acta Hort. 272. Symposium on Bedding and Pot Plant Culture. [online]. Available <http://www.actahort/books/272/272-14.htm> (2006, May 20).
- Meyerowitz, E. M. 1997. Genetic control of cell division patterns in developing plants. Plant Cell. 88: 299 -308.
- Miksche JP, Brown JAM. 1965. Development of vegetative and floral meristems of *Arabidopsis thaliana* (L.) Heynh. Am. J. of Bot. 52: 533–537.
- Miller, C. O. , Skoog, F. S. , Okomura, M. H. , Von Saltza, H. & Strong, F. M. 1955. J. Am. Chem. Soc. 77: 1392-1393.
- Moe, R., N. Glomsrud., I. Bratberg, and S. Valsø. 1992. Control of plant height in poinsettia by temperature drop and graphical tracking. Acta Hort.327: II European Workshop on Thermo- and Photomorphogenesis in Plants.
- Mok, M.C. 1994. Cytokinins and plant development: an overview. In DWS Mok, MC Mok, eds, Cytokinins: Chemistry, Activity and Function. CRC Press, Boca Raton, FL. 155-166.

- Momiyama T., J. C. Afele, T. Saito, T. Kayano, Y. Tabei, and F. Takaiwa . 1995. Differential display identifies developmentally regulated genes during somatic embryogenesis in eggplant (*Solanum melongena* L.). *Biochem. Biophys. Res. Commun.* 213: 376– 382.
- Mouradov. A., F. Cremer and G. Coupland. 2002. Control of flowering time. *Plant Cell.* 14 (Suppl.): 111-130.
- Myster J. and R. Moe. 1995. Effect of diurnal temperature alternations on plant morphology in some greenhouse crops. *Sci. Hort.* 62: 205-215.
- Nambara E., R. Hayama, Y. Tsuchiya, M. Nishimura, H. Kawaide, Y. Kamiya. 2000. The role of *ABI3* and *FUS3* loci in *Arabidopsis thaliana* on phase transition from late embryo development to germination. *Dev. Biol.* 220: 412–423.
- Németh. É., J. Bernáth and Z. Pluhár. 1997. Factors Influencing Flower Initiation in Caraway (*Carum carvi* L.). *J. of Herbs, Spices & Medic. Plants.* 5(3): 41 – 50.
- Nouet, C., F. Meuriot., S.Caillot., J.C. Avice., A. Ourry., S.M. Cunningham. and J.J. Volence. 2003. Short day photoperiod induces change N uptake, N partitioning and accumulation of vegetative storage proteins in two *Medicago sativa* cultivars. *Func. Plant Bio.* 30(8): 853-863.
- Ohyama, T., T. Ikarashi, and A. Baba. 1985. Nitrogen accumulation in the roots of tulip plants (*Tulipa gesneriana*). *Soil Sci. Plant Nutr.* 31: 581-586.
- Ohyama, T., T. Ikarashi and A. Baba. 1986. Analysis of reserve carbohydrate in bulb scales of autumn planting bulb plant. *Jpn. J. Soil Sci. Plant Nutr.* 57: 119-125.

- O'Neil, S. D. 1992. The photoperiodic control of flowering: progress toward understanding the mechanism of induction. *Photochemistry and Photobiology*, Elmsford. 56: 789-801.
- Paisooksantivatana, Y., S. Kako, and H. Seko. 2001a. Genetic diversity of *Curcuma alismatifolia* Gagnep. (Zingiberaceae) in Thailand as revealed by allozyme polymorphism. *Gen. Res. Cro. Evol.* 48: 459-465.
- Paisooksantivatana, Y., S. Kako. and H. Seko. 2001b. Isozyme polymorphism in *Curcuma alismatifolia* Gagnep. (Zingiberaceae) populations from Thailand. *Sci. Hort.* 88: 299-307.
- Paul, M.J. and C.H. Foyer. 2001. Sink regulation of photosynthesis. *J. of ex. Bot.* 55(360): 1383-1400.
- Phongpreecha, K. 1997. Unpublished data. Chiangrai Horticultural Research Center, Thailand.
- Pubuwpern, J. 1992. The growth and development of *Curcuma*. M.Sc Thesis, Chiang Mai University.
- Purseglove, J.W. 1974. Tropical crops monocotyledons. Longman Grop Ltd., London.
- Racusen, D. and M. Foote. 1963. Solubility of bean leaf protein in ethanol. *Nature*, 197(4868): 697-698.
- Rees, A.R. 1992. Ornamental bulbs, corms and tubers. CAB International, Wallingford, UK.
- Roberts, R. H. 1943. The role of night temperature in plant performance. *Sci. Sep* 17:260-265.

- Ruamrungsri, S., N. Otake., K. Sueyoshi and T. Ohyama. 2006. Determination of the uptake and utilization of nitrogen in *Curcuma alismatifolia* Gagnep. Using <sup>15</sup>N isotope. *Soil Sci. and Plant Nutr.* 52: 221-225.
- Sirirungsa, P., C. Maknoi, and K. Larsen. 2001. The genus *Curcuma L.* (Zingiberaceae): Distribution and classification with reference to species diversity in Thailand. pp. 55. In: 4<sup>th</sup> International symposium on Zingiberaceae. Singapore Botanic Gardens. Singapore.
- Skoog, F. and C. O. Miller. 1957. Chemical regulation of growth and organ formation in plant tissue cultured *in vitro*. *Symp. Soc. Exp. Biol.* 11, 118-131.
- Smith, D. G., M. Paulsan and C.A. Raguse. 1964. Extraction of total available carbohydrate from grass and legume tissues. *Plant Physiol.* 39: 960-962.
- Smith, D. R., and R.W. Langhans. 1961. The influence of day and night temperature on the growth and flowering of the ester lily (*Lilium longiflorum* Thunb. Var. Croft). *J.Amer. Soc. Hort.* 80: 593-598.
- Srivastava, L.M. 2002. Plant growth and development : hormones and environment. Academic Press. China.
- Steer, B. T. 1982. The effect of growth temperature on dry weight and carbohydrate content of onion (*Allium cepa* L. cv. *Creamgold*) bulbs. *Aus. J. of Agri. Res.* 33(3): 559 – 563.
- Steeves, T. A. and I. M. Sussex. 1989. Patterns in Plant Development: Shoot Apical Meristem Mutants of *Arabidopsis thaliana*. New York: Cambridge University Press.
- Stein, O.L, and E.B. Fosket. 1969. Comparative developmental anatomy of shoots of juvenile and adult *Hedera helix*. *Am. J. of Bot.* 56: 546–551.

- Stirling. K. J., R. J. Clark., P.H. Brown and S. J. Wilson. 2002. Effect of photoperiod on flower bud initiation and development in myoga (*Zingiber mioga* Roscoe.) *Sci. Hort.* 95(3): 264-268.
- Sussex, I.M. 1989. Developmental programming of the shoot meristem. *Cell.* 56: 225-229.
- Tageras, H. 1979. Modifying effects of *hybrida*. *Acta Hort.* 91: 411-417.
- Taiz, L. and E. Zeiger. 1998. Ancymidol and gibberellins on temperature induced elongation in *Fuchsia*. *Plant Physiology.* 2<sup>nd</sup> ed. Sinauer Associates, Massachusetts. 792 p.
- Tamaki. M., S. Kondo , T. Itani and Y. Goto. 2002. Temperature responses of leaf emergence and leaf growth in barley. *The J. of Agri. Sci.* 138: 17-20.
- Thingnaes. E.; S., T. A. Ernstsen. and R. Moe. 2003. Day and night temperature responses in *Arabidopsis*: effects on gibberellin and auxin content, cell size, morphology and flowering time. *Ann. of Bot.* 92(4): 601-612.
- Thomas. B. and D. Vince-Prue. 1997. Photoperiodism in plants. London UK. 428.
- Toit. E. S., P. J. Robbertse and J. G. Niederwieser. 2004. Temperature regime during bulb production affects foliage and flower quality of *Lachenalia* cv. *Ronina* pot plants. *Sci. Hort.* 102(4): 441-448.
- Turgeon. R. 1989. The sink-source transition in leaves. *Annu Rev Plant Physiol Plant Mol Biol.* 40: 119–138.
- Vaughan J.G. 1955. The morphology and growth of the vegetative and reproductive apices of *Arabidopsis thaliana* (L.) Heynh. *Capsella bursa-pastoris* (L.) Medic. and *Anagallis arvensis* L. *J. of the Linnean Soc. of London* 55: 279–301.

- Venglat S.P., and V.K. Shawney. 1966. Benzylaminopurine induces phenocopies of floral meristem and organ identity mutants in wild-type *Alabidopsis* plant. *Planta*. 198: 480-487.
- Vichailak, O. 2006. Amazing Thai curcuma. Horticultural research institute, Bangkok, Thailand.
- Viglierchio, D. R., and F. W. Went. 1957. Plant growth under controlled conditions. IX. growth and fruiting of the kentucky wonder bean (*Phaseolus vulgaris*) Am. J. of Bot. 44(5): 449-453.
- Wareing, P.F, and I.D.J. Phillip. 1981. Growth and differentiation in plants (3<sup>rd</sup> ed.), Pergamon Press, Oxford. 343.
- Weaver, R.J. and J.O. Johnson. 1985. Relation of hormones to nutrient mobilization and the internal environment of the plant: The supply of mineral nutrients and photosynthates. Encyclo. Plant Physiol. 2: 3-36.
- Weigel, D. and G. Jürgens. 2002. Stem cells that make stems. *Nature*. 415: 751–754.
- Went, F. W. 1953. The effect of temperature on plant growth. Ann.Rev.Plant. Physiol. 4: 347-362.
- Went, F. W. 1944. Plant growth under controlled conditions. II. Thermoperiodicity in growth and fruiting of the tomato. Am. J. Bot. 31: 135-150.
- Wilfred, V., K. J. Thompson., L.M. McIntyre and J. D. Axtell. 2002. Evidence for an evolutionarily conserved interaction between cell wall biosynthesis and flowering in maize and sorghum. *Evol Biol.* 2: 2. Published online 2002 January 7.
- Yamazaki, M. and K. Saito. 2002. Differential display analysis of gene expression in plants. *Cell. Mol. Life Sci.* 59: 1246-1255.

- Yaping, S. and R.D. Heins. 1996. Influence of day and night temperatures on sweet pepper seedling development. *J. Amer. Soc. Hort. Sci.* 121(4): 699-704.
- Youfa, C. and Z. Yunde hao. 2007. A role for auxin in flower development. *J. of Integ. Plant Biol.* 49 (1): 99.
- Yu H. and C. J. Goh. 2000. Identification and characterization of three orchid *MADS*-box genes of the *API/AGL9* subfamily during floral transition. *Plant Physiol.* 123: 1325–1336
- Zhang. D., A. M. Armitage., J. M. Affolter and M. A. Dirr. 1995. Environmental control of flowering and growth of *Lysimachia congestiflora* Hemsl. *Hort Sci.* 30(1): 62-64.
- Zhang. D., A. M. Armitage., J. M. Affolter, and M. A. Dirr. 1996. Environmental control of flowering and growth of *Achillea millefolium* L. ‘Summer Pastels’ *Hort Sci.* 31(3):364-365.
- Zhao. K., F.H. Jiang Xingyu and S. Zhou. 2002. Critical day-length and photoinductive cycles for the induction of flowering in halophyte *Suaeda salsa*. *Plant Scie.* 162(1): 27-31.