

เอกสารอ้างอิง

- ทิพย์วดี อรรถธรรม. 2535. โรควิทยาของแมลง. ภาควิชากีฏวิทยา คณะเกษตร มหาวิทยาลัยเกษตร-
ศาสตร์, กรุงเทพฯ. 205 หน้า.
- นริศ ท้าวจันทร์ และอนุชิต ชินาจริยวงศ์. 2551. ประสิทธิภาพการควบคุมของเชื้อรา *Metarhizium*
anisopliae ในแมลงวันผลไม้ (Diptera: Tephritidae). ว. วิทย. กษ. 39: 21-25.
- มาลี ตั้งระเบียบ. 2551. เชื้อร่ากำจัดแมลง. สถาบันและฝึกรวมการเกษตรลำปาง มหาวิทยาลัย
เทคโนโลยีราชมงคลล้านนา, ศิลปการพิมพ์, ลำปาง. 25 หน้า.
- มาลี ตั้งระเบียบ และกรกฎ งานวงศ์พานิชย์. 2552. ผลของเชื้อรา *Metarhizium anisopliae* ต่อเห็บ
โค (*Boophilus microplus*). เชียงใหม่สัตวแพทยสาร 7: 7-17.
- สืบศักดิ์ สนธิรัตน์. 2539. ความสัมพันธ์ระหว่างประสิทธิภาพในการเข้าทำลายไข่ไส้เดือนฝอยและ
กิจกรรมเอนไซม์ของเชื้อรา *Paecilomyces lilacinus*. ว. เกษตรศาสตร์ (วิทย.) 30: 175-184.
- สุภัสสา ประคองสุข. 2550. ความสามารถในการก่อโรคของ *Metarhizium anisopliae* ไอโซเลต
ต่าง ๆ กับหนอนกระทู้ผัก *Spodoptera litura* (F.). วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต.
บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 61 หน้า.
- Abbott, W. A. 1925. A method of computing the effectiveness of an insecticide. J. Econ.
Entomol. 18: 265-267.
- Abd-Aziz, S., C. C. Fernandez, M. M. Salleh, R. M. Illias, and M. A. Hassan. 2008. Effect of
agitation and aeration rates on chitinase production using *Trichoderma virens* UKM1 in
2-1 stirred tank reactor. Appl. Biochem. Biotechnol. 150: 193-204.
- Ahmad, M., and A. R. Mc Caffery. 1988. Resistance to insecticides in a Thailand strain of
Heliothis armigera (Hübner) (Lepidoptera: Noctuidae). J. Econ. Entomol. 81: 45-48.
- Ahmad, S. K., A. Ali, and P. Q. Rizvi. 2008. Influence of varying temperature on the
development and fertility of *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) on
cabbage. Asian J. Agric. Res. 2: 25-31.
- Al mazráawi, M. S. 2007. Impact of the entomopathogenic fungus *Beauveria bassiana* on the
honey bees, *Apis mellifera* (Hymenoptera: Apidae). World J. Agric. Sci. 3: 7-11.

- Anand, R., B. Prasad, and B. N. Tiwary. 2009. Relative susceptibility of *Spodoptera litura* pupae to selected entomopathogenic fungi. *BioControl* 54: 85-92.
- Andersen, O. A., M. J. Dixon, I. M. Eggleston, and D. M. F. van Aalten. 2005. Natural product family 18 chitinase inhibitors. *Nat. Prod. Rep.* 22: 569-579.
- Bai, N. S., T. O. Sasidharan, O. K. Remadevi, P. V. Rajan, and M. Balachander. 2010. Virulence of *Metarhizium* isolates against the polyphagous defoliator pest, *Spilarctia oblique* (Lepidoptera: Arctiidae). *J. Trop. Forest. Sci.* 22: 74-80.
- Batko, A. 1974. Phylogenesis and taxonomic structure of the entomophthoraceae. pp. 1-57. *In: C. Nowinski (ed.). Ewolucja biologiczna: Szkice teoretyczne i metodologiczne.* Polska Akademia Nauk, Instytut Filozofii i Socjologii, Warsaw: Ossolineum.
- Bidochka, M. J., N. H. Low, and G. G. Khachatourians. 1990. Carbohydrate storage in the entomopathogenic fungus *Beauveria bassiana*. *Appl. Environ. Microb.* 56: 3186-3190.
- Bogo, M. R., C. A. Rota, H. Pinto Jr., M. Ocampos, C. T. Correa, M. H. Vainstein, and A. Schrank. 1998. A chitinase encoding gene (*chit 1* Gene) from the entomopathogen *Metarhizium anisopliae*: isolation and characterization of genomic and full-length cDNA. *Curr. Microbiol.* 37: 221-225.
- Boldo, J. T., A. Junges, K. B. Amaral, C. C. Staats, M. H. Vainstein, and A. Schrank. 2009. Endochitinase CHI2 of the biocontrol fungus *Metarhizium anisopliae* affects its virulence toward the cotton stainer bug *Dysdercus peruvianus*. *Curr. Genet.* 55: 551-560.
- Boucias, D. G., and J. C. Pendland. 1998. *Principles of Insect Pathology.* Kluwer Academic Publishers, Norwell, Massachusetts. 537 pp.
- Branco, M. C., and A. G. Gatehouse. 1997. Insecticide resistance in *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) in the federal district, Brazil. *An. Soc. Entomol. Brasil* 26: 75-59.
- Cai, H., S. Li, K. Ryall, M. You, and S. Lin. 2011. Effects of intercropping of garlic or lettuce with Chinese cabbage on the development of larvae and pupae of diamondback moth (*Plutella xylostella*). *Afr. J. Agric. Res.* 6: 3609-3615.
- Capinera, J. L. 2000. Diamondback moth, *Plutella xylostella* (Linnaeus) (Insecta: Lepidoptera: Plutellidae). EENY-119. IFAS Extension, University of Florida, Gainesville, Florida. 5 pp.

- Castellanos-Moguel, J., M. González-Barajas, T. Mier, M. R. Reyes-Montes, E. Aranda, and C. Toriello. 2007. Virulence testing and extracellular subtilisin-like (Pr1) and trypsin-like (Pr2) activity during propagule production of *Paecilomyces fumosoroseus* isolates from whiteflies (Homoptera: Aleyrodidae). *Rev. Iberoam. Micol.* 24: 62-68.
- Chapman, R. F. 1998. *The Insects: Structure and Function*. 4th ed. Cambridge University Press, Cambridge. 788 pp.
- Cole, S. C. J., A. K. Charnley, and R. M. Cooper. 1993. Purification and partial characterization of a novel trypsin-like cysteine proteinase from *Metarhizium anisopliae*. *FEMS Microbiol. Lett.* 113: 189-196.
- Cossentine, J. E., G. J. R. Judd, J. D. Bissett, and L. A. Lacey. 2010. Susceptibility of apple clearwing moth larvae, *Synanthedon myopaeformis* (Lepidoptera: Sesiidae) to *Beauveria bassiana* and *Metarhizium brunneum*. *Biocontrol Sci. Techn.* 20: 703-707.
- Cottrell, T. E., and D. I. Shapiro-Ilan. 2003. Susceptibility of native and an exotic lady beetle (Coleoptera: Coccinellidae) to *Beauveria bassiana*. *J. Invertebr. Pathol.* 84: 137-144.
- Dhar, P., and G. Kaur. 2009. Effects of carbon and nitrogen sources on the induction and repression of chitinase enzyme from *Metarhizium anisopliae* isolates. *Ann. Microbiol.* 59: 545-551.
- Dhar, P., and G. Kaur. 2010. Production of cuticle-degrading proteases by *Beauveria bassiana* and their induction in different media. *Afr. J. Biochem. Res.* 4: 65-72.
- Dias, B. A., P. M. O. J. Neves, L. Furlaneto-Maia, M. C. Furlaneto. 2008. Cuticle-degrading proteases produced by the entomopathogenic fungus *Beauveria bassiana* in the presence of coffee berry borer cuticle. *Braz. J. Microbiol.* 39: 301-306.
- Draganova, S. A., D. I. Takov, and D. D. Doychev. 2010. Naturally-occurring entomopathogenic fungi on three bark beetle species (Coleoptera: Curculionidae) in Bulgaria. *Pestic. Phytomed. (Belgrade)* 25: 59-63.
- Dromph, K. M., and S. Vestergaard. 2002. Pathogenicity and attractiveness of entomopathogenic hyphomycete fungi to collembolans. *Appl. Soil Ecol.* 21: 197-210.
- Duo-Chuan, L. 2006. Review of fungal chitinases. *Mycopathologia* 161: 345-360.

- Endersby, N. M., and P. M. Ridland. 2001. Insecticide resistance in diamondback moth, *Plutella xylostella* (L.), in southern Australia. In: N. M. Endersby and P. M. Ridland (eds.). The management of diamondback moth and other crucifer pests: proceedings of the Fourth International Workshop, November 10-14, 2001. Melbourne, Victoria, Australia.
- Enkerli, J., V. Ghormade, C. Oulevey, and F. Widmer. 2009. PCR-RFLP analysis of chitinase genes enables efficient genotyping of *Metarhizium anisopliae* var. *anisopliae*. *J. Invertebr. Pathol.* 102: 185-188.
- Fang, W., B. Leng, Y. Xiao, K. Jin, J. Ma, Y. Fan, J. Feng, X. Yang, Y. Zhang, and Y. Pei. 2005. Cloning of *Beauveria bassiana* chitinase gene Bbchit1 and its application to improve fungal strain virulence. *Appl. Environ. Microb.* 71: 363-370.
- Fang, W., J. Feng, Y. Fan, Y. Zhang, M. J. Bidochka, R. J. St. Leger, and Y. Pei. 2009. Expressing a fusion protein with protease and chitinase activities increases the virulence of the insect pathogen *Beauveria bassiana*. *J. Invertebr. Pathol.* 102: 155-159.
- Gasser, R. B., M. Hu, N. B. Chilton, B. E. Campbell, A. J. Jex, D. Otranto, C. Cafarchia, I. Beveridge, and X. Zhu. 2007. Single-strand conformation polymorphism (SSCP) for the analysis of genetic variation. *Nat. Protoc.* 1: 3121-3128.
- Gillespie, J. P., R. Bateman, and A. K. Charnley. 1998. Role of cuticle-degrading proteases in the virulence of *Metarhizium* spp. for the desert locust *Schistocerca gregaria*. *J. Invertebr. Pathol.* 71: 128-137.
- Glare, T. R., and A. J. Inwood. 1998. Morphological and genetic characterization of *Beauveria* spp. from New Zealand. *Mycol. Res.* 102: 250-256.
- Godonou, I., B. James, C. Atcha-Ahowé, S. Vodouhé, C. Kooyman, A. Ahanchédé, and S. Korie. 2009. Potential of *Beauveria bassiana* and *Metarhizium anisopliae* isolates from Benin to control *Plutella xylostella* L. (Lepidoptera: Plutellidae). *Crop Prot.* 28: 220-224.
- Golizadeh, A., K. Kamali, Y. Fathipour, and H. Abbasipour. 2009. Life table of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) on five cultivated Brassicaceous host plants. *J. Agric. Sci. Technol.* 11: 115-124.
- Gullan, P. J., and P. S. Cranston. 2005. *The Insect: An Outline of Entomology*. 3rd ed. Blackwell Publishing, Inc., Malden, Massachusetts. 505 pp.

- Gupta, S. C., T. D. Leathers, G. N. El-Sayed, and C. M. Ignoffo. 1991. Production of degradative enzymes by *Metarhizium anisopliae* during growth on defined media and insect cuticle. *Exp. Mycol.* 15: 310-315.
- Gupta, S. C., T. D. Leathers, G. N. El-Sayed, and C. M. Ignoffo. 1994. Relationships among enzyme activities and virulence parameters in *Beauveria bassiana* infections of *Galleria mellonella* and *Trichoplusia ni*. *J. Invertebr. Pathol.* 64: 13-17.
- Haas-Costa, J., L. F. A. Alves, and A. A. Daros. 2010. Safety of *Beauveria bassiana* (Bals.) Vuill. to *Gallus domesticus* L.. *Braz. Arch. Biol. Technol.* 53: 465-471.
- Hallsworth, J. E., and N. Magan. 1999. Water and temperature relations of growth of the entomogenous fungi *Beauveria bassiana*, *Metarhizium anisopliae*, and *Paecilomyces farinosus*. *J. Invertebr. Pathol.* 74: 261-266.
- Hama, H. 1992. Insecticide resistance characteristics of diamondback moth. pp. 455-463. *In*: N. S. Talekar (ed.). *Diamondback moth and other crucifer pests: proceedings of the Second International Workshop, December 10-14, 1990. Tainan, Taiwan.*
- Hatami, S., H. A. Alikhani, H. Besharati, N. Salehrastin, M. Afrousheh, and Z. Y. Jahromi. 2008. Investigation on aerobic cellulolytic bacteria in some of north forest and farming soils. *American-Eurasian J. Agric. Environ. Sci.* 3: 713-716.
- Hayashi, K. 1991. PCR-SSCP: a simple and sensitive method for detection of mutations in the genomic DNA. *Genome Res.* 1: 34-38.
- Hedimbi, M., G. P. Kaaya, M. Samish, G. Gindin, and I. Glazer. 2011. Pathogenicity of the entomopathogenic fungus, *Metarhizium anisopliae* to the red-legged tick, *Rhipicephalus evertsi evertsi*. *J. Entomol. Nematol.* 3: 68-72.
- Hegedus, D. D., and G. G. Khachatourians. 1995. Identification and differentiation of the entomopathogenic fungus *Beauveria bassiana* using polymerase chain reaction and single-strand conformation polymorphism analysis. *J. Invertebr. Pathol.* 67: 289-299.
- Henrissat, B. 1991. A classification of glycosyl hydrolases based on amino acid sequence similarities. *Biochem. J.* 280: 309-316.
- Henrissat, B. 1999. Classification of chitinases modules. pp. 137-156. *In*: P. Jollè and R. A. A. Muzzarelli (eds.). *Chitin and Chitinase*. Birkhäuser Verlag.

- Hernandez, C. E. M., I. E. P. Guerrero, G. A. G. Hernandez, E. S. Solis, and J. C. T. Guzman. 2010. Catalase overexpression reduces the germination time and increases the pathogenicity of the fungus *Metarhizium anisopliae*. *Appl. Microbiol. Biotechnol.* 87: 1033-1044.
- Howard, M. B., N. A. Ekborg, R. M. Weiner, and S. W. Hutcheson. 2003. Detection and characterization of chitinases and other chitin-modifying enzymes. *J. Ind. Microbiol. Biotechnol.* 30: 627-635.
- Htwe, A. N., K. Takasu, and M. Takagi. 2009. Laboratory rearing of the diamondback moth *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) with artificial diet. *J. Fac. Agr. Kyushu U.* 54: 147-151.
- Inglis, G. D., M. S. Goettel, and D. L. Johnson. 1995. Influence of ultraviolet light protectants on persistence of the entomopathogenic fungus, *Beauveria bassiana*. *Biolog. Control* 5: 581-590.
- IPM DANIDA. 2547. กะหล่ำปลี คู่มือการจัดการศัตรูพืชและระบบนิเวศ. โครงการ IPM DANIDA. กรุงเทพฯ. 266 หน้า.
- Jun, M. 2000. Laboratory susceptibility of *Plutella xylostella* to *Metarhizium anisopliae* and *Nuraea rileyi*. *Entomol. Sin.* 7: 53-57.
- Jungbluth, F. 1996. Crop protection policy in Thailand: economic and political factors influencing. Pesticide policy project, GTZ/University of Hannover, Hannover, Germany.
- Kanga, L. H. B., W. A. Jones, and R. R. James. 2003. Field trials using the fungal pathogen, *Metarhizium anisopliae* (Deuteromycetes: Hyphomycetes) to control the Ectoparasitic Mite, *Varroa destructor* (Acari: Varroidae) in honey bee, *Apis mellifera* (Hymenoptera: Apidae) colonies. *J. Econ. Entomol.* 96: 1091-1099.
- Kassa, A., M. Brownbridge, B. L. Parker, M. Skinner, V. Gouli, S. Gouli, M. Guo, G. Lee, and T. Hata. 2008. Whey for mass production of *Beauveria bassiana* and *Metarhizium anisopliae*. *Mycol. Res.* 112: 583-591.
- Klowden, M. J. 2002. *Physiological Systems in Insects*. Academic Press, San Diego, California. 415 pp.

- Knodel, J. J., and M. Ganehiarachchi. 2008. Diamondback moth in canola: Biology and integrated pest management. E-1346. NDSU Extension Service, North Dakota State University, Fargo, North Dakota. 7 pp.
- Koga, D., M. Mitsutomi, M. Kono, and M. Matsumiya. 1999. Biochemistry of chitinases. pp. 111-123. *In*: P. Jollè and R. A. A. Muzzarelli (eds.). Chitin and Chitinase. Birkhäuser Verlag.
- Kulkarni, S. A., V. Ghormade, G. Kulkarni, M. Kapoor, S. B. Chavan, A. Rajendran, S. K. Patil, Y. Shouche, and M. V. Deshpande. 2008. Comparison of *Metarhizium* isolates for biocontrol of *Helicoverpa armigera* (Lepidoptera: Noctuidae) in chickpea. *Biocontrol Sci. Techn.* 8: 809-828.
- Kuo, H. Y. Su, H. Yang, and T. Chen. 2005. Identification of Chinese medicinal fungus *Cordyceps sinensis* by pcr-single-stranded conformation polymorphism and phylogenetic relationship. *J. Agric. Food Chem.* 53: 3963-3968.
- Legaspi, J. C., T. J. Poprawski, and B. C. Legaspi. 2000. Laboratory and field evaluation of *Beauveria bassiana* against sugarcane stalkborers (Lepidoptera: Pyralidae) in the lower rio grand valley of Texas. *J. Econ. Entomol.* 93: 54-59.
- Lihong, Z., L. Ruijun, L. Xiujun, Z. Yongjium, D. Jiangzhen, Y. Xiangdong, and T. Bu. 2009. Screening of highly virulent *Beauveria bassiana* isolates against *Plutella xylostella* in Zhangbei. *Plant Prot.* 35: 121-123.
- Loc, N. T., and V. T. B. Chi. 2007. Biocontrol potential of *Metarhizium anisopliae* and *Beauveria bassiana* against Diamondback Moth, *Plutella xylostella*. *Omonrice* 15: 86-93.
- Lowry, O. H., N. J. Rosenbrough, A. L. Farr, and R. J. Randall. 1951. Protein measurement with the folin phenol reagent. *J. Biol. Chem.* 193: 265-275.
- Maketon, M., P. Orosz-Coghlan, and J. Sinprasert. 2008. Evaluation of *Metarhizium anisopliae* (Deuteromycota; Hyphomycetes) for control of broad mite *Polyphagotarsonemus latus* (Acari: Tarsonemidae) in mulberry. *Exp. Appl. Acarol.* 46: 157-167.
- Mancebo, A., F. González, S. Lugo, B. González, A. M. Bada, L. Aldana, Y. González, M. E. Arteaga, and D. Fuentes. 2005. Toxicity/pathogenicity evaluation of *Metarhizium anisopliae* LMA-06 by means of oral and intranasal dosing. *Pak. J. Biol. Sci.* 8: 969-973.

- Masuda, T. 2000. Microbial control of the diamondback moth, *Plutella xylostella* by an entomopathogenic fungus, *Beauveria bassiana* II. Effects of temperature on mycoses and conidial invasion time. *Jpn. J. Appl. Entomol. Zool.* 44: 177-182.
- Matsumoto, K. S. 2006. Fungal chitinases. pp. 289-304. *In:* R. G. Guevara-González and I. Torres-Pacheco (eds.). *Advances in Agricultural and Food Biotechnology*. Research Signpost, Kerala, India.
- Merzendorfer, H., and L. Zimoch. 2003. Chitin metabolism in insects: structure, function and regulation of chitin synthases and chitinase. *J. Exp. Biol.* 206: 4396-4412.
- Miller, G. L. 1959. Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Anal. Chem.* 31: 426-428.
- Mohanty, S. S., K. Raghavendra, and A. P. Dash. 2008. Induction of chymoelastase (Pr1) of *Metarhizium anisopliae* and its role in causing mortality to mosquito larvae. *World J. Microbiol. Biotechnol.* 24: 2283-2288.
- Moulton, J. K., D. A. Pepper, R. K. Jansson, and T. J. Dennehy. 2002. Pro-active management of beet armyworm (Lepidoptera: Noctuidae) resistance to tebufenozide and methoxyfenozide: baseline monitoring, risk assessment and isolation of resistance. *J. Econ. Entomol.* 95: 414-424.
- Nation, J. L. 2008. *Insect physiology and biochemistry*. 2nd ed. CRC Press, Taylor and Francis Group, Boca Raton, Florida. 544 pp.
- NC-IUBMB. 2011. EC 3. Hydrolase nomenclature. (Online). Available: <http://www.chem.qmul.ac.uk/iubmb/enzyme/EC3/> (September 17, 2011).
- Nirmal, N. P., S. Shankar, and R. S. Laxman. 2011. Fungal proteases: an overview. *Int. J. Biotech. Biosci.* 1: 1-40.
- Nishiguchi, M. K., P. Doukakis, M. Egan, D. Kizirian, A. Phillips, L. Prendini, H. C. Rosenbaum, E. Torres, Y. Wyner, R. DeSalle, and G. Giribet. 2002. DNA isolation procedures. pp. 250-281. *In:* R. DeSalle, G. Giribet and W. Wheeler (eds.). *Methods and Tools in Biosciences and Medicine Techniques in molecular systematic and evolution*. Birkhäuser Verlag.
- Nopparat, C., M. Jatupornpiat, and A. Rittiboon. 2007. Isolation of phosphate solubilizing fungi in soil from Kanchanaburi, Thailand. *KMITL Sci. Tech. J.* 7: 137-146.


- Onofre, S. B., C. M. Miniuk, N. M. de Barros, and J. L. Azevedo. 2001. Growth and sporulation of *Metarhizium flavoviride* var. *flavoviride* on culture media and lighting regimes. *Sci. agric.* 58: 613-616. *World J. Chem.* 4: 34-38.
- Parker, B. L., M. Skinner, S. D. Costa, S. Gouli, W. Reid, and M. E. Bouhssini. 2003. Entomopathogenic fungi of *Eurygaster integriceps* Puton (Hemiptera: Scutelleridae): collection and characterization for development. *Biolog. Control* 27: 260-272.
- Peveling, R., S. Attignon, J. Langewald, and Z. Ouambama. 1999. An assessment of the impact of biological and chemical grasshopper control agents on ground-dwelling arthropods in Niger, based on presence/absence sampling. *Crop Prot.* 18: 323-339.
- Purwanto, L. A., D. Ibrahim, and H. Sudrajat. 2009. Effect of agitation speed on morphological changes in *Aspergillus niger* hyphae during producing of tannase.
- Rehner, S. A. 2005. Phylogenetics of the the insect pathogenic genus *Beauveria*. pp. 3-27. *In:* F. E. Vega and M. Blackwell (eds.). *Insect-Fungal Associations Ecology and Evolution*. Oxford University Press, Oxford, New York.
- Remadevi, O. K., T. O. Sasidharan, M. Balachander, and N. S. Bai. 2010. *Metarhizium* based mycoinsecticides for forest pest management. *J. Biopest.* 3: 470-473.
- Roberts, D. W., S. Gupta, and R. J. St. Leger. 1992. Metabolite production by entomopathogenic fungi. *Pesq. agropec. bras.* 27: 325-347.
- Robertus, J. D., and A. F. Monzingo. 1999. The structure and action of chitinase. pp. 125-136. *In:* P. Jollè and R. A. A. Muzzarelli (eds.). *Chitin and Chitinase*. Birkhäuser Verlag.
- Romoser, W. S. 1981. *The Science of Entomology*. 2nd ed. Macmillan Publishing, Inc., New York. 575 pp.
- Rovensky, J., J. Payer, R. B. Clague, M. Herold, M. Bayer, H. Tauchmannová, M. Ferencik, and Z. Killinger. 2009. *Dictionary of Rheumatology*. Springer-Verlag/Wien, New York. 230 pp.
- Rowell, B., N. Bunsong, K. Sathaporn, S. Phithamma, and C. Doungsa-Ard. 2005. Hymenopteran parasitoids of diamondback moth (Lepidoptera: Ypeunomutidae) in northern Thailand. *J. Econ. Entomol.* 98: 449-456.

- Rushtapakornchai, W., and A. Vattanatangum. 1986. Present status of insecticidal control of diamondback moth in Thailand. pp. 307-312. *In*: N. S. Talekar and T. D. Griggs (eds.). Diamondback moth management: proceedings of the First International Workshop, March 11-15, 1986. Tainan, Taiwan.
- Saguez, J., C. Vincent, and P. Giordanengo. 2008. Chitinase inhibitors and chitin mimetics for crop protection. *Pest Tech.* 2: 81-86.
- Sassá, D. C., G. Varéa-Pereira, P. M. O. J. Neves, and J. E. Garcia. 2009. Genetic variation in a chitinase gene of *Beauveria bassiana*: lack of association between enzyme activity and virulence against *Hypothenemus hampei*. *J. Entomol.* 6: 35-41.
- Scholte, E., B. G. J. Knols, and W. Takken. 2005. Infection of the malaria mosquito *Anopheles gambiae* with the entomopathogenic fungus *Metarhizium anisopliae* reduces blood feeding and fecundity. *J. Invertebr. Pathol.* 91: 43-49.
- Screen, S. E., and St. Leger, R. J. 1999. Cloning, expression and analysis of an extracellular chitinase from the entomopathogenic fungus *Metarhizium flavoviride*. Unpublished.
- Shah, F. A., C. S. Wang, T. M. Butt. 2005. Nutrition influences growth and virulence of the insect-pathogenic fungus *Metarhizium anisopliae*. *FEMS Microbiol. Lett.* 251: 259-266.
- Silva, V. C. A., R. Barros, E. J. Marques, and J. B. Torres. 2003. Susceptibility of *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) to the fungi *Beauveria bassiana* (Bals.) Vuill. and *Metarhizium anisopliae* (Metsch.). *Sorok. Neotrop. Entomol.* 32: 653-658.
- Sridevi, M., and K. V. Mallaiah. 2008. Factors effecting chitinase activity of *Rhizobium* sp. From *Sesbania sesban*. *Biologia* 63: 307-312.
- St. Leger, R. J., A. K. Charnley, and R. M. Cooper. 1986a. Cuticle-degrading enzymes of entomopathogenic fungi: synthesis in culture on cuticle. *J. Invertebr. Pathol.* 48: 85-95.
- St. Leger, R. J., R. M. Cooper, and A. K. Charnley. 1986b. Cuticle-degrading enzymes of entomopathogenic fungi: cuticle degradation *in vitro* by enzymes from entomopathogens. *J. Invertebr. Pathol.* 47: 167-177.
- St. Leger, R. J., A. K. Charnley, and R. M. Cooper. 1987a. Characterization of cuticle-degrading proteases produced by the entomopathogen *Metarhizium anisopliae*. *Arch. Biochem. Biophys.* 253: 221-232.

- St. Leger, R. J., R. M. Cooper, and A. K. Charnley. 1987b. Production of cuticle-degrading enzymes by the entomopathogen *Metarhizium anisopliae* during infection of cuticles from *Calliphora vomitoria* and *Manduca sexta*. *J. Gen. Microbiol.* 133: 1371-1382.
- St. Leger, R. J. 1995. The role of cuticle-degrading proteases in fungal pathogenesis of insects. *Can. J. Bot.* 73: 1119-1125.
- St. Leger, R. J., L. Joshi, M. J. Bidochka, N. W. Rizzo, and D. W. Roberts. 1996. Characterization and ultrastructural localization of chitinases from *Metarhizium anisopliae*, *M. flavoviride* and *Beauveria bassiana* during fungal invasion of Host (*Manduca sexta*) cuticle. *Appl. Environ. Microb.* 62: 907-912.
- Suckling, D. M., A. R. Gibb, J. M. Daly, D. J. Rogers, and G. P. Walker. 2002. Improving the pheromone lure for diamondback moth. *N. Z. Plant Prot.* 55: 182-187.
- Sun, J., J. R. Fuxa, and G. Henderson. 2002. Sporulation of *Metarhizium anisopliae* and *Beauveria bassiana* on *Coptotermes formosanus* and *in vitro*. *J. Invertebr. Pathol.* 81: 78-85.
- Sundararajan, S., C. N. Kannan, and S. Chittibabu. 2010. Alkaline protease from *Bacillus cereus* VITSN04: Potential application as a dehairing agent. *J. Biosci. Bioeng.* 111: 128-133.
- Syed, A. R. 1992. Insecticide resistance in Malaysia. pp. 437-442. *In*: N. S. Talekar (ed.). *Diamondback moth and other crucifer pests: proceedings of the Second International Workshop, December 10-14, 1990. Tainan, Taiwan.*
- Tabashnik, B. E., N. Finson, J. M. Schwartz, M. A. Caprio, and M. W. Johnson. 1992. Diamondback moth resistance to *Bacillus thuringiensis* in Hawaii. pp. 175-183. *In*: N. S. Talekar (ed.). *Diamondback moth and other crucifer pests: proceedings of the Second International Workshop, December 10-14, 1990. Tainan, Taiwan.*
- Talaei-Hassanloui, R., A. Kharazi-Pakdel, M. Goettel, and J. Mozaffari. 2006. Variation in virulence of *Beauveria bassiana* isolates and its relatedness to some morphological characteristics. *Biocontrol Sci. Techn.* 16: 525-534.
- Talekar, N. S., and A. M. Shelton. 1993. Biology, ecology, and management of the diamondback moth. *Annu. Rev. Entomol.* 38: 275-301.
- Tanada, Y., and H. K. Kaya. 1993. *Insect Pathology*. Academic Press, Inc., San Diego, California. 666 pp.

- Thungrabeab, M., and S. Tongma. 2007. Effect of entomopathogenic fungi, *Beauveria bassiana* (Balsam) and *Metarhizium anisopliae* (Metshc) on non target insects. KMITL Sci. Tech. J. 7: 8-12.
- Triplehorn, C. A., and N. F. Johnson. 2005. Borror and DeLong's Introduction to the Study of Insects. 7th ed. Thomson Brooks/Cole, Belmont, California. 864 pp.
- Trizelia, and F. Nurdin. 2010. Virulence of entomopathogenic fungus *Beauveria bassiana* isolates to *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae). Agrivita 32: 254-261.
- Vorechovsky, I. 2005. Single-strand conformation polymorphism (SSCP) analysis. pp. 73-77. In: J. M. Walker and R. Rapley (eds.). Medical Biometrics Handbook. Humana Press, Inc., Totowa, New Jersey.
- Wakisaka, S., R. Tsukuda, and F. Nakasuji. 1990. Effects of natural enemies, rainfall, temperature and host plants on survival and reproduction of the diamondback moth. pp. 15-26. In: N. S. Talekar (ed.). Diamondback moth and other crucifer pests: proceedings of the Second International Workshop, December 10-14, 1990. Tainan, Taiwan.
- Wang, C., and J. E. Powell. 2002. Isolation and evaluation of *Beauveria bassiana* for control of *Coptotermes formosanus* and *Reticulitermes flavipes* (Isoptera: Rhinotermitidae). Sociobiology 41: 1-13.
- Welling, M., G. Nachtigaall, and G. Zimmermann. 1994. *Metarhizium* spp. isolates from Madagascar: morphology and effect of high temperature on locust, *Locusta migratoria*. Entomophaga 39: 351-361.
- Wiwat, C., S. Thaithanun, S. Pantuwatana, and A. Bhumiratana. 2000. Toxicity of chitinase-producing *Bacillus thuringiensis* ssp. *kurstaki* HD-1 (G) toward *Plutella xylostella*. J. Invertebr. Pathol. 76: 270-277.
- Wu, J. H., S. Ali, and S. X. Ren. 2010. Evaluation of chitinase from *Metarhizium anisopliae* as biopesticide against *Plutella xylostella*. Pakistan J. Zool. 42: 521-528.
- Yike, I. 2011. Fungal proteases and their pathophysiological effects. Mycopathologia 171: 299-323.
- Yoon, C. S., G. H. Sung, H. S. Park, S. G. Lee, and J. O. Lee. 1999. Potential of the entomopathogenic fungus, *Beauveria bassiana* strain CS-1 as a biological control agent of *Plutella xylostella* (Lep., Yponomeutidae). J. Appl. Ent. 123: 423-425.

- Zhang, Y., M. Feng, Y. Fan, Z. Luo, X. Yang, D. Wu, and Y. Pei. 2008. A cuticle-degrading protease (CDEP-1) of *Beauveria bassiana* enhances virulence. *Biocontrol Sci. Techn.* 18: 551-563.
- Zimmermann, G., B. Zelazny, R. Kleespies, and M. Welling. 1994. Biological control of African locusts by entomopathogenic microorganisms. pp. 127-138. *In*: S. Krall and H. Wilps (eds.). *New Trends in Locust Control*. GTZ, Eschborn, TZ-Verlagsgesellschaft Rossdorf.
- Zimmermann, G. 2007a. Review on safety of the entomopathogenic fungi *Beauveria bassiana* and *Beauveria brongniartii*. *Biocontrol Sci. Techn.* 17: 553-596.
- Zimmermann, G. 2007b. Review on safety of the entomopathogenic fungus *Metarhizium anisopliae*. *Biocontrol Sci. Techn.* 17: 879-920.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved