

## TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ENGLISH ABSTRACT	iv
THAI ABSTRACT	vii
TABLE OF CONTENTS	ix
LIST OF TABLES	xii
LIST OF FIGURES	xiv
CHAPTER I INTRODUCTION	1
CHAPTER II LITERATURE REVIEW	4
2.1 Quarantine of export fresh vegetables	4
2.2 Characteristic and pathogenesis of <i>E. coli</i>	5
2.2.1 Biological and biochemistry	5
2.2.2 Pathogenesis of <i>E. coli</i>	7
2.2.3 Epidemiology of gastrointestinal infection	9
2.3 Characteristic and pathogenesis of <i>Salmonella</i> spp.	12
2.3.1 Biological and biochemistry	12
2.3.2 <i>Salmonella</i> nomenclature	13
2.3.3 Antigenic structure	14
2.3.4 Pathogenesis of <i>Salmonella</i> infections in humans	15
2.4 Source of <i>E. coli</i> and <i>Salmonella</i> spp.	18
2.5 Methods for detection of <i>E. coli</i> and <i>Salmonella</i> spp.	19
2.5.1 Conventional methods for detection of <i>E. coli</i> and <i>E. coli</i> O157	19
2.5.2 Conventional methods for detection of <i>Salmonella</i> species	23
2.5.3 Rapid methods for detection of <i>E. coli</i> and <i>E. coli</i> O157	27
2.5.4 Rapid methods for detection of <i>Salmonella</i> spp	38
2.6 Sources of pathogenic organisms in agricultural products	50
2.6.1 Enteropathogenic <i>E. coli</i>	52

**TABLE OF CONTENTS (CONTINUED)**


	Page
2.6.2 <i>Salmonella</i> spp.	53
2.7 Composting of animal manures	55
2.7.1 Composting process	55
2.7.2 Compost microorganism	59
2.7.3 Types of composting systems	60
2.7.4 Factors affecting composting	62
2.7.5 Maintaining a compost pile	63
2.7.6 Intrinsic and extrinsic properties of the composting process to control foodborne pathogens	64
<b>CHAPTER III MATERIALS AND METHODS</b>	<b>68</b>
3.1 Comparison of <i>E. coli</i> and <i>Salmonella</i> spp. detection methods	68
3.1.1 Enumeration of pure culture	68
3.1.2 Enumeration of <i>E. coli</i> contaminated in agricultural samples	73
3.1.3 Sensitivity and specificity	82
3.1.4 Statistical analysis	82
3.2 Effect of composting animal manure on dynamic population of <i>E. coli</i> and <i>Salmonella</i> spp.	82
3.2.1 Experimental setup	82
3.2.2 Materials handling	82
3.2.3 Isolation and enumeration of <i>E. coli</i> and <i>Salmonella</i> spp.	83
3.2.4 Change in quality of materials	83
3.2.5 Statistical analysis	83
3.3 Reduction of contaminated <i>E. coli</i> and <i>Salmonella</i> spp. by application of composted cow manure in export vegetables	84
3.3.1 Experimental setup	84
3.3.2 Plants bed preparation	84
3.3.3 Vegetable production	84
3.3.4 Sample collection	86

## TABLE OF CONTENTS (CONTINUED)

	Page
3.3.5 Bacterial analyses	87
3.3.6 Measuring fresh and dry weight of vegetables	87
3.3.7 Statistical analysis	87
CHAPTER IV RESULTS AND DISCUSSIONS	88
4.1 Comparison of <i>E. coli</i> and <i>Salmonella</i> spp. detection methods	88
4.1.1 Enumeration of pure culture	88
4.1.2 Enumeration of <i>E. coli</i> contaminated in agricultural samples	89
4.1.3 Percentage of the sensitive and specific method of 3M Petrifilm and RT-PCR compared to BAM method	96
4.1.4 Comparison of procedure steps, time consuming, and budget application among conventional, 3M Petrifilm, and RT-PCR techniques	98
4.2 Quantification of the contamination of <i>E. coli</i> and <i>Salmonella</i> spp. in animal manure compost and effect on dynamic population of both species	101
4.2.1 Dynamic population of <i>E. coli</i> and <i>Salmonella</i> spp. in compost and non compost poultry layer and cow manures	101
4.2.2 Factors affecting correlation efficient on dynamic population of <i>E. coli</i> and <i>Salmonella</i> spp. in composted and non composted poultry layer and cow feces	103
4.3 Reduction of <i>E. coli</i> and <i>Salmonella</i> spp. in export vegetables with application of cow manure compost	111
4.3.1 Contamination of <i>E. coli</i> in soil and vegetables under manures application	111
4.3.2 Interaction between types of vegetables and manures application on contamination of <i>E. coli</i>	111
4.3.3 Contamination of <i>Salmonella</i> spp. in soil samples and on vegetables	113
4.3.4 Effect of manures on fresh and dry weight of vegetables	116

**TABLE OF CONTENTS (CONTINUED)**

	Page
CHAPTER V CONCLUSION	119
REFERENCES	121
CURRICULUM VITAE	139




ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved

## LIST OF TABLES

Table	Page
1 Enteric <i>E. coli</i> (EC) are classified on the basis of serological characteristics and virulence properties	11
2 Comparison of Quantitray, MPN and MF techniques	22
3 Isolation and detection of <i>Salmonella</i>	28
4 Prevalence of Enteric pathogens in humans, cattle, pigs and poultry	51
5 Agricultural samples collected at various locations	74
6 Comparison of <i>E. coli</i> ATCC 25922 and <i>S. typhimurium</i> ATCC 1311 population in Plate count, BAM, 3M Petrifilm, and RT-PCR cultivation techniques	88
7 Monitoring of <i>E. coli</i> and <i>Salmonella</i> spp. detected by BAM, 3M-Petrifilm and RT-PCR methods in agricultural samples	91
8 Significant correlation of <i>E. coli</i> population counted by conventional, 3M Petrifilm, and RT-PCR techniques in 100 agricultural tested samples	94
9 Sensitivities and specificities of various test methods for detection of <i>E. coli</i> and <i>Salmonella</i> spp. in 100 samples using BAM method as a reference	98
10 Working steps and time consuming of <i>E. coli</i> and <i>Salmonella</i> spp. detected by BAM and RT-PCR methods in one sample with triplicate	100
11 Dynamic population of <i>E. coli</i> and <i>Salmonella</i> spp. in each periodical sampling of composted and non-composted poultry layer and cow feces	103
12 Correlation (Pearson) of <i>E. coli</i> in poultry layer and cow manure both in composting and non-composting on various factors at 1 to 140 days	110
13 Effect of manures application on contamination of <i>E. coli</i> in soil and vegetables	111
14 Interaction between types of vegetables and manures application on contamination of <i>E. coli</i>	112

**LIST OF TABLES (CONTINUED)**

<b>Table</b>	<b>Page</b>
15 Contamination of <i>Salmonella</i> spp. contaminated in soil and plants applied with composted cow manure and non-composted cow manure	114
16 Application of manures on fresh and dry weight of vegetables	117
17 Approximate nutrient composition of various types of animal manure and compost (all values are on a fresh weight basis)	118



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright© by Chiang Mai University  
 All rights reserved

## LIST OF FIGURES

Figure	Page
1 <i>E. coli</i> bacteria, the most prevalent Gram-negative flora in the intestine	6
2 <i>Salmonella typhi</i> , the agent of typhoid. Gram stain	13
3 Changing of C:N ratio of composted and non-composted materials, the error bars represent the standard error	105
4 Changing of EC of composted and non-composted materials, the error bars represent the standard error	106
5 Changing of OM of composted and non-composted materials, the error bars represent the standard error	107
6 Changing of temperature of composted and non-composted materials, the error bars represent the standard error	108
7 Changing of pH of composted and non-composted materials the error bars represent the standard error	110