

REFERENCES

- Acquaviva, R., A. Rosso, F. Galvano, G. Galvano, M.L. Bacellona and G. Li Volti. 2003. Cyanidine and cyanidin 3-O- β -D-glucoside as DNA cleavage protectors and antioxidants. *Cell Biology and Toxicology*, 19(4), 243-252.
- Adom, K.K. and R.H. Liu. 2002. Antioxidant activity of grains. *Journal of Agriculture and Food Chemistry*, 50: 6170-6182.
- Andersen, K. and S. Andersen. 1981. Increase in dry matter and degrease in moisture content during ripening of barley. *Acta Agric. Scand.* 31: 70-74.
- Aossine, S. and M.C. El Jai. 2002. Vegetation dynamics modelling: a method for coupling local and space dynamics. *Ecol. Model.* 154, 237-249.
- Berge ten H.F.M., P.K. Aggarwal and M.J. Kropff. (Eds.), 1996. Systems modeling in rice research. Elsevier Publishers. Netherlands.
- Bouman, B.A.M., H. van Keulen., H.H. van Laar and R. Rabbinge. 1996. The 'School of de Wit' crop growth simulation models: pedigree and historical overview. *Agricultural Systems* 52, 171-198.
- Bouman, B.A.M., M.J. Kropff, T.P. Tuong, M.C.S. Wopereis, H.F.M. ten Berge and H.H. van Laar. 2001. ORYZA2000. Modeling Lowland Rice. Manila: International Rice Research Institute.
- Chae, J.C., D.J. Lee., D.K. Jun., S.N. Ryu and J.C. Shin. 2004. Changes of Anthocyanin pigment Cyanidine-3-glucoside, Oryzanol Content and Antioxidant activity as affected by Ripening Temperature in Rice Varieties. Proceeding's of the 4th International Crop Science Congress Brisbane, Australia, 26 Sep-1 Oct 2004.
- Chen, P.N., W.H. Kuo, C.L. Chiang, H.L. Chiou, Y.S. Hsieh and S.C. Chu. 2006. Black rice anthocyanins inhibit cancer cells invasion via repressions of MMPs and u-PA expression. *Chemico-Biological Interactions* 163: 218-229.

- Choi, S.W., S.H. Nam and H.C. Choi. 1996. Antioxidative activity of ethanolic extracts of rice brans. *Food and Biotechnology*, 5(4): 305-309.
- Chung, I.M., K.H. Kim, J.K. Ahn and J.C. Chae. 2003. Development of rice production technique with high antioxidative activity and bioactive compounds. pp. 35-80. In: Agricultural R&D Research Report. Korean Ministry of Agriculture and Forestry.
- Clampett, W.S., V.N. Nguyen and D.V. Tran. 2002. The Development and Use of Integrated Crop Management for Rice Production; International Rice Commission, FAO:
- Coelho, D.T. and R.F. Dale. 1980. An energy-crop growth variable and temperature function for predicting corn growth and development: planting to silking. *Agron. J.* 72: 503-510.
- Collinson, S.T., R.H. Ellis, R.J. Summerfield and E.H. Roberts. 1992. Durations of the photoperiod-sensitive and photoperiod insensitive phases of development to flowering in four cultivars of rice *Oryza sativa* L. *Ann. Bot.* 70, 339–346.
- Costanza, R., A. Voinov, R. Boumans, T. Maxwell, F. Villa, H. Voinov and I. Wainger. 2002. Intregrated ecological economic modeling of the Patuxent river watershed, Maryland. *Eco. Monogr.* 72, 203-231.
- Cotelle, N. 2001. Role of flavonoids in oxidative stress. *Current Topics of Medical Chemistry*, 1(6): 569-590.
- Counce, P.A., T.C. Keisling and A.J. Mitchell. 2000. A Uniform, Objective, and Adaptive System for Expressing Rice Development. *Crop Sci.* 40: 436-443.
- Crane, P.L., P.R. Goldsworthy., R.L. Cuany., M.S. Zuber and C.A. Francis. 1977. Climatological factors in maize adaptation. p. 49-56. In Agrometeorology of the maize (corn) crop. Proc. Symp. World Meteorol. Organiz., Ames, Iowa. WMO No. 481.
- Cross, H.Z. and M.S. Zuber. 1972. Prediction of flowering dates in maize based on different methods of estimating thermal units. *Agron. J.* 64: 351-355.

- De data, S.K. 1981. Principle and Practices of Rice Production. A.Wiley-Interscience Publication, New York, USA. 618 p.
- Dingkuhn, M. 1995. Climatic determinants of irrigated rice performance in the Sahel: III. Characterizing environments by simulating crop phenology. Agricultural Systems 48: 435–456.
- Diz , D.A., D.S. Wofford and S.C. Schank. 1994. Correlation and path coefficient analysis of seed-yield components in pearl millet X elephant grass hybrids. Theoretical and Applied Genetics 89: 112-5.
- Ellis, R.H., A. Qi, R.J. Summerfield and E.H. Roberts. 1993. Rates of leaf appearance and panicle development in rice (*Oryza sativa L.*): a comparison at three temperatures. Agricultural and Forest Meteorology 66: 129-138.
- Fairey, N.A. 1983. Yield, quality and development of forage maize as influenced by dates of planting and harvesting. Can. J. Plant Sci. 63: 157-168.
- Francis, F.J. 1989. Food colorant: anthocyanins, Crit. Rev. Food Sci. Nutr. 28, 273-314.
- Gao, L.Z., Z.Q. Jin, Y. Huang and L.Z. Zhang. 1992. Rice clock model : a computer model to rice development. Agric. For Meteorol. 6-16.
- Garner, W. W., and H. A. Allard, 1920: Effect of the relative length of day and night and other factors of the environment on growth and reproduction in plants. J. Agric. Res. 18, 553—606.
- Garson, G.D. 2010. Quantitative Research in Public Administration. PA 765 – 766. North Carolina State University. Raleigh, North Carolina. 27695.
- Gilmore, E.C.Jr. and J.S. Rogers. 1958. Heat units as a method of measuring maturity in corn. Agron. J. 50: 611-615.
- Godwin, D.C. and C.A. Jones. 1991. Nitrogen dynamic in soil-plant systems. In: Hanks, R.J., Ritchie, J.T. (Eds.), Modeling Plant and Soil System, 31. American Society of Agronomy, Agronomy monograph 31, pp. 287-321.

- Godwin, D.C. and U. Singh. 1998. Nitrogen balance and crop response to nitrogen in upland and lowland cropping system. In: Tsuji, G.Y., Hoogenboom, G., Thornton, P.K. (Eds.), Understanding Options for Agricultural Production. Kluwer Academic Publishers, Dordrecht, pp. 55-78.
- Goffman, F.D. and C.J. Bergman. 2004. Rice kernel phenolic content and its relationship with antiradical efficiency. Journal of the Science of Food and Agriculture 84: 1235-1240.
- Graf, B., A.P. Gutierrez, O. Rakotobe, P. Zahner and V. Delucchi. 1990. A simulation model for the dynamics of rice growth and development: part I - the carbon balance. Agric. Syst. 32, 341–365.
- Gravois, K.A., S.B. Milligan and F.A. Martin. 1991. Additive genetic effects for sugarcane components and implications for hybridization. Journal of Tropical Agriculture 68: 376-80.
- Hannon, B and Ruth, M. 1994. Dynamic modeling. Springer-Verlag, New York.
- Horie, T., M. Yajima and H. Nakagawa. 1992. Yield forecasting. Agric. Syst. 40: 211-236.
- Hu, C., J. Zawistowski., W. Ling and D.D. Kitts. 2003. Black rice (*Oryza Sativa L.* indica) pigmented fraction suppresses both reactive oxygen species and nitric oxide in chemical and biological model system. Journal of Agriculture and Food Chemistry, 51(18): 5271-5277.
- Hyun, J.W. and H.S. Chang. 2004. Cyanidin and malvidin from *Oryza sativa* cv. Heungjinjubyeo mediate cytotoxicity against human monocytic leukemia cells by arrest of G(2)/M phase and induction of apoptosis. Journal of Agriculture and Food Chemistry, 52: 2213-2217.
- Ibrahim, S.M., A. Ramalingam and M. Subramanian. 1990. Path analysis of rice grain yield under rainfed lowland conditions. The International Rice Research Notes. 15: 11 p.

- Ichikawa, H., T. Ichiyanagi, B. Xu, Y. Toshii, M. Nakajima and T. Konichi. 2001. Antioxidant activity of anthocyanin extract from purple black rice. *J Med Food* 4: 211-218.
- Isee System, Inc. 2006. STELLA Technical Documentation. Isee System, Inc. Hanover.
- Ivanovic, M. and K. Rosic. 1985. Path coefficient analysis for three stalk traits and grain yield in maize (*Zea mays L.*). *Maydica* 30: 233-9.
- Jamieson, P.D., J.R. Porter, J. Goudriaan, J.T. Ritchie, H. van Keulen and W. Stol. 1998. A comparison of the models AFRCWHEAT, CERES-wheat, Sirius, SUCROS 2, and SWHEAT with measurements from wheat grown under drought, *Field Crops Res.* 55 : 23-44.
- Jerzy, Z., H.Chun and D.K. David. 2003. A process for the extraction of anthocyanins from black rice for treatment of cardiovascular diseases. Forbes Medi-Tech Inc., Canada.
- Jones, J.W. and J.T. Ritchie. 1990. Crop Growth models. In: Hoffman, G.J. Howell, T.A., Solomon K.H. (Eds.), *Management of Farm Irrigation Systems. An ASAE Monograph.* ASAE, St.Joseph, 63-89.
- Jones, J.W., G. Hoogenboom, C.H. Porter, K.J. Boote, W.D. Batchelor, L.A. Hunt, P.W. Wilkens, U. Singh, A.J. Gijsman, and J.T. Ritchie. 2003. The DSSAT cropping system model. *European Journal of Agronomy* 18: 235-265.
- Jung, K.H., J. Hur, C.H. Ryu, Y. Choi, Y.Y. Chung and A. Miyao. 2003. Characterization of a rice chlorophyll-deficient mutant using the T-DNA gene-trap system. *Plant Cell Physiol.*, 44: 463-472.
- Kahkonen, M.P. and M. Heinonen. 2003. Antioxidant activity of anthocyanins and their aglycons, *J. Agri Food Chem.* 51, 628-633.
- Kiniry, J.R. and M.E. Keener. 1982. An enzyme kinetic equation to estimate maize development rates. *Agron. J.* 74: 115-119.
- Kobayashi, K., 1994. A very simple model of crop growth: derivation and application. JICA short-term expert report to ADRC in northeast Thailand. ADRC, Khon Kaen, Thailand.

- Kropff, M.J., H.H. van Laar and H.F.M. Ten Berge. 1993. ORYZA1, a Basic Model for Irrigated Lowland Rice Production. International Rice Research Institute, Manila, Philippines.
- Kropff, M.J., Van Laar, H.H., Matthews, R.B., 1994. ORYZA1, an ecophysiological model for irrigated rice production. In: SARP Research Proceedings, AB-DLO, Wageningen, The Netherlands, p. 110.
- Khempet, S. 2011. Comparison of Agronomic Characteristics and Total Phenolic Content of Native Purple Glutinous Rice. In International conference. The Role of Agriculture and Natural Resources on Global Change (ANGC 2011). 7-9 November 2010. Chiang Mai, Thailand.
- Kupparat, S. 2010. Relationship Among Developmental Stages Growth, Yield, Grain Quality and Phenolic Content of Local Purple Glutinous Rice. MSc Thesis (Agronomy), Graduate School, Chiang Mai University. Chiang Mai, Thailand. 141 p. (In Thai)
- Le, M.T. and Y. Yang. 2005. Morphological Characterization and Phytochemical Analysis of Pigmented Rice Cultivars from Diverse Regions. B.R. Wells Rice Research Studies, AASE Research series 540: 77-86.
- Lee, S.C., J.H. Kim., S.M. Jeong., D.R. Kim., J.U. Ha and K.C. Nam. 2003. Effect of far-infrared radiation on the antioxidant activity of rice hulls. Journal of Agriculture and Food Chemistry, 51: 4400-4403.
- Ling, W.H., L.L. Wang and J. Ma. 2002. Supplementation of the Black Rice Outer Layer Fraction to Rabbits Decrease Atherosclerotic Plaque Formation and Increase Antioxidant Status. J Nutr. 131: 1421-1426.
- Ling, W.H., Q.X. Cheng, J. Ma and T. Wang. 2001. Red and black rice decrease atherosclerotic plaque formation and increase antioxidant status in rabbits. J Nutr. 135(5): 1421-1426.
- Matthews, R.B., M.J. Kropff, D. Bachelet and H.H. van Laar. 1995. Modeling the Impact of Climate Change on Rice Production in Asia, International Rice Research Institute, Los Banos, The Philippines.

- Mehetre, S.S., C.R. Mahajan, P.A. Patil, S.K. Lad and P.M. Dhumal. 1994. Variability, heritability, correlation, path analysis and genetic divergence studies in upland rice. *The International Rice Research Notes*. 19: 8-9.
- Milligan, S.B., K.A. Gravios, K.P. Bischoff and F.A. Martin. 1990. Crop effects on genetic relationships among sugarcane traits. *Crop Science* 30: 927-931.
- Nakagawa, H., Horrie, T., 1997. Phenology determination in rice. In: Breeding Strategies for Rainfed Lowland Rice in Drought-Prone Environments. Proceedings of an International Workshop held at Ubon Ratchathani, Thailand, 5-8 November, 1996. ACIAR, Canberra, pp. 81-88.
- Nakagawa, H. and T. Horie. 1995. Modelling and prediction of developmental process in rice. II. A model for simulating panicle development based on daily photoperiod and temperature. *Japanese Journal of Crop Science* 64: 33-42.
- Nakornriab, M., S. Wongpornchai, T. Sriseadka, K. Piticha, A. Vannavichit and T. Osawa. 2007. Antioxidant activities and major anthocyanin components of bran extracts from some black rice cultivars. *Phytochemical Analysis* (In press).
- Nam, S.H., M.Y. Kang. 1997. In vitro inhibitory effects of colored rice bran-extracts carcinogenicity. *J. Korean Agricul. Chem and Biotech.* 40(4), 307-312.
- Nam, S.H., M.Y. Kang. 1998. Comparison of inhibitory effect of rice bran-extracts of the colored rice cultivars on carcinogenesis. *J. Korean Agricul. Chem and Biotech.* 41(1), 78-83.
- Nam S.H., S.P. Choi, M.Y. Kang, H.J. Koh, N. Kozukue and M. Friedman. 2006. Antioxidant activities of bran extracts from twenty one pigmented rice cultivars. *Food Chemistry* 94: 613-620.
- Neild, R.E. and M.W. Seeley. 1977. Growing degree days predictions for corn and sorghum development and some applications to crop production in Nebraska. *Nebr. Agric. Exp. Stn. Res. Bull.* 280. Lincoln, Nebr.
- Oki, T., M. Matsuda., M. Kobayashi., Y. Nishiba., S. Furuta and I. Suda. 2002. Polymeric procyanidins as radical – scavenging components in red-hulled rice. *Journal of Agriculture and Food Chemistry*, 50:7524-7529.

- Osawa, T. 1999. Protective role of dietary polyphenols in oxidative stress. Mechanisms of Ageing and Development 111: 133-139.
- Osawa, T. and M.A. Namiki. 1981. Novel type of antioxidant isolated from leaf wax of Eucalyptus leaves. *Agric Biol Chem* 45: 735-739.
- Ouyang, Y., C.H. Huang, D.Y. Huang, D. Lin and L. Cui. 2007. Simulating uptake and transport of TNT by plants using STELLA, Chemosphere 69: 1245–1252.
- Ouyang, Y. 2007. Modeling the mechanisms for uptake and translocation of dioxane in soil-plant ecosystem. J. Contam. Hydrol., accepted for publication.
- Pandey , J.P. and J.H. Torrie. 1973. Path coefficient analysis of seed yield components in soybeans (*Glycine max* L. Merr.). Crop Science 13: 505-507.
- Parrado, J., E. Miramontes., M. Jover., J.C. Marquez., M. Angeles Mejias and L. Collantes De Terran. 2003. Prevention of brain protein and lipid oxidation elicited by water-soluble oryzanol enzymatic extract derived from rice bran. European Journal of Nutrition. 42: 307-314.
- Parirakwichit, S. 2010. Variation of Rice Grain Development Within Panicle and Its Relationship to Grain Yield, Grain Quality and Phenolic Antioxidant Content of Local Purple Rice. MSc Thesis (Agronomy), Graduate School, Chiang Mai University. Chiang Mai, Thailand. 156 p. (In Thai)
- Penning de Vries, F.W.T. and H.H.van Laar. 1982. Simulation of plant growth and crop production. Simulation Monograph, PUDOC, Wageningen, The Netherlands, 308 pp.
- Peterson, S. and B. Richmond. 1996. STELLA Research Technical Documentation. High Performance Systems. Hanover, NH.
- Ram, T. 1992. Character association and path coefficient analysis in rice hybrids and their parents. Journal of Andaman Science Association 8: 26-29.
- Rauf, S., T.M. Khan, H.A. Sadaqat and A.I. Khan. 2004. Correlation and Path Coefficient Analysis of Yield Components in Cotton (*Gossypium hirsutum* L.). International Journal of Agricultural and Biology 6: 686-688.

- Ritchie , J.T. and D.S. NeSmith. 1991. Temperature and crop development. In: Hanks R.J., Ritchie J.T. (Eds.). Modeling plant and soil systems. Madison, Wisconsin, USA: American Society of Agronomy, 5-29.
- Ritchie, J.T. 1993. Genetics specific data for crop modeling. In: Penning de Vries F.W.T., Teng P.S., Metselaar K. (Eds.), Systems approaches for agricultural development. Dordrecht, Netherlands: Kluwer, 77-93.
- Ritchie, J.T., U. Singh., D. Godwin and W. Bowman. 1998. Cereal growth, development and yield. In: Tsuji, G., Hoogenboom, G., Thornton, P.K. (Eds.), Understanding Options for Agricultural Production. Kluwer Academic Publishers, Dordrecht, pp. 79-98.
- Russelle, M.P., W.W. Wilhelm., R.A. Olson and J.F. Power. 1984. Growth Analysis Based on Degree Days. *Crop Sci.* 24: 28-32.
- Ryu, S.N., S.Z. Park and C.T. Ho. 1998. High performance liquid chromatographic determination of anthocyanin pigments in some variety of black rice. *Journal of Food and Drug Analysis* 6: 729-736.
- Salam, M.U., P.R. Street and J.G.W. Jones. 1994. Potential production of Boro rice in the Haor Region of Bangladesh. Part 1. The simulation model, validation and sensitivity analysis. *Agric. Syst.* 46: 257-258
- Samonte, S.O.P.B., L.T. Wilson and A.M. McClung. 1998. Path analyzes of yield and yield-related traits of fifteen divers rice genotypices. *Crop Science* 38: 1130-1136.
- SARP. 1994. Reasearch Proceedings, ORYZA simulation modules for potential and nitrogen limited rice production. H. Drenth, H.F.M. ten Berge, J.J.M. Riethoven (eds.). DLO- Research Institute for Agrobiology and Soil Fertility, Wageningen, WAU-Department of Theoretical Production Ecology, Wageningen, International Rice Research Institute, Los Banos.

- SARP. 1995. Research Proceedings, Software developments in the SARP project: a guide to applications and tools. H. Drenth, H.F.M. ten Berge, J.J.M. Riethoven (eds.). DLO- Research Institute for Agrobiology and Soil Fertility, Wageningen, WAU- Department of Theoretical Production Ecology, Wageningen, International Rice Research Institute, Los Banos.
- Schaber, J. 1996. FARMSIM: A dynamic model for the simulation of yields, nutrient cycling and resource flows on Philippine small-scale farming systems.
<http://www.pikpotsdam.de/~schaber/Farmsim/contents.html>
- Shaw, R.H. 1975. Growing-degree-units for corn in North Central Region. North Central Regional. Res. Publ. No. 229. Iowa Agric. Exp. Stn. Res. Bull. 581. Ames, Iowa.
- Sheehy, J.E., M.J.A. Dionora and P.L. Mitchell. 2001. Spikelet numbers, sink size and potential yield in rice. Field Crops Research 71: 77-85.
- Singh, U. 1994. Nitrogen management strategies for lowland rice cropping system. In: Proceedings of the International Conference on Fertilizer Usage in the Tropics (FERTROP). Malaysian Society of Soil Science, Kuala Lumpur, Malaysia, pp. 110-130.
- Singh, U., J.T. Ritchie and D.C. Godwin. 1993. A User's Guide to CERES-Rice-V2.10. Int. Fer.Dev.Center,Muscle Shoals, AL. 132p
- Sürek , H. and N. Beser. 2003. Correlation and path coefficient analysis for some yield-related traits in rice (*Oryza sativa L.*) under thrace conditions. Turkish Journal of Agriculture and Forestry 27: 77-83.
- Sürek, H., Z.K. Korkut and O. Bilgin. 1998. Correlation and path analysis for yield and yield components in rice in a 8-parents half diallel set of crosses. *Oryza* 35: 15-18.
- Summerfield, R.J., S.T. Collinson, R.H. Ellis, E.H. Roberts and F.W.T. Penning de Vries. 1992. Photothermal responses of flowering in rice *Oryza sativa*. Annals of Botany 69: 101–112.
- Sun, L., M.W. Zang and J.W. Chi. 2000. The antioxidation activity of black rice and its correlation with flavonoids and pigment. *J Nutr* 22: 246-249.

- Tang. L., Y. Zhu., D. Hannaway., Y. Meng., L.Liu., L. Chen and W. Cao. 2009. RiceGrow: A rice growth and productivity model. Wageningen Journal of Life Sciences. 57: 83-92.
- Thomas, B., and D. Vince-Prue, 1997. Photoperiodism in Plants, pp. 63-84. Academic Press, San Diego.
- Tollenaar, M., T.B. Daynard and R.B. Hunter. 1979. Effect of temperature on rate of leaf appearance and flowering date in maize. Crop Sci. 19: 363-366.
- Toyokuni, S., T. Itani., Y. Morimitsu., K. Okada., M. Ozeki and S. Kondo. 2002. Protective effect of colored rice over white rice on Fenton reaction-based renal lipid peroxidation in rats. Free radical Research. 36(5): 583-592.
- Tscheschke, P.D. and J.R. Gilley. 1979. Status and verification of Nebraska's corn growth model-CORNGRO. Trans. Am. Soc. Agric. Eng. 22: 1329-1337.
- Van Ittersum, M.K., P.A. Leffelaar, H. Van Keulen, M.J. Kropff, L. Bastiaans and J. Goudriaan. 2003. On approaches and applications of the Wageningen crop models. European Journal of Agronomy 18, 201–234.
- Van Sumere, C.F. 1989. Phenols and phenolic acids. In J.B. Harborne (ed.), Methods in Plant Biochemistry. Plant Phenolics. Vol 1. London Academic Press. pp. 29-74
- Vergara, B.S., Chang, T.T. 1985. The flowering response of the rice plant to photoperiod: a review of the literature, 4th ed. International Rice Research Institute, PO Box 933, Manila, Philippines.
- Wang, H., M.G. Nair, G.M. Strasberg, Y.C. Chang, A.M. Booren, I.J. Gray and D.L. Dewitt. 1999. Antioxidant and antiinflammatory activities of anthocyanins and their aglycone, cyanidin, from tart cherries. Journal of Natural Products 62: 294-296.
- Williams, R.L., Durkin, C.O., Stapper, M., 1994. A simple model of rice yield response to N fertilizer and its use as a decision support system. In: Humphreys, E., Murray, E.A., Clampett, W.S., Lewin, L.G. (Eds.), Temperate Rice Conference. Yanco Agricultural Institute, Yanco, New South Wales. Willmott, C.J. 1982. Some Comment on the Evaluation of Model Performance. Am. Met. Sov. Bull. 63: pp 1309-1313.

- Wisiol, K., 1987. Choosing a basis for yield forecasts and estimates. In: Wisiol, K., Hesketh, J.D. (Eds.), Plant Growth Modeling for Resource Management, Vol. 1. CRC press, New York, pp. 75–103
- Wopereis, M.C.S., T. Defoer, P. Idinoba, S. Diack and M.J. Dugue, 2009. Participatory Learning and Action Research (PLAR) for Integrated Rice Management (IRM) in Inland Valleys of Sub-Saharan Africa: Technical Manual. WARDA Training Series. Cotonou, Benin: Africa Rice Center. 128 pp.
- Xia, M., W.H. Ling, J. Ma, D.D. Kitts and J. Zawistowski. 2003. Supplementation of diets with black rice pigment fraction attenuates atherosclerotic plaque formation in apolipoprotein E-deficient mice. *J Nutr.* 133: 744-751.
- Xu, O. 1995. A model for simulating hybrid rice seed production. p. 97-108. In: P.K. Aggarwal, R.B. Matthews., M.J. Kropff., H.H. van Laar (Eds.), Application of systems approach in plant breeding. SARP Research Proceedings, AB-DLO, Wageningen and IRRI, Philippines. pp. 144.
- Yang, H.S. 1986. Studies on the main traits of intervarietal hybrid progenies in indica rice. Fujian-Agricultural Science and Technology 6: 2-4.
- Yang, W., S. Peng, M.L. Dionsio-Sese, R.C. Laza and R.M. Visperas. 2008. Grain filling duration, a crucial determinant of genotypic variation of grain yield in field-grown tropical irrigated rice. *Field Crops Research* 105: 221-227.
- Yawadio, R., T. Shinji and M. Naofumi. 2006. Identification of phenolics compound isolated from pigmented rices and their aldose reductase inhibitory activities. *J Food Chem.*
- Yin, X., Qi, C., 1994. Studies on the rice growth calendar model (RICAM) and its application. *Acta Agron. Sin.* 20, 339–346.
- Yin, X. and M.P. Kropff. 1995. The effect of temperature on leaf appearance in Rice. *Annals of Botany* 77, 215-221.
- Yin, X., Kropff, M.J., Goudriaan, J., 1997. Changes in temperature sensitivity of development from sowing to flowering in rice. *Crop Sci.* 37, 1787-1794.

- Yoshida, S. 1981. Fundamentals of Rice Crop Science. International Rice Research Institute, Los Baños, Philippines. 269 pp.
- Zhang, M.W., B.J. Guo, R.F. Zhang, J.W. Chi, Z.C. Wei, Z.H. Xu, Y. Zhang and X.J. Tang. 2006. Separation, purification and identification of antioxidant compositions in black rice. Agricultural Sciences in China 5: 431-440.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved