

เอกสารอ้างอิง

- จิราพร กุลสาริน และ อภิวัฒน์ ชีรุติกุลรักษ์. 2553. การวิจัยและพัฒนาผลิตภัณฑ์กับดักฟีโรโมนเพื่อควบคุมหนอนไข่พักในการปลูกพืชตระกูลกะหล่ำบนที่สูง. เชียงใหม่. 45 หน้า.
- ไนน ยอดเพชร. 2542. พืชพักในตระกูลครูซิเฟอร์. รั้วเชียง. กรุงเทพฯ. 195 หน้า.
- อัจnaraph เกตุกระทุ่ม, เกศรา จีระจารยา และ ศิริวัฒน์ วงศ์ศิริ. 2528. กับดักสารเเพคของหนอนไข่พัก. วารสารวิชาการเกษตร 3(3): 176-181.
- นุชนารถ จงเลขา. 2546. คู่มือการควบคุมโรคและศัตรูพืชต่างๆ ของพืชพักแบบผสมผสาน. สุนย์อารักษ์พืช มูลนิธิโครงการหลวง. 164หน้า.
- สมบัติ ศรีชูวงศ์, ไสว บูรณพานิชพันธุ์ และ ชวนพิศ บุญชิตรศรีกุล. 2545. การศึกษาพฤติกรรมการใช้สารป้องกันกำจัดศัตรูพืชของเกยตกรกรในเขตภาคเหนือและปริมาณสารพิษตกค้างในสิ่งแวดล้อม:พืชพักตระกูลกะหล่ำ. คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. เชียงใหม่. 46 หน้า.
- Atterholt, C.A., M.J. Delwiche, R.E. Rice and J.M. Krochta. 1999. Controlled release of insect sex pheromones from paraffin wax and emulsions. Journal of Controlled Release 57: 233-247.
- Baker, P.B., A.M. Shelton, J.T. and Andaloro. 1982. Monitoring of diamondback moth (Lepidoptera: Yponomeutidae) in cabbage with pheromones. Journal of Economic Entomology 75(6): 1025–1028.
- Bjostad, L. B., W. A. Wolf and W. L. Roelofs. 1987. Pheromone biosynthesis in Lepidopterans: desaturation and chain shortening. pp. 77-120. In: Prestwich, G. D. and G. J. Blomquist (eds). Pheromone Biochemistry. Academic Press. Orlando, Florida.
- Cheng, Z.Q., J. C. Xiao, X. T. Huang, D. L. Chen, J.Q. Li, Y. S. He, S. R. Huang, Q. C. Luo, C. M. Yang and T. H. Yang. 1981. Sex pheromone components isolated from china corn borer, *Ostrinia furnacalis* Guenée (Lepidoptera: Pyralidae), (*E*)- and (*Z*)-12-tetradecenyl acetates. Journal of Chemical Ecology 7: 841-851.
- Chow, Y. S., Y. M. Lin and C. L. Hsu. 1977. Sex pheromone of diamondback moth (Lepidoptera: Plutellidae). Bulletin of the Institute of Zoology Academia Sinica 16: 99-105.
- Cork, A. 2004. Pheromone manual. Natural Resource Institute. Chatham Maritime. UK. 18-22.

- Deng. J.Y., Y.P. Jiang, Z.G. Wang, J.X. Jiang and J.W. Du. 2007. Field behavioral response of male diamondback moth, *Plutella xylostella* to different components, ratios and dosages of synthetic sex attractant in China. Journal of Zhejiang University (Agriculture & Life Sciences) 33(5): 514-518.
- Ekrem A. and C. Ramazan. 2004. Evaluation of yellow sticky traps at various heights for monitoring cotton insect pests. Journal of Agriculture Urban Entomology 21(1): 15-24.
- Gadi, V., R. Prasad and A. Guerrero. 2001. Optimum timing of insecticide applications against diamondback moth *Plutella xylostella* in cole crops using threshold catches in sex pheromone traps. Pest Management Science 57: 90-94.
- Hendrikse, A. 1988. Hybridization and sex-pheromone responses among members of the *Yponomeuta padellus*-complex. Entomologia Experimentalis et Applicata 48: 213-223.
- Hofmeyr, J. H. and B. V. Burger. 1995. Controlled-release pheromone dispenser for use in traps to monitor flight activity of false codling moth. Journal of Chemical Ecology 21(3): 355-363.
- Koshiba, T. and Yamada, H. 1980. Attractant activity of female sex pheromone of diamondback moth, *Plutella xylostella* (L.) and analogue. Japanese Journal of Applied Entomology and Zoology 24: 6-12.
- Lee, S., D. W. Lee and K. S. Boo. 2005. Sex pheromone composition of the diamondback moth, *Plutella xylostella* (L.) in Korea. Journal of Asia Pacific Entomology 8: 243-248.
- Lin, Y. M. and Y. S. Chow. 1983. Field evaluation and stability studies of the synthetic pheromone of the diamondback moth, *Plutella xylostella*. Institute of Zoology Academia Sinica. Taiwan. 147-155.
- Löfstedt, C. and M. Kozlov. 1997. A phylogenetic analysis of pheromone communication in primitive moths. pp. 473-489. In: Carde' R. T. and A. K. Minks (Eds). Insect Pheromone Research: New Direction. Chapman & Hall. New York.
- Maa, C. J. W. 1987. Ecological approach to male diamondback moth response to sex pheromone. pp 109-123. In: N. S. Talekar and T. D. Griggs (Ed.) Proceedings of the First International Workshop. AVRDC. Shanhua, Taiwan.

- Magallona, E.D. 1981. Crop protection of Chinese cabbage and related species in the Philippines. Chinese cabbage. pp. 173-183. In: N. S. Talekar and T. D. Griggs (Eds.) Chinese cabbage: Proceedings of the First International Symposium. Asian Vegetable Research and Development Center. ROC. Shanhua, Taiwan.
- Mahrt, G.G., R.L. Stoltz, C.C. Blickenstaff and T.O. Holtz. 1987. Comparisons between backlight and pheromone traps for monitoring the western bean cutworm (Lepidoptera: Noctuidae) in south central Idaho. Journal of Economic Entomology 80: 242-247.
- Maria Strandh. 2005. Evaluation of Sex Pheromone Production in Moths. Introductory Paper No.171. Department of Ecology, Chemical Ecology. Lund University. 22 pp.
- Mayer, M. S. and E. R. Mitchell. 2001. Differences between attractive diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Plutellidae), sex pheromone lures are not determinable through analysis of emissions. Agricultural and Forest Entomology 1(3): 229-236.
- Michereff, M.F.F., E.F. Vilela, F. Michereff and A. Mafra-Neto. 2000. Synthetic sex pheromone use for field trapping of diamondback moth males. Pesquisa Agropecuaria Brasileira 35(10): 1919-1926.
- Miller, J. R. and W. L. Roelofs. 1978. Sustained-flight tunnel for measuring insect responses to wind-borne sex pheromones. Journal of Chemical Ecology 4: 187-198.
- Muirhead-Thomson, R.C. 1991. Trap Responses of Flying Insects. Academic Press Limited. New York. 287 pp.
- Nemoto, H., E. Yano and K. Kiritani. 1992. Pheromonal control of diamondback moth in the management of crucifer pests. pp. 91-97. In: N. S. Talekar (ed.), Proceedings of the Second International Workshop on Diamondback Moth and Other Crucifer Pests. AVRDC Publication No. 92-368, Shanhua, Taiwan.
- Obayashi, N., K. Shimizu and K. Nagata. 1992. Control of diamondback moth using synthetic Sex pheromones. pp. 99-104. In: N. S. Talekar (ed.), Proceedings of the Second International Workshop on Management of diamondback moth and other crucifer pests. Shanhua, Taiwan.

- Ohno, T., T. Asayama and K. Ichikawa. 1988. Evaluation of communication disruption method using synthetic sex pheromone to suppress diamondback moth infestations. Horticulture Institute, Aichi-Ken Agricultural Research Center, Nagakute, Aichi Japan 480(11): 109-114.
- Paul Whalley. 1988. Butterfly & Moth. Dorling Kindersley in Association with Natural History Museum, London. 63 pp.
- Scoble, M. J. 1992. The Lepidoptera: Form, Function, and Diversity. Oxford University Press/Natural History Museum, London. 404 pp.
- Sushil, S. N., S. K. Pant and J. C. Bhatt. 2004. Light trap catches of white grub and its relation with climatic factors. Annals of Plant Protection Sciences 12(2): 254-256.
- Suckling, D.M. and G.M. Burnip, 1996. Orientation and mating disruption in *Planotortrix octo* using pheromone and inhibitor. Entomologia Experimentalis et Applicata 78: 149 -158.
- Suckling , D.M. and G. Karg. 2000. Pheromones and semiochemicals. pp. 63-99. In: Biological and Biotechnical Control of Insect Pests. CRC Press. Boca Raton.
- Suckling, D. M., A. R. Gibb., J. M. Daly., D. J. Rogers and G. P. Walker. 2002. Improving the pheromone lure for diamondback moth. New Zealand Plant Protection 55: 102-187.
- Talekar, N. S., H. C. Yang., S. T. Lee., B. S. Chen and L. Y. Sun. 1985. Annotated Bibliography of Diamondback Moth. Shanhua, Taiwan. Asian Vegetable Research and Development Center. 469 pp.
- Talekar, N. S., J. C. Yang and S. T. Lee. 1990. Annotated Bibliography of Diamondback Moth Volume 2. Shanhua, Taiwan. Asian Vegetable Research and Development Center. 199 pp.
- Talekar, N. S. and A. M. Shelton. 1993. Biology, ecology and management of diamond back moth. Annual Review of Entomology 38: 275-301.
- Tamaki, Y., K. Kawasaki, H. Yamada, T. Kashihara, N. Osaki, T. Ando, S. Yashida and H. Kakinozama. 1977. Z-11-Hexadece-nal and Z-11-hexadecenyl acetate : Sex pheromone components of the diamondback moth (Lepidoptera: Plutellidae). Applied Entomology and Zoology 12: 208-210.
- Teixeira, L.A.F., C.W. Jonh, J.G. Larry and I. Rufus. 2009. Paraffin wax emulsion for increased rainfastness of insecticidal bait to control *Rhagoletis pomonella* (Diptera: Tephritidae). Journal of Economic Entomology 102(3): 1108-1115.

- Walker, G. P., A. R. Wallace., R. Bush., F. H. Macdonald and D. M. Suckling. 2003. Evaluation of pheromone trapping for prediction of diamondback moth infestations in vegetable brassicas. New Zealand Plant Protection 56: 180–184.
- Wang, X., V. Le, Y. Fang and Z. Zhang. 2004. Trap effect on capture of *Plutella xylostella* (Lepidoptera: Plutellidae) with sex pheromone lures in cabbage fields in Vietnam. Applied Entomology and Zoology 39(2): 303-309.
- Wu, W., J. Zhu, J. Millar and C. Löfstedt. 1998. A comparative study of sex pheromone biosynthesis in two strains of the turnip moth, *Agrotis segetum*, producing different ratios of sex pheromone components. Insect Biochemistry and Molecular Biology 28: 895-900.
- Yang, C. Y., S. Lee, K. S. Choi, H. Y. Jeon, and K. S. Boo. 2007. Sex pheromone production and response in Korean populations of the diamondback moth, *Plutella xylostella*. Entomologia Experimentalis et Applicata 124(3): 293-298.
- Zilahi-balogh, G. M. G., N. P. D. Aagerilli, J. H. Borden, M. Meray, M. Tulung and D. Sembel. 1995. Regional differences in pheromone responses of diamondback moth in Indonesia. International Journal of Pest Management 44(4): 201-204.