

เอกสารอ้างอิง

- คงชัดลึก. (2549). เลี้ยงปลาเผาส่งออก 4 ล้านตัว แก้จนเกยตրกรคุ้มน้ำโขง. 1 กุมภาพันธ์ 2549.
- วรรณวิมล คล้ายประดิษฐ์. (2540). การผลิตเจลาตินจากหนังปลากระพงแดง. วิทยานิพนธ์ วิทยาศาสตรมหาบัณฑิต, มหาวิทยาลัยเกษตรศาสตร์.
- สถาบันอาหาร. (2549). โครงการพัฒนาสัตว์นำเศรษฐกิจ. [ระบบออนไลน์]. แหล่งที่มา <http://www.nfi.or.th/nfi/fish/> (3 มิถุนายน 2552).
- สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม. (2548). เอกสารน. มอก. 799-2548.
- Aewsiri, T., Benjakul, S., and Visessanguan, W. (2009). Functional properties of gelatin from cuttlefish (*Sepia pharaonis*) skin as affected by bleaching using hydrogen peroxide. *Food Chemistry*, 115 : 243–249.
- AOAC. (2000). Official Methods of Analysis of AOAC. 17th ed. Virginia : Association of Official Analytical Chemists.
- Arnesen, J.A., and Gildberg, A. (2007). Extraction and characterisation of gelatine from Atlantic salmon (*Salmo salar*) skin. *Bioresource Technology*, 98 : 53-57.
- Barrett, G.C., and Elmore, D.T. (2004). Amino Acids and Peptides. Cambridge : Cambridge University Press.
- Baziwane, D., and He, Q. (2003). Gelatin: the paramount food additive. *Food Review International*, 19 : 423-435.
- Bruggemann, D.A., and Lawson, M.A. (2005). The extracellular matrix of *Gadus morhua* muscle contains types III, V, VI and IV collagens in addition to type I. *Journal of Fish Biology*, 66 : 810-821.
- Cho, S.H., Jahncke, M.L., Chin, K.B., and Eun, J.B. (2006). The effect of processing conditions on the properties of gelatin from skate (*Raja Kenojei*) skins. *Food Hydrocolloids*, 20 : 810–816.
- Cho, S.M., Gu, Y.S., and Kim, S.B. (2005). Extracting optimization and physical properties of yellowfin tuna (*Thunnus albacares*) skin gelatin compared to mammalian gelatins. *Food Hydrocolloids*, 19 : 221-229.

- Cole, C.G.B. (2000). Gelatin. in Frederick, J.F. (ed.). *Encyclopedia of Food Science and Technology*, 2nd ed. New York : John Wiley & Sons.
- D'Cruz, N.M., and Bell, L.N. (2005). Thermal unfolding of gelatin in solids as affected by the glass transition. *Journal of Food Science*, 70 : E64-E68.
- Djagny, K.B., Wang, Z., and Xu, S. (2001). Gelatin: a valuable protein for food and pharmaceutical industries. *Critical Reviews in Food Science and Nutrition*, 41 : 481-492.
- Duan, R., Zhang, J., Du, X., Yao, X., and Konno, K. (2009). Properties of collagen from skin, scale and bone of carp (*Cyprinus carpio*). *Food Chemistry*, 112 : 702-706.
- Eysturskard, J., Haug, I.J., Elharfaoui, N., Djabourov, M., and Draget, K.I. (2009). Structural and mechanical properties of fish gelatin as a function of extraction conditions. *Food Hydrocolloids*, 23 : 1702-1711.
- Foegeding, E.A., Lanier, T.C. and Hultin, H.O. (1996). "Characteristics of Edible Muscle Tissue." in Fennema, O.R. (ed). *Food Chemistry*, 3rd ed. New York : Marcel Dekker.
- Gelita. (2009). What is gelatine? [online]. Available <http://www.gelita.com> (26 August 2009).
- Giménez, B., Gómez-Guillén, M.C., and Montero, P. (2005a). The role of salt washing of fish skins in chemical and rheological properties of gelatin extracted. *Food Hydrocolloids*, 19: 951–957.
- Giménez, B., Turnay, J., Lizarbe, M.A., Montero, P., and Gómez-Guillén, M.C. (2005b). Use of lactic acid for extraction of fish skin gelatin. *Food Hydrocolloids*, 19 : 941–950.
- Gómez-Guillén, M.C., and Montero, P. (2001). Extraction of gelatin from megrim (*Lepidorhombus boscii*) skins with several organic acids. *Journal of Food Science*, 66 : 213-216.
- Gómez-Guillén, M.C., Turnay, J., Fernández-Díaz, M.D., Ulmo, N., Lizarbe, M.A., and Montero, P. (2002). Structural and physical properties of gelatin extracted from different marine species: a comparative study. *Food Hydrocolloids*, 16 : 25-34.
- Gómez-Guillén, M.C., Pérez-Mateos, M., Gómez-Estaca, J., López-Caballero, E., Giménez, B., and Montero, P. (2009). Fish gelatin: a renewable material for developing active biodegradable films. *Trends in Food Science and Technology*, 20 : 3-16.
- Gudmundsson, M. (2002). Rheological properties of fish gelatins. *Journal of Food Science*, 67 : 2172-2176.

- Hiroyuki, K., and Takayuki, T. (2004). Method for producing fish gelatin peptide. European Patent EP1413614. 28 April 2004.
- Hwang, J., Mizuta, S., Yokoyama, Y., and Yoshinaka, R. (2007). Purification and characterization of molecular species of collagen in the skin of skate (*Raja kenojei*). *Food Chemistry*, 100 : 921-925.
- Jamilah, B., and Harvinder, K.G. (2002). Properties of gelatins from skins of fish - black tilapia (*Oreochromis mossambicus*) and red tilapia (*Oreochromis nilotica*). *Food Chemistry*, 77 : 81-84.
- Kasankala, L.M., Xue, Y., Weilong, Y., Hong, S.D., and He, Q. (2007). Optimization of gelatine extraction from grass carp (*Ctenopharyngodon idella*) fish skin by response surface methodology. *Bioresource Technology*, 98 : 3338-3343.
- King, M.W. (2006). Extracellular matrix (ECM). [Online]. Available <http://web.indstate.edu/thcme/mwking/extracellularmatrix.html> (28 January 2008).
- Kittiphatthanabawon, P. (2004). Extraction and characterization of collagen and gelatin from Bigeye Snapper (*Priacanthus tayenus*) skin and bone. M.S. Thesis, Prince of Songkla University.
- Kolodziejska, I., Skierka, E., Sadowska, M., Kolodziejski, W., and Niecikowska, C. (2008). Effect of extracting time and temperature on yield of gelatin from different fish offal. *Food Chemistry*, 107 : 700-706.
- Liu, H.Y., Li, D., and Guo, S.D. (2008). Extraction and properties of gelatin from channel catfish (*Ictalurus punctatus*) skin. *LWT-Food Science and Technology*, 41 : 414-419.
- Liu, H.Y., Han, J., and Guo, S.D. (2009). Characteristics of the gelatin extracted from Channel Catfish (*Ictalurus punctatus*) head bone. *LWT- Food Science and Technology*, 42 : 540-544.
- Marinova, K.G., Basheva, E.S., Nenova, B., Temelska, M., Mirarefi, A.Y., Campbell, B., and Ivanov, I.B. (2009). Physico-chemical factors controlling the foamability and foam stability of milk proteins: Sodium caseinate and whey protein concentrates. *Food Hydrocolloids*, 23 : 1864-1876.

- Montero, P., and Gómez-Guillén, M.C. (2000). Extracting conditions for Megrim (*Lepidorhombus boscii*) skin collagen affect functional properties of the resulting gelatin. *Journal of Food Science*, 65 : 434-438.
- Murray, R.K., Granner, D.K., Mayes P.A. and Rodwell V.W. (2003). Harper's illustrated biochemistry, 26th ed. New York : Lange Medical Books/McGraw-Hill.
- Muyonga, J.H., Cole, C.G.B., and Duodu, K.G. (2004). Characterisation of acid soluble collagen from skins of young and adult Nile perch (*Lates niloticus*). *Food Chemistry*, 85 : 81-89.
- Nelson, D.L. and Cox, M.M. (2005). Lehninger principles of Biochemistry, 4th ed. New York : W.H. Freeman.
- Nishimoto, M., Mizuta, S. , Yoshinaka, R. (2004). Characterization of molecular species of collagen in muscles of Japanese amberjack, *Seriola quinqueradiata*. *Food Chemistry*, 84: 127–132.
- Noitup, P. (2004). Collagen extraction from fish skin by-product in the frozen fish industry: study of some characteristics of extracted collagen. Ph.D. Dissertation, Kasetsart University.
- Norziah, M.H., Al-Hassan, A., Khairulnizam, A.B., Mordi, M.N., and Norita M. (2009). Characterization of fish gelatin from surimi processing wastes: Thermal analysis and effect of transglutaminase on gel properties. *Food Hydrocolloids*, 23: 1610-1616.
- O'Neil, M.J., Smith A., Heckelman, P.E., and Budavari, S. (2001). Merck Index, 13th ed. New Jersey : Merck.
- Pioneer Asia Group. (2008). Gelatin & Dicalcium Phosphate. [online]. Available <http://www.pioneerasia.com/pioneer-chemicals.html> (26 August 2009).
- Rahman, M.S., Al-Saidi, G.S., and Guizani, N. (2008). Thermal characterisation of gelatin extracted from yellowfin tuna skin and commercial mammalian gelatin. *Food Chemistry*, 108 : 472–481.
- Rigo C., Hartmann D.J. , Bairati A. (2002). Electrophoretic and immunochemical study of collagens from *Sepia officinalis* cartilage. *Biochimica et Biophysica Acta*, 1572 : 77–84.
- Schrieber, R., and Gareis, H. (2007). Gelatine Handbook: Theory and Industrial Practice. Weinheim : Wiley-VCH Verlag GmbH & Co.
- Sullivan, D.M., and Carpenter, D.E. (1993). Methods of Analysis for Nutrition Labeling. Arlington : AOAC International.

- Wangtueai, S., and Noomhorm, A. (2009). Processing optimization and characterization of gelatin from lizardfish (*Saurida* spp.) scales. *LWT - Food Science and Technology*, 42 : 825–834.
- Wasswa, J., Tang, J., and Gu, X. (2007). Utilization of fish processing by-products in the gelatin industry. *Food Review International*, 23: 159-174.
- Weaver, C., and Daniel, J. (2003). The Food chemistry laboratory: a manual for experimental foods, dietetics, and food scientists. 2nd ed. Boca Raton : CRC Press.
- Whitford, D. (2005). Proteins : Structure and Function. New Jersey : John Wiley & Sons.
- Yang, H., Wang, Y., Jiang, M., Oh, J.H., Herring, J., and Zhou, P. (2007). 2-step optimization of the extraction and subsequent physical properties of channel catfish (*Ictalurus punctatus*) skin gelatin. *Journal of Food Science*, 72 : C188-C195.
- Zhang, S., Wang, Y., Herring, J.L., and Oh, J.H. (2007a). Characterization of edible film fabricated with channel catfish (*Ictalurus punctatus*) gelatin extract using selected pretreatment methods. *Journal of Food Science*, 72 : C498-503.
- Zhang, Y., Liu, W., Li, G., Shi, B., Miao, Y., and Wu, X. (2007b). Isolation and partial characterization of pepsin-soluble collagen from skin of grass carp (*Ctenopharyngodon idella*). *Food Chemistry*, 103 : 906-912.
- Zhou, P., and Regenstein, J.M. (2004). Optimization of extraction conditions for pollock skin gelatin. *Journal of Food Science*, 69 : C393-C398.
- Zhou, P., and Regenstein, J.M. (2005). Effects of alkaline and acid pretreatments on Alaska pollock skin gelatin extraction. *Journal of Food Science*, 70 : C392-C396.
- Zhou, P., and Regenstein, J.M. (2006). Determination of total protein content in gelatin solutions with the Lowry or Biuret assay. *Journal of Food Science*, 71 : C474-C479.