

CHAPTER VII

REFERENCES

- Abbas AK, Lichtman AH, Pober JS. The major histocompatibility complex. In Abbas AK, Lichtman AH, Pober JS, eds. *Cellular and molecular immunology*. New York: W.B. Saunders, 1991: 108-110.
- Abou-Elella AA, Camarillo TA, Allen MB, et al. Low incidence of red cell and HLA antibody formation by bone marrow transplant patients. *Transfusion* 1995; 335: 931-5.
- Aldener A, Olerup O. Characterization of a novel DQB1 (DQB1*0609) allele by PCR amplification with sequence-specific primers (PCR-SSP) and nucleotide sequencing. *Tissue Antigens* 1993; 42 (5): 536-8.
- American Society for Histocompatibility and Immunogenetics. *The ASHI Laboratory Manual*, 3rd ed. New York: American Society for Histocompatibility and Immunogenetics, 1995.
- Barnardo MC, Bunce M, Lord CJ, Welsh KI. HLA-B*5603: sequence of a novel hybrid allele comprising B*56 and B*4601 segments. *Tissue Antigens* 1997; 49 (5): 496-8.

Bidwell J, Bidwell E, Savage D, Middleton D, Klouda P, Bradley B. A DNA-RFLP typing system that positively identifies serologically well-defined and ill-defined HLA-DR and DQ alleles including DRw10. *Transplantation* 1988; 45: 640-6.

Bjorkman PJ, Saper MA, Samraoui B, Bennett WS, Strominger JL, Wiley DC. Structure of the human class I histocompatibility antigen, HLA-A2. *Nature* 1987; 329: 506-12.

Bjorkman PJ, Saper MA, Samraoui B, Bennett WS, Strominger JL, Wiley DC. The foreign antigen binding site and T cell recognition regions of class I histocompatibility antigens. *Nature* 1987; 329: 512-8.

Bodmer J. HLA and Anthropology. In Terasaki PI, Gjertson DW, eds. *HLA 1997*. Los Angeles: UCLA Tissue Typing Laboratory, 1997: 45.

Bodmer JG, Marsh SGE, Albert ED, et al. Nomenclature for factors of the HLA system. *Hum Immunol* 1997; 53: 98-128.

Bodmer JG, Marsh SGE, Albert ED, et al. Nomenclature for factors of the HLA system, 1996. *Tissue Antigens* 1997; 49: 297-321.

Bodmer JG, Marsh SGE, Albert ED, et al. Nomenclature for factors of the HLA system, 1998. *Tissue Antigens* 1999; 53: 407-46.

Brodsky FM, Lem L, Bresnahan PA. Antigen processing and presentation. *Tissue Antigens* 1996; 47: 464-71.

Bugawan TL, Mack SJ, Stoneking M, Saha M, Beck HP, Erlich HA. HLA class I allele distributions in six Pacific Asian populations: evidence of detection at the HLA-A locus. *Tissue Antigens* 1999; 53: 311-9.

Bunce M, Fanning GC, Welsh KI. Comprehensive, serologically equivalent DNA typing for HLA-B by PCR using sequence-specific primers (PCR-SSP). *Tissue Antigens* 1995; 45: 81-90.

Bunce M, O'Neill CM, Barnardo MCNM, et al. Phototyping: comprehensive DNA typing for HLA-A, B, C, DRB1, DRB3, DRB4, DRB5 & DQB1 by PCR with 144 primer mixs utilizing sequence-specific primers (PCR-SSP). *Tissue Antigens* 1995; 46: 355-67.

Bunce M, Young NT, Welsh KI. Molecular HLA typing-The brave new world. *Transplantation* 1997; 64: 1505-13.

Bunce M, Procter J, Welsh KI. A DNA-base detection and screening system for identifying HLA class I expression variants by sequence-specific primers. *Tissue Antigens* 1999; 53: 498-506.

Buyse I, Decorte R, Cuppens H, et al. Rapid DNA typing of class II HLA antigens using the polymerase chain reaction and reverse dot blot hybridization. *Tissue Antigens* 1993; 41: 1-14.

Cecka JM. The role of HLA in renal transplantation. *Hum Immunol* 1997; 56: 6-16.

Chandanayong D, Cheung KWK, Davit CS, et al. Antigen Society no.101: HLA-A1, -A3, -A36, -A11, -A new. Proceedings of the Eleventh International Histocompatibility Workshop and Conference. Vol. 1. In Tsuji K, Aizawa M, Sasazuki T, eds. Oxford: Oxford Scientific Publications, 1992: 280-5.

Chandanayong D, Kunmarti S, Udee S, et al. HLA in Thais, Thai-Chinese, Vietnamese, Javanese and Timorese. In Tsuji K, Aizawa M, Sasazuki T, eds. HLA 1991. New York: Oxford University Press, 1992: 681-3.

Chandanayong D, Stephens HAF, Fan L, et al. HLA-DPB1 polymorphism in the Thais of Southeast Asia. *Hum Immunol* 1994; 40: 20-4.

Chandanayong D, Stephens HAF, Klaythong R, et al. HLA-A, -B, -DRB1, -DQA1, -DQB1 polymorphism in Thais. *Hum Immunol* 1997; 53: 174-82.

Chandanayong D, Bejracandra S, Kunachiwa W, et al. HLA in Thais population. 10th Regional Congress of the International Society of Blood Transfusion Western Pacific Region, 11-14 November 1999. SS 5.2.

Chujoh Y, Sobao Y, Miwa K, Kaneko Y, Takiguchi M. The role of anchor residues in the binding of peptides to HLA-A*1101 molecules. *Tissue Antigens* 1998; 52: 501-9.

Cruse JM, Lewis RE. *Atlas of immunology*. Florida: CRC Pres, 1999: 84.

Culmann-Penciolelli B, Lamhamdi-Cherradi S, Couillin I, et al. Identification of multirestricted immunodominant regions recognized by cytolytic T lymphocytes in the human immunodeficiency virus type I Nef protein. *J Virol* 1994; 68: 7336-43.

Dausset J, Ivanyi P, Colombani J, Feingold N, Legrand L. In Curtoni ES, Mattiuz PI, Tosi RM, eds. *Histocompatibility testing 1967*. Munskgaard: Copenhagen, 1967: 190.

Davis R. Muang Metaphysics: A study of northern Thai Myth and Ritual. Bangkok: Pandora, 1984: 18-26.

Fongsatikul L, Nantachit N, Kamtorn N, Leetrakool N. HLA gene and allele frequencies of northern Thais. *J Med Assoc Thai* 1997; 80 (suppl. 1): 38-42.

Forbes A, Henry D. Khon Muang: People and Principalities of North Thailand. Bangkok: Asia Film House Pty Ltd, 1997: 7-14.

Francke U, Pellegrino MA. Assignment of the major histocompatibility complex to a region of the short arm of chromosome 6. Proceeding of the National Academy of Sciences, USA. 1997; 74: 1147-51.

Francke U, Pellegrino MA. Assignment of the major histocompatibility complex to a region of the short arm of chromosome 6. Proceeding of the National Academy of Sciences, USA 1977; 74: 1147-51.

Friedberg RC, Donnelly SF, Mintz PD. Independent roles for platelet crossmatching and HLA in the selection of platelets for alloimmunized patients. *Transfusion* 1994; 34: 215-20.

Gavioli R, De Campos-Lima PO, Kurilla MG, Kieff E, Klein G, Masucci MG. Recognition of the Epstein-Barr virus-encoded nuclear antigens EBNA-4 and EBNA-6 by HLA-A11-restricted cytotoxic T lymphocytes: implications for down regulation of HLA-A11 in Burkitt lymphoma. *Proc Natl Acad Sci USA* 1992; 89: 5862-6.

Gavioli R, Kurilla MG, de Campos-Lima PO, et al. Multiple HLA A11-restricted cytotoxic T-lymphocyte epitopes of different immunogenetics in the Epstein-Barr virus-encoded nuclear antigen 4. *J Virol* 1993; 67: 1572-8.

Greiner J, Schleiermacher E, Lenhard V, Kulapongs P, Vogel F. HLA antigen, gene and haplotype frequencies in Thailand. *Hum Genet* 1978; 41(1): 73-87.

Hammond MG. Antigen report: HLA A11. Proceeding of the 3rd Asia-Oceania Histocompatibility Workshop Conference. In Aizawa M, Natori T, Wakisaka A, Konoeda Y, eds. Sapporo: Hokkaido university press, 1986: 28-9.

Hansen TH, Carre BM, Sachs DH. The major histocompatibility complex. In Paul WE, ed. *Fundamental Immunology*. New York: Raven Press, 1992: 578-675.

Hawkins BR. Evidence for the existence of HLA-A11 subgroups in Hong Kong Chinese. *Tissue Antigens* 1985; 25: 83-6.

Hill Tribe Development and Welfare Division. Department of Public Welfare. Ministry of Labour and Social Welfare. Highland Community within 20 Provinces of Thailand, 1997: 24.

Howell WM, Navarrete C. The HLA System: An update and relevance to patient-donor matching strategies in clinical transplantation. *Vox Sang* 1996; 6-12.

Hurley CK, Schreuder GMT, Marsh SGE, Lau M, Middleton D, Noreen H. The search for HLA-matched donors: a summary of HLA-A*, -B*, -DRB1/3/4/5* alleles and their association with serologically defined HLA-A, -B,-DR antigens. *Tissue Antigens* 1997; 50: 401-18.

Imanishi T, Akaza T, Kimura A, Tokunaka K, Gojobori T: Estimation of allele and haplotype frequencies for HLA and complement loci. In Tsuji K, Aizawa M, Sasazuki T, eds. *HLA 1991*. New York: Oxford University Press, 1992.

Juji T, Akaza T, Miyoshi H, Kashiwase K. Overview of antigens newly identified in serology studies. *Proceedings of the Eleventh International Histocompatibility Workshop and Conference*. Vol. 1. In Tsuji K, Aizawa M, Sasazuki T, eds. Oxford: Oxford Scientific Publications, 1992: 521-2.

Kaidoh T, Matsuo T, Ishizuka R, Koide Y, Yoshida TO. New or split HLA class I antigens seen in Japanese populations. *Proceedings of the Eleventh International Histocompatibility Workshop and Conference*. Vol. 1. In Tsuji K, Aizawa M, Sasazuki T, eds. Oxford: Oxford Scientific Publications, 1992: 830-3.

Kaminski E, Sharrock C, Hows J, et al. Frequency analysis of cytotoxic T lymphocyte precursors possible relevance to HLA-matched unrelated donor marrow transplantation. *Bone Marrow Transplant* 1988; 3: 149-65.

Knipper AJ, Hinney A, Schuch B, Enczmann J, Uhrberg M, Wernet P. Selection of unrelated bone marrow donors by PCR-SSP typing and subsequent nonradioactive sequence-based typing for HLA-DRB1/3/4/5, DQB1, and DPB1 alleles. *Tissue Antigens* 1994; 44 (5): 275-28.

Koziel MJ, Dudley D, Afdhal N, et al. HLA class I-related cytotoxic T lymphocytes specific for Hepatitis C virus. *J Clin Invest* 1995; 96: 2311-21.

Lee SP, Tierney RJ, Thomas WA, Brook JM, Rickinson AB. Conserved CTL epitopes within EBV latent membrane protein 2. *J Immunol* 1997; 158: 3325-34.

Lin L, Tokunaga K, Ishikawa Y, et al. Sequence analysis of serological HLA-A split antigens, A11.1 and A11.2. *Tissue Antigens* 1994; 43: 78-82.

Long ED. Intracellular traffic and antigen processing. *Immunol Today* 1989; 10: 232-4.

Lundin KEA, Scott H, Hansen T, Paulsen G, Halstensen TS, Fausa O, Thorsby E, Sollid LM. Gliadin specific, HLA-DQ2 restricted T cells isolated from the small intestinal mucosa of celiac disease patients. *J Exp Med* 1993; 178: 187-96.

Maffei A, Papadopoulos K, Harris PE. MHC class I antigen processing pathways. *Hum Immunol* 1997; 54: 91-103.

Malasam S. History of the Migration and Settlement of the Yong in Lamphun 1805-1902.

M.S. Thesis, Chiang Mai University, 1995: 85-177.

May RL. An Asia Arcady: The land and peoples of northern Siam, 3th ed. Bangkok: White lotus, 1999: 1-17.

Mckinnon J. The Hill Tribes of Thailand, 4th ed. 30th Anniversary Tribal Research Institute Chiang Mai University. Chiang Mai: Technical Service Club, 1995: 13-5.

Menitove JE, McElligott MC, Aster RH. Febrile transfusion reaction: what blood component should be given next. Vox Sang 1982; 42: 318.

Mickelson EM, Bartsch GE, Hansen A, Dupont B. The MLC assay as a test for HLA-D region compatibility between patients and unrelated donors: results of a national marrow donor program involving multiple centers. Tissue Antigens 1993; 42: 465-72.

Milner CM, Campbell RD, Trowsdale J. Molecular genetics of the human major histocompatibility complex. In Lechner R, Warrens A, eds. HLA in Health and Disease, 2nd ed. London: Academic Press, 2000: 35-50.

Moribe T, Kaneshige T, Inoko H. Complete HLA-A DNA typing using the PCR-RFLP method combined with allele group and sequence-specific amplification. Tissue Antigens 1997; 50: 535-45.

Neefjes JJ, Breur-Vriesendorp BS, Van Seventer GA, Ivanyi P, Ploegh HL. An improved biochemical method for the analysis of HLA-class I antigens. Definition of new HLA class I subtypes. *Hum Immunol* 1986; 16: 169-81.

Olerup O, Aldener A, Fogdell A. HLA-DQB1 and DQA1 typing by PCR amplification with sequence-specific primers (PCR-SSP) in 2 hours. *Tissue Antigens* 1993; 41 (3): 119-34.

Olerup O, Zetterquist H. HLA-DR typing by PCR amplification with sequence specific primers (PCR-SSP) in 2 hours: an alternative to serological DR typing in clinical practice including donor-recipient matching in cadaveric transplantation. *Tissue Antigens* 1992; 39 (5): 225-35.

Petersdorf EW, Hansen JA. A comprehensive approach for typing the alleles of the HLA-B locus by automated sequencing. *Tissue Antigens* 1995; 46 (2): 73.

Petz LD, Calhous L, Yam P, et al. Transfusion-associated graft-versus-host disease in immunocompetent patients: report of a fatal case associated with transfusion of blood from a second degree relative, and a survey of predisposing factors. *Transfusion* 1993; 33: 742-50.

Popovsky MA, Chaplin HC, Moore SB. Transfusion-related acute lung injury: a neglected, serious complication of hemotherapy. *Transfusion* 1992; 32: 589.

Pulkabek SM. Platelet antibodies. *Clin Lab Med* 1996; 16: 817-35.

Raffoux C, Streiff F. In Terasaki PI, ed. Histocompatibility testing 1980. Los Angeles : UCLA Tissue Typing Laboratory, 1980: 301.

Renard RD. KARIANG: History of Karen- T'AI Relations from the beginning to 1923. D.Phil. University of Hawaii, 1980: xxii.

Roitt I, Brostoff J, Male D. Immunology, 4th ed. London: Mosby, 1996: 26.1-13.

Romphruk VA, Leelayuwat C, Barusruk S, Puapairoj C, Romphruk A, Urwijitaroon Y. DNA typing of the HLA-A, -B and -C gene: Possible MHC class I haplotypes in the northeastern-Thais. J Med Assoc Thai 1997; 80 (suppl. 1): 13-9.

Rozemuller EH, Bouwens AG, Bast BE, Tilanus MG. Assignment of HLA-DPB alleles by computerized matching based upon sequence data. Hum Immunol 1993; 37 (4): 207.

Rudensky A, Preston-Hurlbert P, Hong SC, Barlow A, Janeway CA Jr. Sequence analysis of peptides bound to MHC class II molecules. Nature 1991; 353: 622.

Sachs DH. The major histocompatibility complex. In Paul WE, ed. Fundamental immunology. New York: Raven Press, 1984: 446-84.

Santamaria P, Boyce JM, Lindstrom AL, Barbosa JJ, Faras AJ, Rich SS. HLA class II "typing" direct sequencing of DRB, DQB, and DQA genes. Hum Immunol 1992; 33 (2): 69.

Santamaria P, Lindstrom AL, Boyce JM, et al. HLA class I sequence-based typing. *Hum Immunol* 1993; 37 (1): 39.

Schreuder GMTh, Hurley, Marsh SGE, et al. The HLA dictionary 1999: a summary of HLA-A, -B, -C, -DRB1/3/4/5, -DQB1 alleles and their association with serologically defined HLA-A, -B, -C, -DR and -DQ antigens. *Tissue Antigens* 1999; 54: 409-37.

Shaw CK, Chen LL, Lee A, Lee TD. Distribution of HLA gene and haplotype frequencies in Taiwan: a comparative study among Min-nan, Hakka, Aborigines and Mainland Chinese. *Tissue Antigens* 1999; 53: 51-64.

She JX. Susceptibility to type I diabetes: HLA-DQ and DR revisited. *Immunol Today* 1996; 17: 323.

Sonozaki H, Deki H, Chang S, Okuyama M, Juji T. Human lymphocyte antigen, HL-A27 in Japanese patients with ankylosing spondylitis. *Tissue Antigens* 1975; 5: 131-6.

Svejgaard A, Hauge M, Jersild C, et al. The HLA system, an introductory survey. In Beckman L, Hauge M, eds. *Monographs in Human Genetics*. Vol. 7. Basel, New York: Karger, 1979.

Takemoto S, Terasaki PI, Cecka JM, et al. Survival of nationally shared, HLA-matched kidney transplants from cadaveric donors. *N Eng J Med* 1992; 327: 834-9.

Terasaki PI, Gjertson W, Cecka M, Takemoto S. Fit and match hypothesis for kidney transplantation. *Transplantation* 1996; 62: 441-5.

Terasaki PI, McClelland JD. Microdroplet assay of human serum cytotoxins. *Nature* 1964; 204: 998-1000.

Terasaki PI, Mclelland JP. Microdroplet assay of human serum cytotoxins. *Nature* 1964; 294: 998-1000.

Thorsby E. Invited anniversary review: HLA associated diseases. *Hum Immunol* 1997; 53: 1-11.

Thulstrup H. The influence of leukocyte and thrombocyte incompatibility on non-haemolytic transfusion reactions II. A prospective study. *Vox Sang* 1971; 21: 434-42.

Tiercy JM, Goumaz C, Mach B, Jeannet M. Application of HLA-DR oligotyping to 110 kidney transplant patients with doubtful serological typing. *Transplantation* 1991; 51: 1110-4.

Tijissen HJ, Sistermans EA, Van den Beucken M, Krausa P, Joosten I. Complete sequence analysis of the A*1103 allele. *Tissue Antigens* 2000; 55: 68-70.

Tindall KR, Kunkel TA. Fidelity of DNA synthesis by the *Thermus aquaticus* DNA polymerase. *Biochemistry* 1988; 27 (16): 6008-13.

Tyler V, ed. Technical Manual, 12th ed. Bethesda, MD: American Association of Blood Banks, 1996: 307-27.

Tyler V, ed. Technical Manual, 13th ed. Bethesda, MD: American Association of Blood Bank, 1999: 357-74.

Uryu N, Maeda M, Ota M, Tsuji K, Inoko H. A simple and rapid method for HLA-DRB and DQB typing by digestion of PCR-amplified DNA with allele specific restriction endonucleases. *Tissue Antigens* 1990; 35: 20-31.

Van Marwijk- Kooy M, Van Prooijen HC, Moes M. Use of leukocyte-depleted platelet concentrates for the prevention of refractoriness and primary HLA alloimmunization: a prospective, randomized trial. *Blood* 1991; 77: 201-5.

Van Rood JJ. . The history of the discovery of HLA. In Lechler R, Warrens A, eds. *HLA in Health and Disease*, 2nd ed. London: Academic Press, 2000: 3-22.

Vatikiotis MRJ. Ethnic Pluralism in the northern Thai city of Chiang Mai. D.Phil. University of Oxford, 1984: 21.

Virella G. Introduction to medical Immunology, 4th ed. New York: Marcel Dekker, 1998.

Vrooman GW. A tour in the Lao country. In Siam and Laos as seen by our American Missionaries. in Backus M, ed. Philadelphia: Presbyterian Board of Publication, 1884: 525-42.

Walker AR. The highland heritage collected essays on upland north Thailand. Singapore: Double-six Press, 1992; 4.

Welsh K, Bunce M. Molecular typing for the MHC with PCR-SSP. Rev Immunogenetics 1999; 1: 157-76.

Wucherpfennig KW, Strominger JL: Selective binding of self peptide to disease-associated major histocompatibility complex (MHC) molecules: a mechanism for MHC-linked susceptibility to human autoimmune disease. J Exp Med 1995; 181: 1597.