TABLE OF CONTENTS

	PAGI
ACKNOWLEDGEMENT	m
ABSTRACT	ΙV
LIST OF TABLES	XII
LIST OF ILLUSTRATIONS	XV
ABBREVIATIONS AND SYMBOLS	XVII
CHAPTER I INTRODUCTION	1
CHAPTER II LITERATURE REVIEWS	8
2.1 Human Leukocyte Antigen	. 8
2.2 HLA Typing	19
2.3 The HLA System and Transfusion	29
2.4 HLA Testing and Transplantation	30
2.5 Parentage Testing	31
2.6 HLA and Disease Associations	31
2.7 Population Study and Anthropology	32
2.8 HLA-A11	33
CHAPTER III MATERIALS AND METHODS	44
3.1 Subjects	44
3.2 Specimen Collection and Preparation	44

HLA Typing Tray Preparation	45
Complement Collection	45
Complement Titration	47
Isolation of PBMC	48
Evaluation of Lymphocytes for Purity and Cell Concentration	48
Elimination of RBC by using Dextran	49
HLA class I (ABC) Typing	49
Reading the Tray	51
Red Blood Cell Lysis	53
DNA Extraction	53
Quantitation of DNA	55
DNA Storage	57
PCR Phototyping Protocol for HLA-A11 Subtyping	57
Analysis of HLA-A11 Subtypes	62
Statistical Analysis	62
RESULTS	66
Determination of the Quality of Complement	66
The Distribution of HLA-A2, A9, A11.1 and A11.2 Serological	66
Typing in 3 Ethnic Groups of Northern Thai Populations	
Comparison of HLA Gene Frequency within 3 Ethnic Groups of	67
Northern Thai Populations	
Comparison of HLA Gene Frequency between Khon Muang and	67
Tai-speaking Groups	
	Complement Collection Complement Titration Isolation of PBMC Evaluation of Lymphocytes for Purity and Cell Concentration Elimination of RBC by using Dextran HLA class I (ABC) Typing Reading the Tray Red Blood Cell Lysis DNA Extraction Quantitation of DNA DNA Storage PCR Phototyping Protocol for HLA-A11 Subtyping Analysis of HLA-A11 Subtypes Statistical Analysis IV RESULTS Determination of the Quality of Complement The Distribution of HLA-A2, A9, A11.1 and A11.2 Serological Typing in 3 Ethnic Groups of Northern Thai Populations Comparison of HLA Gene Frequency within 3 Ethnic Groups of Northern Thai Populations Comparison of HLA Gene Frequency between Khon Muang and

4.5	Comparison of HLA Gene Frequency between Khon Yawng and	68
	Tai-speaking Groups	
4.6	Comparison of HLA Gene Frequency between Karen and Tai-	68
	speaking Groups	
4.7	Comparison of HLA Gene Frequency in 3 Ethnic Groups of	68
	Northern Thai Populations and Non-Thai Mainland Southeast Asia	
	Populations	
4.8	Comparison of HLA Gene Frequency in Khon Muang and Non-	69
	Thai Mainland Southeast Asia Populations	
4.9	Comparison of HLA Gene Frequency in Khon Yawng and Non-	69
	Thai Mainland Southeast Asia Populations	
4.10	Comparison of HLA Gene Frequency in Karen and Non-Thai	69
	Mainland Southeast Asia Populations	
4.11	Comparison of HLA Gene Frequency in Khon Muang and Thais in	70
	Different Parts of Thailand	
4.12	Comparison of HLA Gene Frequency in Khon Yawng and Thais in	70
	Different Parts of Thailand	
4.13	Comparison of HLA Gene Frequency in Karen and Thais in	71
	Different Parts of Thailand	
4.14	The Distribution of HLA-A11 Allele Frequencies in 3 Ethnic	71
	Groups in Northern Thai Populations	
4.15	The Correlation of Serological Typing and Molecular Typing in	72
	HLA-A11 in 3 Ethnic Groups in Northern Thai Populations	
4.16	HLA-A*1103 in the Karen Family	72

4.17 HLA-A*1103 G	ene Sequencing	73
CHAPTER V	DISCUSSION	113
CHAPTER VI	SUMMARY	117
CHAPTERVII	REFERENCES	119
CHAPTER VIII	APPENDIXES	134
APPENDIX A	EQUIPMENTS	134
APPENDIX B	SUPPLIES	136
APPENDIX C	CHEMICALS AND REAGENTS	137
APPENDIX D	ENZYMES	139
APPENDIX E	REAGENTS FOR DNA EXTRACTION	140
	AND AMPLIFICATION	
APPENDIX F	REAGENTS FOR HLA SEROLOGICAL	144
	TYPING	
CURRICULUM VITAE		146

LIST OF TABLES

TABLE		PAGE
2.1	Name for genes in the HLA region	12
2.2	Comparison of the number of presently known HLA alleles as presented in the	28
	WHO Nomenclature reports 1997 (Bodmer et al., 1997) and 1998 (Bodmer	
	et al., 1999) and their known serologic equivalents as presented in the previous	
	(Hurley et al., 1997) and the present "dictionary" (Schreuder et al., 1999)	
2.3	HLA-A2, A9 and A11 gene frequencies (%) in non-Thai SE Asian	36
	populations studied in 11IHWS	
2.4	HLA-A2, A9 and A11 gene frequencies for Mainland China from	36
	southern, middle and northern China	
3.1	Specificity of HLA anti-sera	46
3.2	Serological reaction patterns of HLA-A2, A9 and A11.1 and A11.2	52
3.3	Phototyping for HLA-A*11 subtypes: Sense Primers	58
3.4	Phototyping for HLA-A*11 subtypes: Anti-sense Primers	59
3.5	Phototyping for HLA-A*11 subtypes: primer mix composition	60
3.6	HLA alleles recognized by HLA-A*11 phototyping	63
3.7	The reaction pattern of HLA-A*11 subtypes	64
4.1	Determination of potency and toxicity of Rabbit complement	74
4.2	HLA typing in Khon Muang	82
4.3	HLA typing in Khon Yawng	88
4.4	HLA typing in Karen	03

4.5	HLA-A2, A9, A11.1 and A11.2 gene frequencies (%) in Khon Muang	97
	Khon Yawng and Karen	
4.6	HLA-A2, A9, A11.1 and A11.2 gene frequencies (%) in Khon Muang	98
	compared with present-day Thais (PDT), Tai Lue (TL) and Tai Dam	
	(TD)	
4.7	HLA-A2, A9, A11.1 and A11.2 gene frequencies (%) in Khon Yawng	99
	compared with present-day Thais (PDT), Tai Lue (TL) and Tai Dam	
	(TD)	
4.8	HLA-A2, A9, A11.1 and A11.2 gene frequencies (%) in Karen	100
	compared with present-day Thais (PDT), Tai Lue (TL) and Tai Dam	
	(TD)	
4.9	HLA-A2, A9, and A11.1 gene frequencies (%) in Khon Muang	101
	compared with non-Thai SE Asian populations studied in 11IHWS	
4.10	HLA-A2, A9, and A11.1 gene frequencies (%) in Khon Yawng	102
	compared with non-Thai SE Asian populations studied in 11IHWS	
4.11	HLA-A2, A9, and A11.1 gene frequencies (%) in Karen compared	103
	with non-Thai SE Asian populations studied in 11IHWS	
4.12	HLA-A2, A9, and A11 gene frequencies (%) in Khon Muang	104
	compared with northern Thais (NT), northeastern Thais (NET),	
	southern Thai-Muslims (STM), and Thais	
4.13	HLA-A2, A9, and A11 gene frequencies (%) in Khon Yawng	105
	compared with northern Thais (NT), northeastern Thais (NET),	
	southern Thai-Muslims (STM), and Thais	

4.14	HLA-A2, A9, and A11 gene frequencies (%) in Karen compared with	106
	northern Thais (NT), northeastern Thais (NET), southern Thai-	
	Muslims (STM), and Thais	
4.15	Allele frequencies (AF) of HLA-A11 subtypes in 3 ethnic groups of	107
	northern Thai population	
4.16	Serological reaction patterns of HLA-A*1101 and A*1103 in Karen	111
	family1 and 2	
4.17	Molecular typing of HLA-A, -B in Karen family	112

LIST OF ILLUSTRATIONS

FIGURE		PAGE
1.1	Map of upper and lower Thailand	3
1.2	Map of Mong Yawng indicates the distance from northern	4
	Thailand	
2.1	The HLA gene complex on the short arm of chromosome 6	9
2.2	Map of the human major histocompatibility complex	10
2.3	MHC class I molecular structure	15
2.4	Diagram of MHC class I molecule presented peptides to	16
	CD8+ T lymphocyte	
2.5	MHC class II molecular structure	17
2.6	Diagram of MHC class II molecule presented peptide to	18
	CD4+ T lymphocyte	
2.7	Principles of PCR-SSOP	23
2.8	Principles of reverse PCR-SSOP	24
2.9	Principles of PCR-SSP	26
2.10	The worldwide distribution of HLA-A11	34
2.11	HLA-A*11 nucleotide sequence alignments	37
2.12	The difference codon positions of HLA-A*11 alleles	42
4.1	The PCR product of HLA-A*1101 sample shows the specific	108
	band of 554 bp, 522 bp and 300 bp on lane 2, 3 and 7,	
	respectively. The amplification control primers giving rise to	
	a 796 bp fragment were included.	

4.2	The PCR product of HLA-A*1102 sample shows the specific	109
	band of 170 bp, 554 bp, 522 and 300 bp on lane 1, 2, 3 and 7,	
	respectively. The amplification control primers giving rise to	
	a 796 bp fragment were included.	

4.3 The PCR product of HLA-A*1103 sample shows the specific 110 band of 554 bp, 522 bp and 300 bp on lane 2, 4 and 7, respectively. The amplification control primers giving rise to a 796 bp fragment were included.

ABBREVIATIONS AND SYMBOLS

AF allele frequency

ASHI American Society for Histocompatibility and

Immunogenetics

Asp Aspartic acid

Bf factor B

bp base pair

CTL cytotoxic T lymphocyte

DNA deoxyribonucleic acid

dATP deoxyadenosine triphosphate

dCTP deoxycytidine triphosphate

dGTP deoxyguanosine triphosphate

dNTPs deoxyribonucleoside triphosphate

dTTP deoxythymidine triphosphate

dUTP deoxyuridine triphosphate

EDTA ethylene diamine tetraacetic acid

GF gene frequency

HCl hydrochloric acid

HLA human leukocyte antigen

IHWS International Histocompatibility Workshop

kb kilobase

Lys Lysine

MHC major histocompatibility complex

XVIII

ml milliter

MLC mixed lymphocyte culture

NC negative control

ND not done

NET northeastern Thais

NIH National Institutes of Health

NK natural killer

NT northern Thais

OD optical density

PBMC peripheral blood mononuclear cell

PBS phosphate buffered saline

PC positive control

PCR polymerase chain reaction

PDT present day Thais

RCLB red cell lysis buffer

RFLP restriction fragment length polymorphism

rpm revolution per minute

RR relative risk

RT room temperature

SBT sequence base typing

SDS sodium dodecyl sulphate

SSO sequence specific oligonucleotide

SSP sequence specific primer

STM southern Thai-Muslims

Taq thermus aquaticus

UV ultraviolet

WHO World Health Organization

°C degree celsius

χ2 chi-square

 α alpha

 β beta

β2m beta 2 microglobulin

μ micro

μg microgram

μm micrometer

μl microliter

μM micromolar

ng nanogram