

REFERENCES

- Aitken, I.D. 1973. The serological responses of the chicken to a protein antigen in multiple emulsion oil adjuvant. *Immunology*,25(6):957-966.
- Akita, E.M., Nakai, S. 1992. Immunoglobulins from egg yolk: Isolation and purification. *J food sci*,57(32):629-634.
- Akita, E.M., Nakai, S. 1993. Comparison of four purification methods for the production of immunoglobulins from eggs laid by hens immunized with an enterotoxigenic *E.coli* strain. *J Immunol Methods*,160:207-214.
- Akita, E.M., Li-Chan E.C. 1998. Isolation of bovine immunoglobulin G subclasses from milk, colostrum, and whey using immobilized egg yolk antibodies. *J Dairy Sci*,81(1):54-63.
- Akita, E.M., Li-Chan E.C., Nakai, S. 1998. Neutralization of enterotoxigenic *Escherichia coli* heat-labile toxin by chicken egg yolk immunoglobulin Y and its antigen-binding fragments. *Food Agri immunol*,10:161-172.
- Almeida C.M., Kanashiro M.M., Rangel Filho F.B., Mata, M.F., Kipnis T.L., da Silva, W.D. 1998. Development of snake antivenom antibodies in chickens and their purification from yolk. *Vet Rec*,143(21):579-584.
- Arstila, T.P., Vainio, O., Lassila, O. 1994. Central role of CD4+ T cells in avian immune response. *Poult Sci*,73(7):1019-1026.

- Baatrup, G., Svehag, S.E., Jensenius, J.C. 1986. The attachment of serum and plasma derived C3 to solid phase immune aggregates and its relation to complement-mediated solubilization of immune complexes. *Scand J Immunol*,23(4):397-406.
- Bartlett, W.A., Browning, M.C.K., Jung, R.T. 1986. Artefactual increase in serum thyrotropin concentration caused by heterophilic antibodies with specificity for IgG of the family Bovidea. *Clin Chem*,32:2214-2219.
- Belew, M., Juntti, N., Larsson, A., Porath, J. 1987. A one step purification method for monoclonal antibodies based on a salt-promoted adsorption chromatography on a thiophilic adsorbent. *J immunol methods*,102:173-182.
- Benkirane, R., Gottschalk, M., Jaques, M., Dubreuil, D. 1998. Immunochemical characterization of an IgG-binding protein of *Streptococcus suis*. *FEMS Immunol Med Microbiol*,20:121-127.
- Benson, H.N., Brumfield, H.P., Pomeroy, B.S. 1961. Requirement of avian C'1 for fixation of guinea pig complement by avian antibody-antigen complexes. *J Immunol*,87:616
- Bhanushali, J.K., Gilbert, J.M., McDougald L.R. 1994. Simple method to purify chicken immunoglobulin G. *Poult Sci*,73(7):1158-1161.
- Bock, J.L., Forgiuele, J., Wenz, B. 1985. False positive immunometric assays caused by antiimmunoglobulin antibodies: a case report. *Clin Chim Acta*,147:241-246.
- Boscato, L.M., Stuart, M.C. 1986. Incidence and specificity of interference in two site immunoassays. *Clin Chem*,32:1491-1495.

- Boscato, L.M., Stuart M.C. 1988. Heterophile antibodies: a problem for all immunoassays. *Clin Chem*,34(1):27-33.
- Brambell, R. 1970. The transmission of passive immunity from mother to young frontiers in biology. *Front Biol*,18:20-41.
- Brinkley, J.M. 1992. A brief survey of methods for preparing protein conjugates with dyes, haptens, and cross-linking reagents. *Bioconjugate Chem*,3:2-13.
- Burns, R.B., Maxwell, M.H. 1981. Probable occurrence of IgE in the adult domestic fowl (*Gallus domesticus*) after horse serum stimulation. *Vet Res Commun*,5(1):67-72.
- Cama, V.A., Sterling, C.R. 1991. Hyperimmune hens as a novel source of anti-*Cryptosporidium* antibodies suitable for passive immune transfer. *J Protozool*,38(6):42S-43S.
- Campbell, R.D., Dodds, A.W., Porter, R.R. 1980. The binding of human complement component C4 to antibody-antigen aggregates. 1980. *Biochem J*,189(1):67-80.
- Catsinpoolas, N. 1979. Immunological aspects of foods and food safety, in *Nutritional and Safety Aspects of Food Processing* (Tannenbaum, S.R., ed.), Marcel Dekker, New York, pp. 404-405.
- Ceuninck, F.D., Pastoureau, P., Agnellet, S., Bonnet, J., Vanhoutte, P.M. 2001. Development of an enzyme-linked immunoassay for the quantification of YKL-40 (cartilage gp-39) in guinea pig serum using hen yolk antibodies. *J Immunol Methods*,252:153-161.

- Chen, C.L., Lehmeier, J.E., Cooper, M.D. 1982. Evidence for an IgD homologue on chicken lymphocytes. *J Immunol*,129(6):2580-2585.
- Chambers, R.E., Whicher, J.T., Perry D.E., Milford-Ward, A. White P.A., Fifield, R. 1987. Overestimation of immunoglobulins in the presence of rheumatoid factor by kinetic immunonephelometry and rapid immunoturbidimetry. *Ann Clin Biochem*,24(Pt5):520-524.
- Chang, H.M., Ou-Yang, R.F., Chen, Y.T., Chen, C.C. 1999. Productivity and some properties of immunoglobulin specific against *Streptococcus mutans* serotype c in chicken egg yolk (IgY). *J Agric Food Chem*,47(1):61-66.
- Clark,P.M.S., Price, C.P. 1987. Removal of interference by immunoglobulins in an enzyme-amplified immunoassay for thyrotropin in serum (Tech Brief). *Clin Chem*,33:414.
- Cook, C.L., Pao, W., Firca, J.R., Anderson, B.E., Fryer, J.P. 2001. Simple purification methods for an α Galactose-specific antibody from chicken eggs. *J Biosci Bioeng*,91(3):305-310.
- Czernichow, P., Vandalem, J.L., Hennen, G. 1981. Transient neonatal hyperthyrotropinemia: a factitious syndrome due to the presence of heterophilic antibodies in the plasma of infants and their mothers. *J Clin Endocrinol Metab*,53:387-393.

- Davalos, L., Ortega-Vinuesa, J.L., Bastos-Gonzalez, D., Hidalgo-Alvarez, R. 2000. A comparative study between the adsorption of IgY and IgG on latex particles. *J Biomater Sci Polymer Edn*,11(6):657-673.
- Davidson, G.P., Whyte, P.B., Daniels, E., Franklin, K., Nunan, H., McCloud PI *et al.* 1989. Passive immunisation of children with bovine colostrum containing antibodies to human rotavirus. *Lancet*,2(8665):709-712.
- Davies, L., Smith, J., Birkett, C., Manser, J., Anderson-dear, D., Young, J. 1995. Selection of a specific phage-display antibodies using libraries derived from chicken immunoglobulin genes. *J Immunol methods*,186:125-135.
- DeBiasio, R., Bright, G.R., Ernst, L.A., Waggoner, A.S., Taylor, D.L. 1987. Five-parameter fluorescence imaging: wound healing of living Swiss 3T3 cells. *J Cell Biol*,105:1613-1623.
- Ebina, T., Tsukada, K., Umezu, K., Nose, M., Tsuda, K., Hatta, H *et al.* 1990. Gastroenteritis in suckling mice caused by human rotavirus can be prevented with egg yolk immunoglobulin (IgY) and treated with a protein-bound polysaccharide preparation (PSK). *Microbiol Immunol*,34(7):617-629.
- Ebina, T. 1996. Prophylaxis of rotavirus gastroenteritis using immunoglobulin. *Arch Virol Suppl*,12:217-223.
- Engstrom, P.E., Larsson, A., Norhagen, G., Smith, C.I., Sallberg, M., Helgeland, K *et al.* Specificity and levels of oral and systemic antibodies to *Actinobacillus actinomycetemcomitans*. *J Clin Periodontol*,20(10):746-751.

- Faith, R.E., Clem, L.W. 1973. Passive cutaneous anaphylaxis in the chicken. Biological fractionation of the mediating antibody population. *Immunology*,25(1):151-164.
- Fassina, G., Verdoliva, A., Odierna, M.R., Ruvo, M., Cassani, G. 1996. Protein A mimetic peptide ligand for affinity purification of antibodies. *J Mol Recognit*,9:564-569.
- Fischer, M., Hlinak, A. 2000. The lack of binding ability of staphylococcal protein G to egg yolk immunoglobulins of different fowl species (short communication). *Berl Munch Tierarztl Wochenschr*,113(3):94-96.
- Frank, M.B. 2001. Antibody binding to protein A and protein G bead. [Online]. Available <http://www.omrf.ouhsc.edu/~frank/ProteinA.html> (15 April 2003).
- Fryer, J., Firca, J., Leventhal, J *et al.* 1999. IgY antiporcine endothelial cell antibodies effectively block human antiporcine xenoantibody binding. *Xenotransplantation*,6:98-109.
- Gassmann, M., Thommes, P., Weiser, T., Hubscher, U. 1990. Efficient production of chicken egg yolk antibodies against a conserved mammalian protein. *FASEB J*,4 (8):2528-2532.
- Gobel, T.W., Chen, C.H., Cooper, M.D. 1996. Avian natural killer cells. *Curr Top Microbiol Immunol*,212:107-117.
- Guss, B., Eliasson, M., Olsson, A., Uhlen, M., Frej, A.K., Jornvall, H *et al* 1986. Structure of the IgG-binding regions of streptococcal protein G. *EMBO J*,5 (7):1567-1575.

- Gutierrez, C.E., Garcia, G.R.M., Schade, R. 2001. Human haemoclassification by use of specific yolk antibodies obtained after immunisation of chickens against human blood antigens. *ATLA Altern Lab Anim*,29(6):717-726.
- Hadge, D., Ambrosius, H. 1984. Evolution of low molecular weight immunoglobulins-IV. IgY-like immunoglobulins of birds, reptiles and amphibians, precursors of mammalian IgA. *Mol Immunol*,21(8):699-707.
- Hansen, P., Scoble, J.A., Hanson, B., Hoogenraad, N.J. 1998. Isolation and purification of immunoglobulins from chicken eggs using thiophilic interaction chromatography. *J Immunol Methods*,215:1-7.
- Hassl,A., Aspöck, H. 1988. purification of egg yolk immunoglobulins. A two-step procedure using hydrophobic interaction chromatography and gel filtration. *J Immunol Methods*,110(2):225-228.
- Hatta, H., Tsuda, K., Akachi, S., Kim, M., Yamamoto, T. 1993. Productivity and some properties of egg yolk antibody (IgY) against human rotavirus compared with rabbit IgG. *Biosci Biotechnol Biochem*,57(3):450-454.
- Hatta, H., Tsuda, K., Ozeki, m., Kim, M., Yamamoto, T., Otake, S *et al* . 1997. Passive immunization against dental plaque formation in humans: effect of a mouth rinse containing egg yolk antibodies (IgY) specific to *Streptococcus mutans*. *Caries Res*,31(4):268-274.

- Haugland, R.P. 1992. Introduction to reactive probes, in *Handbook of fluorescent Probes and Research Chemicals* (Larison, K., ed), Molecular Probes, Inc., Eugene, OR, pp.5-8.
- Hedenborg, G., Pettersson, T., Carlstrom, A. 1979. Heterophilic antibodies causing falsely raised thyroid-stimulating-hormone result. *Lancet*,2(8145):755
- Hoffman, W.L., Ruggles, A.O., Tabarya, D. 1996. Chicken anti-protein A prevents *Staphylococcus aureus* protein A from binding to human and rabbit IgG in immunoassays and eliminates most false positive results. *J Immunol Methods*,198 (1):67-77.
- Horton, J., Holden, C., Ward, P., MacDonald, D., Sanderson, A. 1984. Exploitation of phylogenetic distance in cell surface immune labeling: studies with Beta₂-microglobulin. *J invest dermatol*,85:96-99.
- Hunter, W.M., Budd, P.S 1980. Circulating antibodies to ovine and bovine immunoglobulins in healthy subjects: a hazard for immunoassay. *Lancet*,2 (8204):1136
- Howanitz, P.J., Howanitz, J.H., Lamberson, H.V., Ennis, K.M. 1982. Incidence and mechanism of spurious increases in serum thyrotropin. *Clin Chem*,28:427-431.
- Hunter, W.M., Bennie, J.G., Budd, P.S *et al.* 1983. Immunoradiometric assay using monoclonal antibodies. In : Hunter W.M., Corrie J.E.T, eds. *Immunoassays for clinical chemistry*, Edinburgh, Churchill Livingstone: 531-544.

- Jeurissen, S.H., Janse, E.M. 1989. Distribution and function of non-lymphoid cells in liver and spleen of embryonic and adult chickens. *Prog Clin Biol Res*,307:149-157.
- Jensenius, J.C., Andersen, I., Hau, J., Crone, M., Koch, C. 1981. Eggs: conveniently packaged antibodies. Methods for purification of yolk IgG. *J Immunol Methods*,46(1):63-68.
- Johnson, P.M., Faulk, W.P. 1976. Rheumatoid factor: its nature, specificity, and production in rheumatoid arthritis. *Clin Immunol Immunopathol*,6(3):414-430.
- Kapyaho, K., Tanner, P., Weber, T. 1989. Effect of complement binding on a solid-phase immunometric TSH assay. *Scand J Clin Lab Invest*,49(3):211-215.
- Kasinrerk, W., Fiebiger, E., Stefanova, I., Baumruker, T., Knapp, W., Stockinger, H. 1992. Human leukocyte activation antigen M6, a member of the Ig superfamily, is the species homologue of rat OX-47, mouse basigin, and chicken HT7 molecule. *J Immunol*,149(3):847-854.
- Kasinrerk, W. and Tokrasinwit, N. 1999. Inhibition of PHA-induced cell proliferation by polyclonal CD4 antibodies generated by DNA immunization. *Immuol Lett*, 67(3):237-242.
- Kastern, W., Holst, E., Nielsen, E., Sjobring, U., Bjorck, L. 1990. Protein L, a bacterial immunoglobulin-binding protein and possible virulence determinant. *Infect Immun*,58(5):1217-1222.

- Khalfan, H., Abuknesha, R., Rand-Weaver, M., Price, R.G., Robinson, D. 1986. Aminomethyl coumarin acetic acid: a new fluorescent labeling agent for proteins. *Histochem J*,18:497-499.
- Khunkeawla, P., Moonsom, S., Staffler, G., Kongtawelert, P., Kasinrerak, W. 2001. Engagement of CD147 molecule-induced cell aggregation through the activation of protein kinases and reorganization of the cytoskeleton. *Immunobiology*,203 (4):659-669.
- Kowalczyk, K., Daiss, J., Halpern, J., Roth, T.F. 1985. Quantitation of maternal-fetal IgG transport in the chicken. *Immunology*,54(4):755-762.
- Kricka, L.J. 1999. Human anti-animal antibody interferences in immunological assays. *Clin Chem*,45:942-956.
- Kuroki, M., Ikemori, Y., Yokoyama, H., Peralta, R.C., Icatlo, F.C., Kodama, Y. 1993. Passive protection against bovine rotavirus-induced diarrhea in murine model by specific immunoglobulins from chicken egg yolk. *Vet Microbiol*,37(1-2):135-146.
- Kuroki, M., Ohta, M., Ikemori, Y., Icatro, F.C., Jr., Kobayashi, C., Yokoyama, H. *et al.* 1997. Field evaluation of chicken egg yolk immunoglobulins specific for bovine rotavirus in neonatal calves. *Arch Virol*,142(4):843-851.
- Landon, J., Wooley, J.A., Mclean, C. 1995. Antibody production in the hen. In Landon, J. and Chard, T (ed), *Therapeutic antibodies* Springer-Verlag, New York:47-68.
- Larsson, A., Sjoquist, J. 1989. Binding of complement components C1q, C3, C4 and C5 to a model immune complex in ELISA. *J Immunol Methods*,119(1):103-109.

- Larsson, A., Karlsson-Parra, A., Sjoquist, J. 1991. Use of chicken antibodies in enzyme immunoassays to avoid interference by rheumatoid factors. *Clin Chem*,37(3):411-414.
- Larsson, A., Mellstedt, H. 1992. Chicken antibodies: a tool to avoid interference by human anti-mouse antibodies in ELISA after in vivo treatment with murine monoclonal antibodies. *Hybridoma*,11(1):33-39.
- Larsson, A., Wejaker, P.E. Forsberg, P.O., Lindahl, T. 1992. Chicken antibodies: a tool to avoid interference by complement activation in ELISA. *J Immunol Methods*,156(1):79-83.
- Larsson, A., Lindahl, T. 1993. Chicken antibodies: a tool to avoid interference in immunological assays. Avian immunology in progress. Ed.INRA Paris:97-102
- Leslie, G.A., Clem, L.W. 1969. Phylogen of immunoglobulin structure and function. Immunoglobulins of the chicken. *J Exp Med*,130(6):1337-1352.
- Levinson, S.S. 1992. The nature of heterophilic antibodies and their role in immunoassay interference. *J Clin Immunoass*,15:108.
- Levinson, S.S. 1997. Test interferences from endogenous antibodies. *J. Clin. Ligand Assay*,20:180.
- Lihme, A., Heegaard, M.H. 1991. Thiophilic adsorption chromatography: the separation of serum proteins. *Anal Biochem*,192:64-69.

- Lindahl, T.L., Festin, R., Larsson, A. 1992. Studies of fibrinogen binding to platelets by flow cytometry: an improved method for studies of platelet activation. *Thromb Haemost*,68(2):221-225.
- Loeken, M.R., Roth, T.F. 1983. Analysis of maternal IgG subpopulations which are transported into the chicken oocyte. *Immunology*,49(1):21-28.
- Losch, U., Schraner, I., Wanke, R., Jurgens, L. 1986. The chicken egg, an antibody source. *Zentralbl Veteinarmed(B)*,33(8):609-619.
- Maya, D.C., Vasantha, B.M., Krishnan, L.K. 2000. Development of viper-venom antibodies in chicken egg yolk and assay of their antigen binding capacity. *Toxicon*,40:857-861.
- Masteller, E.L., Lee, K.P., Carlson, L.M., Thompson, C.B. 1995. Expression of sialyl Lewis(x) and Lewis(x) defines distinct stages of chicken B cell maturation. *J Immunol*,155(12):5550-5556.
- McCormack, W.T., Tjoelker, L.W., Barth, C.F., Carlson, L.M., Petryniak, B., Humphries, EH *et al.* 1989. Selection for B cells with productive IgL gene rearrangements occurs in the bursa of Fabricius during chicken embryonic development. *Genes Dev*,3(6):838-847.
- McCormack, W.T., Tjoelker, L.W., Thompson, C.B. 1993. Immunoglobulin gene diversification by gene conversion. *Prog Nucleic Acid Res Mol Biol*,45:27-45.
- Miller, G.W., Nussenzweig, V., 1975. A new complement function: solubilization of antigen-antibody aggregates. *Proc Natl Acad Sci USA*,72(2):418-422.

- Moonsorn, S. and Kasinrerak, W. 2000. Production of anti-CD14 monoclonal antibodies using CD14 expressing COS cells as immunizing antigen. *Asian Pac J Allergy Immunol*,18(1):53-61.
- Olovsson, M., Larsson, A. 1993. Biotin labelling of chicken antibodies and their subsequent use in ELISA and immunohistochemistry. *Comp Immunol Microbiol Infect Dis*,16(2):145-152.
- Parvari, R., Ziv, E., Lantner, F., Heller, D., Schechte, I. 1990. Somatic diversification of chicken immunoglobulin light chains by point mutations. *Proc Natl Acad Sci USA*, 87(8):3072-3076.
- Polson, A., von, W.M., Van, R.M. 1980. Isolation of viral IgY antibodies from yolks of immunized hens. *Immunol Commun*,9(5):475-493.
- Polson, A., coetzer, T., Kruger, J., von, M.E., van der Merwe, K.J. 1985. Improvements in the isolation of IgY from the yolk of eggs laid by immunized hens. *Immuno Invest*,14(4):323-327.
- Polson, A. 1990. Isolation of IgY from the yolks of eggs by a chloroform polyethylene glycol procedure. *Immunol Invest*,19:253-258.
- Porath, J., Maisano, F., Belew, M. 1985. Thiophilic adsorption- a new method for protein fractionation. *FEBS Lett*,185:306-310.
- Porath, J., Belew, M. 1987. Thiophilic interaction and the selective adsorption of proteins. *Tibtech*,5:225.

- Qureshi, M.A., Heggen, C.L., Hussain, I. 2000. Avian macrophage: effector functions in health and disease. *Dev Comp Immunol*,24(2-3):103-119.
- Reynaud, C.A., Anquez, V., Dahan, A., Weill, J.C. 1985. A single rearrangement event generates most of the chicken immunoglobulin light chain diversity. *Cell*,40(2):283-291.
- Reynaud, C.A., Anquez, V., Grimal, H., Weill, J.C. 1987. A hyperconversion mechanism generates the chicken light chain preimmune repertoire. *Cell*,48(3):379-388.
- Reilly, R.M., Domingo, R., Sandhu, J. 1997. Oral delivery of antibodies. Future pharmacokinetic trends. *Clin Pharmacokinet*,32(4):313-323.
- Rose, M.E., Orlans, E., Buttres, N. 1974. Immunoglobulin classes in the hen's egg: their segregation in yolk and white. *Eur J Immunol*,4:521-523.
- Rubinstein, E., Kouns, W.C., Jennings, L.K., Boucheix, C., Carroll, R.C. 1991. Interaction of two GPIIb/IIIa monoclonal antibodies with platelet Fc receptor (Fc gamma RII). *Br J Haematol*,78(1):80-86.
- Sarker, S.A., Casswall, T.H., Juneja, L.R., Hoq, E., Hossain, I., Fuchs, G.J *et al.* 2001. Randomized, placebo-controlled, clinical trial of hyperimmunized chicken egg yolk immunoglobulin in children with rotavirus diarrhea. *J Pediatr Gastroenterol Nutr*,32(1):19-25.
- Sarker, S.A., Casswall, T.H., Mahalanabis, D., Alam, N.H., Albert, M.J., Brussow, H *et al.* 1998. Successful treatment of rotavirus diarrhea in children with

- immunoglobulin from immunized bovine colostrum. *Pediatr Infect Dis J*,17 (12):1149-1154.
- Schade, R., Pfister, C., Halatsch, R., Henklein, P. 1991. Polyclonal IgY antibodies from chicken egg yolk- an alternative to the production of mammalian IgG type antibodies in rabbits. *ATLA Altern Lab Anim*,19:403
- Schade, R., Burger, W., Schoneberg, T *et al.* 1994. Avian egg yolk antibodies. The egg-laying capacity of hens following immunization with antigens of different kind and origin and the efficiency of egg yolk antibodies in comparison to mammalian antibodies. *Altex Alternativen Zu Tierexp* :75-84.
- Schade, R., Staack, C., Hendriksen, C., Erhard, M., Hugl, H., Koch, G *et al.* 1996. The production of avian (egg yolk) antibodies: IgY. *ATLA Altern Lab Anim*,24:925-934.
- Schmidt, N.A., Docter, R. 1984. Aberrant results for peptide hormone radioimmunoassay in the presence of antibodies to rabbit IgG in patient's sera (Letter). *Clin Chem*,30:1427-1428.
- Shattil, S.J., Hoxie, J.A., Cunningham, M., Brass, L.F. 1985. Changes in platelet membrane glycoprotein IIb/IIIa complex during platelet activation. *J Biol Chem*, 260:11107-11114.
- Shimizu, M., Nagashima, H., Sano, K., Hashimoto, K., Ozeki, M., Tsuda, K *et al.* 1992. Molecular stability of chicken and rabbit immunoglobulin G. *Biosci Biotechnol Biochem*,56(2):270-274.

- Shimizu, M., Fitzsimmons, R.C., Nakai, S. 1998. Anti-E.coli immunoglobulin Y isolated from egg yolk of immunized chickens as a potential food ingredient. *J Food Sci*, 53(5):1360-1366.
- Song, C.S., Yu, J.H., Bai, D.h., Hester, P.Y., Kim, K.H. 1985. Antibodies to the alpha-subunit of insulin receptor from eggs of immunized hens. *J Immunol*,135(5):3354-3359.
- Sun, S., Mo, W., Ji, Y., Liu, S. 2001. Preparation and mass spectrometric study of egg yolk antibody (IgY) against rabies virus. *Rapid Commun Mass Spectrom*,15(9):708-712.
- Sugita-Konishi, Y., Shibata, K., Yun, S.S., Hara-Kudo, Y., Yamaguchi, K., Kumagai, S. 1996. Immune functions of immunoglobulin Y isolated from egg yolk of hens immunized with various infectious bacteria. *Biosci Biotechnol Biochem*,60(5):886-888.
- Svendsen, B.L., Hau, J. 1960. Chicken eggs in polyclonal antibody production. *Scand J Lab Anim Sci*,23:85-91.
- Szabo, C.S., Bardos, L., Losonczy, S., Karchesz, K. 1998. Isolation of Antibodies from Chicken and Quial Eggs. [Online]. Available <http://www.mcmaster.ca/inabis98/immunology/szabo0509/index.html> (25 May 2003).

- Telfer, J.C., Rothenberg, E.V. 2001. Expression and function of a stem cell promoter for the murine CBF α_2 gene: distinct roles and regulation in natural killer and T cell development. *Dev Biol*,229(2):363-382.
- Thalley, B.S., Carroll, S.B. 1990. Rattlesnake and scorpion antivenoms from the egg yolks of immunized hens. *Biotechnology (NY)*,8(10):934-938.
- Thompson, R.J., Jackson, A.P., Langlois, N. 1986. Circulating antibodies to mouse immunoglobulins in normal subjects- incidence, species specificity, and effects on a two-site assay for creatine kinase-MB isoenzyme. *Clin Chem*,32:476-481.
- Toivanen, P., Toivanen, A., Molnar, G., Sorvari, T. 1974. Bursal and postbursal cells in chicken: age-dependence of germinal center formation in spleen. *Int Arch Allergy Appl Immunol*,47(5):749-761.
- Tressler, R.L., Roth, T.F. 1987. IgG receptors on the embryonic chick yolk sac. *J Biol Chem*,262(32):15406-15412.
- Truneh, A. and Machy, P. 1987. Detection of vary low receptor numbers on cells by flow cytometry using sensitive staining methods. *Cytometry*,8:562-567.
- van de Winkel, J.G., Capel, P.J. 1993. Human IgG Fc receptor heterogeneity:molecular aspects and clinical implications. *Immunol Today*,14(5):215-221.
- Verdoliva, A., Basile, G., Fassina, G. 2000. Affinity purification of immunoglobulins from chicken egg yolk using a new synthetic ligand. *J Chromatogr B*,749:233-242.

- Verdoliva, A., Pannone, F., Rossi, M., Catello, S., Manfredi, V. 2002. Affinity purification of polyclonal antibodies using a new all-D synthetic peptide ligand: comparison with protein A and protein G. *J Immunol Methods*,271:77-88.
- Vladutiu, A., Sulewski, J.M., Pudlak, K.A., Stull, C.G. 1982. Heterophilic antibodies interfering with radioimmunoassay. A false positive pregnancy test. *J Am Med Assoc*,248:2489-2490.
- Walsh, W.E., Jr., Anderson, B.E., Ivancic, D., Zhang, Z., Piccini, J.P., Rodgers T.G. *et al.* 2000. Distribution of, and immune response to, chicken anti-alpha Gal immunoglobulin Y antibodies in wild-type and alpha Gal knockout mice. *Immunology*,101(4):467-473.
- Warr, G.W., Magor, K.E., Higgins, D.A. 1995. IgY: clues to the origins of modern antibodies. *Immunol Today*,16(8):392-398.
- Weill, J.C., Reynaud, C.A. 1987. The chicken B cell compartment. *Science*,238 (4830):1094-1098.
- Wong, S.S. 1991. Reactive groups of proteins and their modifying agents, in *Chemistry of Protein Conjugation and Crosslinking*, CRC, Boston, MA, pp. 8-27.
- Wooley, J.A., Landon, J. 1995. Comparison of antibody production to human interleukin-6 (IL-6) by sheep and chickens. *J Immunol Methods*,178(2):253-265.
- Volken, R.H., Leister, F., Wee, S.B., Miskuff, R., Vonderfecht, S. 1988. Antibodies to rotaviruses in chickens' eggs: a potential source of antiviral immunoglobulins suitable for human consumption. *Pediatrics*,81(2):291-295.

- Yokoyama, H., Peralta, R.C., Umeda, K., Hashi, T., Icatlo, F.C., Jr., Kuroki, M *et al.* 1998. Prevention of fatal salmonellosis in neonatal calves, using orally administered chicken egg yolk Salmonella-specific antibodies. *Am J Vet Res*,59 (4):416-420.
- Zhao, Y., Rabbani, N., Shimizu, A., Hammarstrom, L. 2000. Mapping of the chicken immunoglobulin heavy-chain constant region gene locus reveals an inverted alpha gene upstream of a condensed epsilon gene. *Immunology*,101(3):348-353.