DETECTION OF CHLAMYDIA TRACHOMATIS AND NEISSERIA GONORRHOEAE BY USING IN-HOUSE MULTIPLEX SINGLE-TUBE NESTED POLYMERASE CHAIN REACTION

CHANNAT PROMPING

MASTER OF SCIENCE
IN MEDICAL TECHNOLOGY

Copyright O by Chiang Mai University

A I I r i g CHIANG MAI UNIVERSITY

OCTOBER 2006

ISBN 974-9895-68-1

DETECTION OF CHLAMYDIA TRACHOMATIS AND NEISSERIA GONORRHOEAE BY USING IN-HOUSE MULTIPLEX SINGLE-TUBE NESTED POLYMERASE CHAIN REACTION

CHANNAT PROMPING

A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN PARTIAL
FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE
IN MEDICAL TECHNOLOGY

THE GRADUATE SCHOOL CHIANG MAI UNIVERSITY OCTOBER 2006 ISBN 974-9895-68-1

NEISSERIA GONORRHOEAE BY USING IN-HOUSE MULTIPLEX SINGLE-TUBE NESTED POLYMERASE CHAIN REACTION

CHANNAT PROMPING

THIS THESIS HAS BEEN APPROVED TO BE A PARTAIL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF SCIENCE IN MEDICAL TECHNOLOGY

EXAMINING COMMITTEE

G \	P. Leechemachai	CHAIRPERSON
	Asst. Prof. Dr. Pranee Leechanachai Asst. Prof. Dr. Suchart Punjaisee	MEMBER
	Kiz	MEMBER
	Mr. Kriangsak Jitvatcharanon, M.D.	
	9 October 2006	
	OCamanialit has Chiana Mai University	

©Copyright by Chiang Mai University

Copyright © by Chiang Mai University rights reserved

ACKNOWLEDGEMENT

I wish to express my sincere gratitude and appreciation to Asst. Prof. Dr. Pranee Leechanachai, the thesis advisor, for her excellent guidance, continuous suggestions and many encouragements throughout this study. This thesis would not have been completed without her support.

I wish to extend my deepest gratitude to Doctor Kriangsak Jitvatcharanon and staff from the Sexually Transmitted Infections and AIDS Center 10 Chiang Mai for their excellent advice, valuable suggestions and providing genitourinary specimens for the study.

I wish to express specially thank to all patients who permit us to use their samples for this study. This thesis would not have been completed without their kindness. I would also like to thank the staff from Sexually Transmitted Infections and AIDS Center 10 Chiang Mai and the Research Institute for Health Science, Chiang Mai University for their kindly support and specimen collection.

I would like to thank Miss Tanawan Samleerat, Mr. Boonsong Tanjai and all staff from the Division of Clinical Microbiology, Department of Medical Technology, Faculty of Associated Medical Sciences, Chiang Mai University for their advice, friendship and co-operation.

I sincerely thank the Division of Clinical Microbiology, Department of Medical Technology, Faculty of Associated Medical Sciences, Chiang Mai University for permission of using all instruments and laboratory.

Finally, I would like to thank Nakornping Hospital, Ministry of Public Health for permission and supports throughout my study.