

REFERENCES

1. Gluckert, K., B. Kladny, and G.H. A. Blank-Schal, *MRI of the knee joint with a 3-D gradient echo sequence*. Arch. Orthop. Traum. Surg., 1992. **112**: p. 5-14.
2. Irarrazabal, P. and D. Nishimura, *Fast Three Dimensional Magnetic Resonance Imaging*. Magn Reson Med, 1995. **33**(5): p. 656-662.
3. Hardy, C.J. and H.E. Cline, *Spatial Localization in Two Dimensions using NMR designer pulses*. Journal of Magnetic Resonance, 1989. **82**(647-654).
4. Saritas, E.U., et al., *DWI of spinal cord with Reduced FOV Single-shot EPI*. Magnetic Resonance in Medicine 2008. **60**: p. 468-473.
5. Stenger, V.A., F.E. Boada, and D.C. Noll, *Three-dimensional tailored RF pulses for the reduction of susceptibility artifacts in T2*-weighted functional MRI*. Magn Reson Med, 2000. **44**: p. 525-531.
6. Saekho, S., et al., *Small tip angle Three-Dimensional Tailored Radiofrequency Slab-select Pulse for Reduced B₁ Inhomogeneity at 3T*. Magnetic Resonance in Medicine, 2002. **48**: p. 157-165.

7. Mitsouras, D., et al., *Strategies for inner volume 3D fast spin echo magnetic resonance imaging using non-selective refocusing radio frequency pulses*. Med Phys, 2006. **33**: p. 173-186
8. Stenger, V.A., F.E. Boada, and D.C. Noll, *Variable density spiral 3D tailored RF pulses*. Magnetic Resonance in Medicine, 2003. **50**: p. 1100-1106.
9. Saekho, S., et al., *Fast-kz Three-Dimensional Tailored Radiofrequency Pulse for Reduced B1 Inhomogeneity* Fast Kz 3T. Magn Reson Med., 2006. **55**(719-724).
10. Hardy, C.J. and P.A. Bottomley, *31P Spectroscopic Localization using Pinwheel NMR Excitation Pulses*. Magnetic Resonance in Medicine, 1991. **17**: p. 315-327.
11. Liang, Z.P. and P.C. Lauterbur, *Principles of Magnetic Resonance Imaging*. IEEE Engineering in Medicine and Biology Society, sponsor, 2000.
12. Nishimura, D.G., *Principles of Magnetic Resonance Imaging, EE369B* Spring Quarter 1994-95.
13. Pauly, J., *Course Notes:EE469B:RF Pulse Design for Magnetic Resonance Imaging* <http://www.stanford.edu/class/ee469b/>, 2004.

14. Hoult, D.I., *The principle of Reciprocity in Signal Strength Calculations-A Mathematical Guide*. Concepts in Magnetic Resonance, 2000. **12**(4): p. 173-187.
15. Hornak., J.P., *The Basics of MRI*.
<http://www.cis.rit.edu/htbooks/mri/inside.html>, 1996-2008.
16. Bernstein, M.A., K.F. King, and X.J. Zhou, *Handbook of MRI Pulse Sequences*. Elsevier Inc., 2004.
17. Glover, G.H., *Simple Analytical Spiral K-Space Algorithm*. Magnetic Resonance in Medicine, 1999. **42**: p. 412-415.
18. Yang, Y., et al., *Fast 3D Functional Magnetic Resonance Imaging at 1.5 T with Spiral Acquisition*. Magn. Res. Med., 1996. **36**: p. 620-626.
19. Schroeder, C., P. Boernert, and J. Rahmer, *Slice Excitation for Ultrashort TE Imaging*. Magn Res Med., 2004.
20. Hatsumi, T.C., et al., *Ultra-Short echo time 2D time of flight MR Angiography Using a Half-pulse Excitation*. Magnetic Resonance in Medicine, 1999 **41**: p. 591-599.

21. Pauly, J., et al., *Slice-Selective excitation for very short T2 species*. In: Proceedings of the ISMRM 8th Annual Meeting, Amsterdam, The Netherlands, 1989: p. 28.
22. Stenger, V.A., F.E. Boada, and D.C. Noll, *Multishot 3D slice-select tailored RF pulses for MRI*. Magn Reson Med, 2002. **48**: p. 157-165.
23. Zhao, L., B. Madore, and L.P. Panych, *Reduce Field-of-View MRI with Two - Dimensional Spatially-Selective RF Excitation and UNFOLD*. Magn Reson Med., 2005. **53**: p. 1118-1125.
24. Susanne Rieseberg, J.F., and Jürgen Finsterbusch*, *Two-Dimensional Spatially-Selective RF Excitation Pulses in Echo-Planar Imaging*. Magnetic Resonance in Medicine, 2002. **47**: p. 1186-1193.
25. Finsterbusch1, J.r. and J. Frahm, *Gradient-Echo Line Scan Imaging Using 2D-Selective RF Excitation*. Journal of Magnetic Resonance Imaging, 2000. **147**: p. 17-25.
26. Pauly, J.M., D. Nishimura, and A. Macovski, *A k-space analysis of small-tip-angle excitation*. J. Magn. Reson., 1989. **81**: p. 43-56.

27. Duyn, J. and Y. Yang, *Fast spiral magnetic resonance imaging with trapezoidal gradients*. Magn Res Med., 1997. **128**(2): p. 130-134.
28. Qian, Y. and F.E. Boada, *Acquisition-Weighted Stack of Spirals for Fast High-Resolution Three-Dimensional Ultra-short Echo Time MR Imaging* Magnetic Resonance in Medicine, 2008. **60**: p. 135-145.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved