

## REFERENCES

1. Enoka RM. Neuromechanics of movement. 3rd ed. USA: Human Kinetics; 2002.
2. Nordin M, Frankel VH. Basic biomechanics of the musculoskeletal system. 3rd ed. Philadelphia: Lippincott William & Wilkins; 2001.
3. Carrasco DI, Delp MD, Ray CA. Effect of concentric and eccentric muscle actions on muscle sympathetic nerve activity. *J Appl Physiol* 1999; 86: 558-63.
4. Higbie EJ, Cureton KJ, Warren GL, III, Prior BM. Effects of concentric and eccentric training on muscle strength, cross-sectional area, and neural activation. *J Appl Physiol* 1996; 81: 2173-81.
5. Norrbrand L, Fluckey J, Pozzo M, Tesch P. Resistance training using eccentric overload induces early adaptations in skeletal muscle size. *Eur J Appl Physiol* 2008; 102: 271-81.
6. Blazevich AJ, Cannavan D, Coleman DR, Horne S. Influence of concentric and eccentric resistance training on architectural adaptation in human quadriceps muscles. *J Appl Physiol* 2007; 103: 1565-75.
7. Aagaard P, Andersen JL, Dyhre-Poulsen P, Leffers A-M, Wagner A, Magnusson SP, et al. A mechanism for increased contractile strength of human pennate muscle in response to strength training: changes in muscle architecture. *J Physiol* 2001; 534: 613-23.
8. James SL, Bates BT, Osternig LR. Injuries to runners. *Am J Sports Med* 1978; 6: 40-50.

9. Kvist M. Achilles tendon injuries in athletes. Ann Chir Gynaecol 1991; 80: 188-201.
10. Alfredson H, Pietila T, Jonsson P, Lorentzon R. Heavy-Load Eccentric Calf Muscle Training For the Treatment of Chronic Achilles Tendinosis. Am J Sports Med 1998; 26: 360-6.
11. Mafi N, Lorentzon R, Alfredson H. Superior short-term results with eccentric calf muscle training compared to concentric training in a randomized prospective multicenter study on patients with chronic Achilles tendinosis. Knee Surg Sports Traumatol Arthrosc 2001; 9: 42-7.
12. Silbernagel KG, Thomeé R, Thomeé P, Karlsson J. Eccentric overload training for patients with chronic Achilles tendon pain – a randomised controlled study with reliability testing of the evaluation methods. Scand J Med Sci Sports 2001; 11: 197-206.
13. Kingma JJ, de Knikker R, Wittink HM, Takken T. Eccentric overload training in patients with chronic Achilles tendinopathy: a systematic review. Br J Sports Med 2007; 41: e3.
14. Ohberg L, Lorentzon R, Alfredson H. Eccentric training in patients with chronic Achilles tendinosis: normalised tendon structure and decreased thickness at follow up. Br J Sports Med 2004; 38: 8-11.
15. Langberg H, Ellingsgaard H, Madsen T, Jansson J, Magnusson SP, Aagaard P, et al. Eccentric rehabilitation exercise increases peritendinous type I collagen synthesis in humans with Achilles tendinosis. Scand J Med Sci Sports 2007; 17: 61-6.

16. Julien D, Alain M, Alice D, Gilles C, Michel P. Behavior of fascicles and the myotendinous junction of human medial gastrocnemius following eccentric strength training. *Muscle Nerve* 2009; 39: 819-27.
17. Mahieu NN, McNair P, Cools ANN, D'Haen C, Vandermeulen K, Witvrouw E. Effect of Eccentric Training on the Plantar Flexor Muscle-Tendon Tissue Properties. *Med Sci Sports Exerc* 2008; 40: 117-23
18. Vikne H, Refsnes PE, Ekmark M, Medbo JI, Gundersen V, Gundersen K. Muscular performance after concentric and eccentric exercise in trained men. *Med Sci Sports Exerc* 2006; 38: 1779-81.
19. Seger JY, Arvidsson B, Thorstensson A. Specific effects of eccentric and concentric training on muscle strength and morphology in humans. *Eur J Appl Physiol Physiol* 1998; 79: 49-57.
20. Oda T, Kanehisa H, Chino K, Kurihara T, et.al. In vivo length-force relationships on muscle fiber and muscle tendon complex in the tibialis anterior muscle. *Int J Sport Health Sci* 2005; 3: 245-52.
21. Butterfield TA, Leonard TR, Herzog W. Differential serial sarcomere number adaptations in knee extensor muscles of rats is contraction type dependent. *J Appl Physiol* 2005; 99: 1352-8.
22. Brockett CL, Morgan DL, Proske UWE. Human hamstring muscles adapt to eccentric exercise by changing optimum length. *Med Sci Sports Exerc* 2001; 33: 783-90.
23. Kjaer M. Role of Extracellular Matrix in Adaptation of Tendon and Skeletal Muscle to Mechanical Loading. *Physiol Rev* 2004; 84: 649-98.

24. Lynn R, Talbot JA, Morgan DL. Differences in rat skeletal muscles after incline and decline running. *J Appl Physiol* 1998; 85: 98-104.
25. Wang JHC. Mechanobiology of tendon. *J Biomech* 2006; 39: 1563-82.
26. Silver FH, Freeman JW, Seehra GP. Collagen self-assembly and the development of tendon mechanical properties. *J Biomech* 2003; 36: 1529-53.
27. Curwin SL, Stanish WD. Tendinitis: its etiology and treatment. Lexington (MA): Collamore Press, DC Health; 1984.
28. Carty EG, Lu Y, Meadows RS, Shaw MK, Holmes DF, Kadler KE. Coalignment of plasma membrane channels and protrusions (fibripositors) specifies the parallelism of tendon. *J Cell Biol* 2004; 165: 553-63.
29. Evans NA. The basic science of tendon injuries. *C Orthopaedics* 2000; 14: 403-12.
30. Panjabi MM, White AA. Biomechanics in the musculoskeletal system. 1st ed. New York: Churchill Livingstone; 2001.
31. Soderberg GL. Kinesiology : application to pathological motion. 2nd ed. Baltimore: Williams & Wilkins; 1997.
32. Michna H, Hartmann G. Adaptation of tendon collagen to exercise. *Int Orthop* 1989; 13: 161-5.
33. Kongsgaard M, Aagaard P, Kjaer M, Magnusson SP. Structural Achilles tendon properties in athletes subjected to different exercise modes and in Achilles tendon rupture patients. *J Appl Physiol* 2005; 99: 1965-71.
34. Woo SLY, Ritter MA, Amiel D, Sanders TM, Gomez MA, Kuei SC, et al. The Biomechanical and Biochemical Properties of Swine Tendons “Long Term

Effects of Exercise on the Digital Extensors". Connect Tissue Res 1980; 7: 177 - 83.

35. Magnusson SP, Kjaer M. Region-specific differences in Achilles tendon cross-sectional area in runners and non-runners. Eur J Appl Physiol 2003; 90: 549-53.
36. Brich HL, McLaughlin L, Smith RK, Goodship AE. Treadmill exercise-induced tendon hypertrophy. assessment of tendons with different mechanical functions. Equine Vet J Suppl 1999; 30: 222-6.
37. Rosager S, Aagaard P, Dyhre-Poulsen P, Neergaard K, Kjaer M, Magnusson SP. Load-displacement properties of the human triceps surae aponeurosis and tendon in runners and non-runners. Scand J Med Sci Sports 2002; 12: 90-8.
38. Woo SLY, Gomez MA, Amiel D, Ritter MA, Gelberman RH, Akeson WH. The Effects of Exercise on the Biomechanical and Biochemical Properties of Swine Digital Flexor Tendons. J Biomech 1981; 103: 51-6.
39. Viidik A. Tensile Strength Properties of Achilles Tendon Systems in Trained and Untrained Rabbits. Acta Orthop Scand 1969; 40: 261-72.
40. Kubo K, Kanehisa H, Ito M, Fukunaga T. Effects of isometric training on the elasticity of human tendon structures in vivo. J Appl Physiol 2001; 91: 26-32.
41. Smith RKW, Birch HL, Goodman S, Heinegrd D, Goodship AE. The influence of ageing and exercise on tendon growth and degeneration--hypotheses for the initiation and prevention of strain-induced tendinopathies. Comp Biochem Physiolo 2002; 133: 1039-50.

42. Elliott DH. Structure and function of mammalian tendon. *Biological Reviews* 1965; 40: 392-421.
43. Heinemeier KM, Olesen JL, Haddad F, Langberg H, Kjaer M, Baldwin KM, et al. Expression of collagen and related growth factors in rat tendon and skeletal muscle in response to specific contraction types. *J Physiol* 2007; 582: 1303-16.
44. Langberg H, Rosendal L, Kjaer M. Training-induces changes in peritendinous type I collagen turnover determined by microdialysis in humans. *J Physiol* 2001; 534: 207-302.
45. Maganaris CN, Paul JP. Tensile properties of the in vivo human gastrocnemius tendon. *J Biomech* 2002; 35: 1639-46.
46. Magnusson SP, Beyer N, Abrahamsen H, Aagaard P, Neergaard K, Kjaer M. Increased Cross-sectional Area and Reduced Tensile Stress of the Achilles Tendon in Elderly Compared With Young Women. *J Gerontol A: Biol Sci Med Sci* 2003; 58: 123-27.
47. Kubo K, Kanehisa H, Fukunaga T. Effects of resistance and stretching training programmes on the viscoelastic properties of human tendon structures in vivo. *J Physiol* 2002; 538: 219-26.
48. Buchanan IC, Richard LM. Effects of long-term exercise in the biomechanical properties of the achilles tendon of guinea fowl. *J Appl Physiol* 2001; 90: 164-71.

49. Reeves ND, Maganaris CN, Narici MV. Effect of strength training on human patella tendon mechanical properties of older individuals. *J Physiol* 2003; 548: 971-81.
50. Heinemeier KM, Olesen JL, Haddad F, Langberg H, Kjaer M, Baldwin KM, et al. Expression of collagen and related growth factors in rat tendon and skeletal muscle in response to specific contraction types. *J Physiol* 2007; 582: 1303-16.
51. Maganaris C. Imaging-based estimates of moment arm length in intact human muscle-tendons. *Eur J Appl Physiol* 2004; 91: 130-9.
52. Maganaris CN, Baltzopoulos V, Sargeant AJ. Changes in Achilles tendon moment arm from rest to maximal isometric plantarflexion: in vivo observations in man. *J Physiol* 1998; 510: 977-85.
53. Magnusson SP, Aagaard P, Dyhre-Poulsen P, Kjaer M. Load-displacement properties of the human triceps surae aponeurosis in vivo. *J Physiol* 2001; 531: 277-88.
54. Reeves ND, Marco VN, Constantinos NM. Strength training alters the viscoelastic properties of tendons in elderly humans. *Muscle Nerve* 2003; 28: 74-81.
55. Kubo K, Yata H, Kanehisa H, Fukunaga T. Effects of isometric squat training on the tendon stiffness and jump performance. *Eur J Appl Physiol* 2006; 96: 305-14.

56. Couppe C, Kongsgaard M, Aagaard P, Hansen P, Bojsen-Moller J, Kjaer M, et al. Habitual loading results in tendon hypertrophy and increased stiffness of the human patellar tendon. *J Appl Physiol* 2008; 105: 805-10.
57. Muraoka T, Muramatsu T, Fukunaga T, Kanehisa H. Elastic properties of human Achilles tendon are correlated to muscle strength. *J Appl Physiol* 2005; 99: 665-9.
58. Kongsgaard M, Reitelseder S, Pedersen TG, Holm L, Aagaard P, Kjaer M, et al. Region specific patellar tendon hypertrophy in humans following resistance training. *Acta Physiol* 2007; 191: 111-21.
59. Michna H. Morphometric analysis of loading-induced changes in collagen-fibril populations in young tendons. *Cell Tissue Res* 1984; 236: 465-70.
60. Muramatsu T, Muraoka T, Takeshita D, Kawakami Y, Hirano Y, Fukunaga T. Mechanical properties of tendon and aponeurosis of human gastrocnemius muscle in vivo. *J Appl Physiol* 2001; 90: 1671-8.
61. Rugg SG, Gregor RJ, Mandelbaum BR, Chiu L. In vivo moment arm calculations at the ankle using magnetic resonance imaging (MRI). *J Biomech* 1990; 23: 495-501.