

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	vii
ABSTRACT (THAI)	ix
LIST OF TABLES	xvi
LIST OF FIGURES	xvii
ABBREVIATIONS AND SYMBOLS	xxi
CHAPTER I INTRODUCTION	1
1.1 Statement and significance of the problem	1
1.2 Literature review	3
1.2.1 HIV-1 and AIDS	3
1.2.2 HIV-1 structure	4
1.2.3 HIV-1 genomic structure	6
1.2.4 HIV-1 replication cycle	9
1.2.4.1 Early phase	9
1.2.4.1.1 Virus entry	9
1.2.4.1.2 Reverse transcription	11
1.2.4.1.3 Nuclear transport and integration	13
1.2.4.2 Late phase	13
1.2.4.2.1 HIV transcription	13

1.2.4.2.2 HIV translation, assembly and budding	14
1.2.4.2.3 Assembly, budding and maturation	15
1.2.5 Antiretroviral drugs	16
1.2.6 Gene therapy for HIV-1	18
1.2.7 HIV-1 integration as an important step for intracellular immunization	19
1.2.7.1 The structure of HIV-1 IN	20
1.2.7.2 The function of HIV-1 IN	21
1.2.7.3. Detection of HIV-1 integration	25
1.2.8 ZFP technology	31
1.2.8.1 The structure of Cys ₂ His ₂ zinc finger and its interaction with DNA	31
1.2.8.2 Design and selection of novel zinc finger proteins	35
1.2.8.3 Applications of designer Cys ₂ His ₂ zinc fingers	36
1.2.8.4 Intracellular targeting of designed zinc finger proteins	39
1.2.9 Lentivirus gene transfer system	42
1.3 Objectives	51

CHAPTER II MATERIALS AND METHODS

2.1 Chemicals and equipments	52
2.2 Zinc Finger Protein Design	52
2.3 Plasmid construction	53
2.4 Expression and purification of His6-2LTRZFP-GFP	53

2.5	Cell culture and transfection of HeLa cells	55
2.6	Double-stranded DNA preparation	55
2.7	Surface plasmon resonance (SPR)	56
2.8	Electrophoretic mobility shift assay (EMSA)	57
2.9	Construction of expression vectors	57
2.10	Cell cultures	59
2.11	Production of VSV-G pseudotyped lentiviral particles	59
2.12	HIV-1 viral stocks	60
2.13	Determination of viral production by p24 Ag ELISA	60
2.14	Generation of stable lines expressing either 2LTRZFP-GFP or Aart-GFP by lentiviral gene transfer	61
2.15	Generation of SupT1 cells stably expressing either 2LTRZFP-GFP or Aart-GFP by non-viral gene transfer	62
2.16	Quantitation of integrated HIV-1 DNA (provirus) by an <i>Alu-gag</i> qPCR assay	62
2.17	Challenge of 2LTRZFP-GFP-expressing cells with VSV-G pseudotyped lentiviral RFP	64
2.18	Flow cytometric analysis for CD4 expression	65
2.19	HIV-1 infection	66
CHAPTER III RESULTS		67
3.1	Procurement of the target sequence and designing the 2LTRZFP	67
3.2	Construction of pTriEx-4- 2LTRZFP-GFP	73
3.3	Protein expression and purification	73

3.4	Expression of 2LTRZFP-GFP in HeLa cells	74
3.5	Evaluating of dissociation constants and competitive DNA binding activity by SPR	80
3.6	DNA binding activity by EMSA	84
3.7	Cloning of lentiviral-based vectors and non-viral vectors for stable line production	86
3.8	Production and expression of VSV-G pseudotyped lentiviruses containing 2LTRZFP-GFP Aart-GFP, and RFP	86
3.9	2LTRZFP-GFP inhibits VSV-G pseudotyped lentiviral RFP integration in 293T cells	94
3.10	2LTRZFP-GFP inhibits HIV-1 replication in viral-transduced SupT1 cell line	97
3.11	Inhibition of HIV-1 replication in non-viral transfected SupT1 expressing 2LTRZFP-GFP	104
CHAPTER IV DISCUSSION		113
CHAPTER V CONCLUSION		120
REFERENCES		122
APPENDICES		145
APPENDIX A List of the chemicals and instruments		146
APPENDIX B List of cell lines and microorganisms		152
APPENDIX C List of antibodies and conjugated antibodies		153

APPENDIX D List of enzymes	154
APPENDIX E Reagent preparations	155
APPENDIX F Presentations and publications	163

CURRICULUM VITAE

165

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

LIST OF TABLES

Table	Page
1.1 Current licenced antiretroviral drugs	17
3.1 The results of searching for zinc finger target sites at HIV-1 DNA sequence of 2-LTR-circle junctions	69
3.2 The amino acid sequence in α -helix of each finger predicted to bind to the triplet DNA target at 2-LTR-circle junctions	70
3.3 The results of p24 Ag and viral load assay in a production of VSV-G Pseudotyped lentiviruses containing 2LTRZFP-GFP, Aart-GFP, and RFP	91

LIST OF FIGURES

Figure	Page
1.1 The structure of human immunodeficiency virus	5
1.2 HIV-1 genomic structures	8
1.3 HIV-1 replication cycle	10
1.4 Reverse transcription of HIV-1	12
1.5 The structure of HIV-1 integrase	22
1.6 Schematic representations of non-covalent 2-LTR circle junctions of HIV-1	23
1.7 3' processing and strand transfer activities of IN	24
1.8 Schematic representation of the integrated and unintegrated HIV-DNA	27
1.9 Illustration of the linker-primer PCR assay and the inverse PCR assay	28
1.10 An overview of <i>Alu-gag</i> qPCR assay	30
1.11 Three dimension picture of the Cys ₂ His ₂ ZFP	33
1.12 The model of DNA recognition by the classical zinc finger proteins	34
1.13 Applications of designer Cys ₂ His ₂ zinc finger proteins	38
1.14 Intracellular targeting of designer zinc finger proteins	41
1.15 The overall picture of lentiviral gene therapy	44
1.16 The construction of transfer vector	46
1.17 The construction of packaging vector	46

1.18	The construction of envelop genes in the third plasmid	46
1.19	Structure of SIN HIV-derived vectors	48
1.20	Construction and replication cycle of self-inactivating vector	49
1.21	Schematic drawing of the HIV provirus and the four constructs used to make a lentivirus vector of the SIN system	50
3.1	The pop-up ELISA graphs for predicted binding activity in each finger to triplet DNA target	71
3.2	Full-length amino acid and optimized nucleotide sequence of 2LTRZFP	72
3.3	Construction of pTriEx-4- 2LTRZFP-GFP	75
3.4	Restriction digest analysis of the pTriEx-4-2LTRZFP-GFP	76
3.5	Protein construction and expression of 2LTRZFP-GFP	77
3.6	SDS-PAGE and Western blot analysis of His6-2LTRZFP-GFP	78
3.7	Expression of green fluorescent protein in HeLa cells 24 h after transfection	79
3.8	Kinetic binding analysis between 2LTRZFP-GFP and its target DNA sequence	81
3.9	Kinetic binding analysis in the competitive SPR	82
3.10	Kinetic binding of 2LTRZFP-GFP to its target DNA sequence depend on zinc ion	83
3.11	Electrophoretic mobility shift assay (EMSA)	85
3.12	Schematic drawing of the expression vectors for 2LTRZFP-GFP, Aart-GFP, and RFP	88
3.13	The restriction enzyme analysis of lentiviral-based vectors expressing for 2LTRZFP-GFP, Aart-GFP, and RFP	89

3.14	The restriction analysis of vector pCEP4-2LTRZFP-GFP and pCEP4-Aart-GFP	90
3.15	Expression of 2LTRZFP-GFP, Aart-GFP, and RFP in 293T cells	92
3.16	Long term expression of 2LTRZFP-GFP and Aart-GFP in 293T cells	93
3.17	Inhibition of VSV-G pseudotyped lentiviral RFP expression by 2LTRZFP-GFP	95
3.18	RFP expression in cells stably transfected with either 2LTRZFP-GFP or Aart-GFP	96
3.19	GFP expression in SupT1 cells stably transduced with either 2LTRZFP-GFP or Aart-GFP	99
3.20	CD4 expression on the surface of cells stably transduced with either 2LTRZFP-GFP or Aart-GFP	100
3.21	A comparison of HIV-1 p24 Ag in culture supernatants of each stably transduced with either 2LTRZFP-GFP or Aart-GFP after infection	101
3.22	The relative inhibition of HIV-1 integration in stably transduced SupT1 with 2LTRZFP-GFP by <i>Alu-gag</i> qPCR	102
3.23	Differentiation between HIV-1 and VSV-G pseudotyped lentivirus integration by <i>Alu-gag</i> qPCR	103
3.24	GFP expression in SupT1 cells stably transfected with either 2LTRZFP-GFP or Aart-GFP	106
3.25	CD4 expression on the surface of cells stably transfected with either 2LTRZFP-GFP or Aart-GFP	107

3.26	A comparison of HIV-1 p24 Ag in culture supernatants of each stably transfected with either 2LTRZFP-GFP or Aart-GFP after infection	108
3.27	Inhibition of HIV-1 replication in 2LTRZFP-GFP-transfected T-lymphoid cells	109
3.28	The relative inhibiton of HIV-1 integration in stably transfected SupT1 with 2LTRZFP-GFP by Alu-gag qPCR	110
3.29	The percentage of cell viability in stably transfected SupT1 cells on day 13 after the challenge	111
3.30	Inhibition of cytopathic effects by 2LTRZFP-GFP	112

ABBREVIATIONS AND SYMBOLS

%	Percent
α	Alpha
β	Beta
Ψ	Psi-sequences
$^{\circ}\text{C}$	Degrees Celsius
AIDS	Acquired immunodeficiency syndrome
<i>Alu</i>	<i>Arthrobacter luteus</i>
BBQ	BlackBerry Quencher
bp	Base pair (s)
BSA	Bovine serum albumin
CA	Capsid protein
CCR5	C-C chemokine receptor type 5
CD4	Cluster of differentiation 4
cDNA	Complementary DNA
CMV	Cytomegalovirus
cPPT	Central polypurine tract
$C_{\text{t}}\text{s}$	Cycle thresholds
CXCR4	C-X-C chemokine receptor type 4
Cys	Cysteine
DAPI	4',6-diamidino-2-phenylindole
DMEM	Dulbecco's Modified Eagle's medium

DNA	Deoxyribonucleic acid
ds-DNA	Double-stranded DNA
DTT	Dithiothreitol
EBV	Epstein-Barr virus
<i>E. coli</i>	<i>Escherichia coli</i>
EIA	Enzyme immunoassay
ELISA	Enzyme-linked immunosorbent assay
EMSA	Electrophoretic mobility shift assay
ECL	Enhanced Chemiluminescence
ENV	Envelope
ERD	ERF repressor domain
FAM	6-carboxyfluorescein
FBS	Fetal bovine serum
FP	Fusion protein
GAPDH	Glyceraldehyde 3-phosphate dehydrogenase
GAG	Group specific antigens
GFP	Green fluorescent protein
gm	Gram (s)
HAART	Highly active antiretroviral therapy
HEPES	4-(2-hydroxyethyl)-1-piperazineethanesulfonic acid
hr	Hour (s)
HIV	Human Immunodeficiency virus-1
His	Histidine
HCl	Hydrochloric acid

HRP	Horseradish peroxidase
HSCs	Hematopoietic stem cells
IN	Integrase
IPTG	Isopropyl β -D-thiogalactopyranoside (IPTG)
kb	Kilo base pair (s)
KCl	Potassium chloride
Kd	Dissociation constant
kDa	Kilodaltons
KRAB	Kruppel associated box
LB	Luria-Bertani
Leu	Leucine
LTR	Long terminal repeat
M	Molar (s)
MA	Matrix protein
mAb	Monoclonal antibody (-ies)
MFI	Mean fluorescence intensity
MHC	Major histocompatibility complex
MgCl ₂	Magnesium Chloride
min	Minute (s)
ml	Milliliter (s)
MOI	Multiplicity of infection
mPGK	Murine phosphoglycerate kinase
Mw	Molecular weight
NaCl	Sodium chloride

NaN_3	Sodium azide
NaOH	Sodium hydroxide
NC	Nucleocapsid protein
NEF	Negative Regulatory Factor
ng	Nanogram (s)
NLS	Nuclear localization signal
NNRTIs	Non-nucleoside reverse transcriptase inhibitors
nm	Nanometer (s)
nM	Nanomolar (s)
NRTIs	Nucleoside/nucleotide reverse transcriptase inhibitors
OD	Optical density
OriP	Origin of replication
PBS	Phosphate buffered saline
PBS	Primer binding site
PCR	Polymerase chain reaction
Phe	Phenylalanine
pI	Isoelectric point
PICs	Preintegration complexes
PMSF	Phenylmethylsulfonylfluoride
POL	Polymerase
PPT	Polypurine tract
PRIs	Protease inhibitors
qPCR	Quantitative polymerase chain reaction
RCL	Replication competent lentiviruses

RFP	Red fluorescent protein
RNA	Ribonucleic acid
rpm	Revolutions per minute
RRE	Rev-responsive element
RT	Reverse transcriptase
S	Second (s)
scFv	Single-chain variable fragments
SD	Standard deviation
SDS-PAGE	Sodium dodecyl sulfate polyacrylamide gel electrophoresis
SIN	Self-inactivating
siRNAs	Small interfering RNAs
shRNAs	Short hairpin RNAs
SPR	Surface plasmon resonance
ss-DNA	Single-stranded DNA
TAT	Transactivator of transcription
TBP	TATA-box binding protein
TSO	Target site overlap
Tyr	Tyrosine
μg	Microgram (s)
μl	Microliter (s)
μm	Micrometer (s)
μM	Micromolar (s)
V	Volt (s)

VIF	Viral infectivity factor
VPR	Viral protein R
Vpu	Viral protein U
VSV-G	Vesicular stomatitis virus G glycoprotein
V/V	Volume /Volume
WHO	World Health Organization
WPRE	Woodchuck hepatitis virus post-transcriptional regulatory element
W/V	Weight/Volume
ZFP	Zinc finger protein
ZnSO ₄	Zinc sulfate

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved