

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENT	iii
ABSTRACT	iv
LIST OF TABLES	x
LIST OF ILLUSTRATIONS	xiii
CHAPTER I INTRODUCTION	1
Principles, theories, rationales and hypotheses	1
The objectives of the study	2
The hypotheses	2
Anticipated benefits	3
Scope of the study	3
Definitions	3
CHAPTER II LITERATURE REVIEW	5
Cephalometric study of class III malocclusion	5
Dental arch study class III malocclusion	9
CHAPTER III MATERIALS AND METHODS	11
Materials	11
Methods	13
Statistical analyses	36
Reliabilities of the measurements	37

CHAPTER IV	RESULTS	38
	Part 1: Means, standard deviations and two-way analysis of variance of the lateral cephalometric and the model measurements for both class III malocclusion and normal occlusion groups	39
	Part 2: One way analysis of variance of the lateral cephalometric and the model measurements among groups categorized by type of occlusion and gender, following with the Scheffe' s multiple comparisons.	59
	Part 3: One way analysis of variance of the lateral cephalometric and the model measurements among the skeletal normal overbite, skeletal deepbite and skeletal openbite in class III malocclusion group, following with the Scheffe' s multiple comparisons.	62
	Part 4: The associations between type of occlusion and craniofacial measurements	67
CHAPTER V	DISCUSSION	73
CHAPTER VI	CONCLUSION	83
	BIBLIOGRAPHY	86
APPENDIX A	Reliabilities of the measurements	91
APPENDIX B	Multiple logistic regression analyses for the associations between type of occlusion and the craniofacial measurements	93
	CURRICULUM VITAE	101

LIST OF TABLES

Table	Page
3.1 The distribution of subjects by type of occlusion and gender	12
3.2 Age distribution of the normal occlusion and class III malocclusion groups	13
4.1 Two-way ANOVA of the lateral cephalometric measurements and their means and standard deviations by type of occlusion and gender	49
4.2 Two-way ANOVA of the model measurements and their means and standard deviations by type of occlusion and gender	53
4.3 One-way ANOVA and multiple comparisons for means of the lateral cephalometric measurements among the groups categorized by type of occlusion and gender	54
4.4 One-way ANOVA and multiple comparisons for means of the model measurements among the groups categorized by type of occlusion and gender	58
4.5 One-way ANOVA and multiple comparisons for means of the lateral cephalometric measurements among the skeletal normal overbite, deepbite and openbite in the class III malocclusion group	63
4.6 One-way ANOVA and multiple comparisons for means of the model measurements among the skeletal normal overbite, deepbite and openbite in the class III malocclusion group	65
4.7 The simple logistic regression analyses for the unadjusted associations between type of occlusion and craniofacial measurements	68

4.8	The multiple logistic regression analyses for the association between type of occlusion and craniofacial measurements sequentially adjusted for confounding factors	70
A.1	The Pearson's product moment correlations for the lateral cephalometric measurements and their significant values between the first and the second investigations	91
A.2	The Pearson's product moment correlations for the model measurements and their significant values between the first and the second investigations	92
B.1	Multiple logistic regression analyses for the associations between SNB and type of occlusion, controlling for each potential confounding factor	93
B.2	Multiple logistic regression analyses for the associations between ArGoGn and type of occlusion, controlling for each potential confounding factor	94
B.3	Multiple logistic regression analyses for the associations between SN and type of occlusion, controlling for each potential confounding factor	94
B.4	Multiple logistic regression analyses for the associations between SW and type of occlusion, controlling for each potential confounding factor	95
B.5	Multiple logistic regression analyses for the associations between SH and type of occlusion, controlling for each potential confounding factor	95
B.6	Multiple logistic regression analyses for the associations between UAFH and type of occlusion, controlling for each potential confounding factor	96
B.7	Multiple logistic regression analyses for the associations between LPFH and type of occlusion, controlling for each potential confounding factor	96
B.8	Multiple logistic regression analyses for the associations between U1-NA and type of occlusion, controlling for each potential confounding factor	97

B.9	Multiple logistic regression analyses for the associations between U1-SN and type of occlusion, controlling for each potential confounding factor	97
B.10	Multiple logistic regression analyses for the associations between L1-NB and type of occlusion, controlling for each potential confounding factor	98
B.11	Multiple logistic regression analyses for the associations between L1-GoGn and type of occlusion, controlling for each potential confounding factor	98
B.12	Multiple logistic regression analyses for the associations between L1-APg and type of occlusion, controlling for each potential confounding factor	99
B.13	Multiple logistic regression analyses for the associations between nasolabial angle and type of occlusion, controlling for each potential confounding factor	99
B.14	Multiple logistic regression analyses for the associations between H angle and type of occlusion, controlling for each potential confounding factor	100
B.15	Multiple logistic regression analyses for the associations between Upp. lip to E line and type of occlusion, controlling for each potential confounding factor	100

LIST OF ILLUSTRATIONS

Figure	Page
3.1 Arch form linear measurements	16
3.2 Skeletal, dental and facial soft tissue landmarks	20
3.3 Lines and planes	22
3.4 Skeletal angular measurements	25
3.5 Dental angular measurements	26
3.6 Facial soft tissue angular measurements	28
3.7 Skeletal linear measurements	31
3.8 Dental linear measurements	32
3.9 Facial soft tissue linear measurements	34