

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT	iv
LIST OF TABLES	x
LIST OF ILLUSTRATIONS	xii
CHAPTER I INTRODUCTION	1
Principle, theory, rationale and/or hypothesis	1
The objectives of the study	2
The hypotheses	3
Anticipated benefits	3
Scope of the study	4
CHAPTER II LITERATURE REVIEW	5
The magnetic materials	5
Clinical applications of magnets in orthodontics	7
Corrosion	10
The biological effects of corrosion products released from the magnets	14
The biocompatibility testing and fibroblast cell culture	16
CHAPTER III MATERIALS AND METHODS	23
Materials	23
Methods	29
Statistical analyses	40

CHAPTER IV RESULTS	41
Part I: The composition and quantities of corrosion products released from orthodontic magnets and commercial magnets	41
Part II: Biocompatibility test of corrosion products released from orthodontic magnets and commercial magnets	46
CHAPTER V DISCUSSION	56
Part I: The composition and quantities of corrosion products released from orthodontic magnets and commercial magnets	56
Part II: Biocompatibility test of corrosion products released from orthodontic magnets and commercial magnets	58
CHAPTER VI CONCLUSION	65
BIBLIOGRAPHY	67
APPENDIX	72
Table A.1 The data of the percentages of the viability and growth (S phase) of the cultured human gingival fibroblasts in the presence of corrosion products released from orthodontic magnets and commercial magnets for 3 days	73
Table A.2 The data of the percentages of the viability and growth (S phase) of the cultured human gingival fibroblasts in the presence of corrosion products released from orthodontic magnet and commercial magnet for 7 days	74
CURRICULUM VITAE	75

ลิขสิทธิ์ในผลงานวิจัยของใหม่

Copyright © by Chiang Mai University

All rights reserved

LIST OF TABLES

Table	Page
3.1 Atomic absorption parameters used for elements	30
3.2 The comparison of mean ranks of the percentages of the growth (the rate of new DNA synthesis) of the cultured human gingival fibroblasts that was induced by a Tumor Promoting Agent (TPA)	36
4.1 Means and standard deviations of the quantities (ppm) of various elements in the composition of the corrosion products released from orthodontic magnets and commercial magnets immersed in three types of medium	43
4.2 Medians and quartiles (P25, P75) of the percentages of the viability and growth of the cultured human gingival fibroblasts in the presence of corrosion products for 3 and 7 days by groups	48
4.3 The comparison of mean ranks of the percentages of the viability of the cultured human gingival fibroblasts by groups	49
4.4 The comparison of mean ranks of the percentages of the viability of the cultured human gingival fibroblasts by cultured time (the experimental time intervals)	50
4.5 The comparison of mean ranks of the percentages of the viability of the cultured human gingival fibroblasts in the presence of corrosion products for 3 and 7 days by groups	51
4.6 The comparison of mean ranks of the percentages of the growth (the rate of new DNA synthesis) of the cultured human gingival fibroblasts by groups	52

- 4.7 The comparison of mean ranks of the percentages of the growth (the rate of new DNA synthesis) of the cultured human gingival fibroblasts by cultured time (the experimental time intervals) 53
- 4.8 The comparison of mean ranks of the percentages of the growth (the rate of new DNA synthesis) of the cultured human gingival fibroblasts in the presence of corrosion products for 3 and 7 days by groups 54
- A.1 The data of the percentages of the viability and growth (S phase) of the cultured human gingival fibroblasts in the presence of corrosion products released from orthodontic magnets and commercial magnets for 3 days 73
- A.2 The data of the percentages of the viability and growth (S phase) of the cultured human gingival fibroblasts in the presence of corrosion products released from orthodontic magnets and commercial magnets for 7 days 74

LIST OF ILLUSTRATIONS

Figure	Page
2.1 Fibroblast cells	18
2.2 Phases of the cell cycle	20
2.3 A flow system of flow cytometer	21
2.4 Cell cycle analysis by flow cytometry	22
3.1 The orthodontic magnets	23
3.2 The commercial magnets	24
3.3 Chemical reagents for cell culture	25
3.4 The bromodeoxyuridine (BrdU) flow kit	25
3.5 A 6-well culture plate and a plastic culture flask (25 cm ³)	26
3.6 The Atomic Absorption Spectrophotometer	27
3.7 The flow cytometer	27
3.8 The Incubator	28
3.9 The laminar flow biological cabinet	28
3.10 The flow cytometer setup guidelines for the cultured human gingival fibroblasts	33
3.11 The 7-AAD versus BrdU dot plot diagram	33
3.12 The 7-AAD versus BrdU dot plot diagrams of time-course analysis experiment to determine the effective period of labeling time for the cultured human gingival fibroblasts	35
3.13 A haemocytometer for the trypan blue dye exclusion assay	38
4.1 The orthodontic magnets and commercial magnets in each corrosive medium after immersed for 7 days	42

4.2	The specimens of orthodontic magnets and commercial magnets after immersed for 7 days	42
4.3	The quantities (ppm) of various elements (B, Si, Fe, Ni, Co, and Cu) in corrosion products released from orthodontic magnets	44
4.4	The quantities (ppm) of various elements (B, Si, Fe, Ni, Co, and Cu) in corrosion products released from commercial magnets	44
4.5	The samples of 7-AAD versus BrdU dot plot diagram of a control group and all experiment groups	47