

เอกสารอ้างอิง

- สุภา โรจนวุฒนนท์ และ ยงยุทธ วัชรดุลย์. การศึกษาผลการปลูกกระดูกด้วย AAA bone ในสัตว์กรรมช่องปาก. ว.ศัลย์ช่องปาก-แม็กซิลโลเฟเชียล 2535; 1: 10-22.
- American Academy of Periodontology. Position Paper Periodontal Regeneration. *J Periodontol* 2005; 76: 1601-1622.
- American Academy of Periodontology. *Glossary of Periodontal Terms*. Chicago: American Academy of Periodontology; 2001.
- Abe E, Yamamoto M, Taquchi Y, Lecka-Czernik B, O'Brien CA, Economides AN, Stahl N, Jilka RL, Manolagas SC. Essential requirement of BMPs-2/4 for both osteoblast and osteoclast formation in murine bone marrow cultures from adult mice: antagonism by noggin. *J Bone Miner Res* 2000; 15: 663 – 673.
- American Academy of Periodontology: Proceedings of the world workshop in clinical periodontics, AAP, Chicago, 1989.
- Armitage GC. Development of a classification system for periodontal diseases and conditions. *Annals of Periodontology* 1999; 4, 1-6.
- Badersten A, Nilveus R, Egelberg J. Scores of plaque, bleeding, suppuration and probing depth to predict probing attachment loss 5 years observation following non-surgical periodontal therapy. *J Clin Periodontol* 1990; 17: 102-107.
- Bae HW, Zhao L, Kanim LE.A, Wong P, Delamarter RB, Dawson EG. Intervariability and intravariability of bone morphogenetic proteins in commercially available demineralized bone matrix products. *Spine* 2006; 31: 1299-1306.

- Baldock WT, Hutchens LH Jr, McFall WT Jr, Simpson DM. An evaluation of tricalcium phosphate implants in human periodontal osseous defects in two patients. *J Periodontol* 1985; 56: 1-7.
- Bashutski JD, Wang HL. Periodontal and endodontic regeneration. *J Endod* 2009; 35: 421-428.
- Bateman GJ, Karir N, Saha S. Principles of crown lengthening surgery. *Dent Update* 2009; 36: 181-182.
- Bennett AE, Wahner HW, Riggs BL, Hintz RL. Insulin-like growth factors I and II: aging and bone density in woman. *J Clin Endocrinol Metab* 1984; 59: 701-704.
- Bessa PC, Casal M, Reis RL. Bone morphogenetic proteins in tissue engineering: the road from the laboratory to the clinic, part I (basic concepts). *J Tissue Eng Regen Med* 2008; 2: 2-3.
- Blum BB, Moseley J, Miller L, Richelsoph K, Haggard W. Measurement of bone morphogenetic proteins and other growth factors in demineralized bone matrix. *Orthopedics* 2004; 27: 161-165.
- Boyan BD, Ranly DM, McMillan J, Sunwoo M, Roche K, Schwartz Z. Osteoinductive ability of human allograft formulations. *J Periodontol* 2006; 77: 1555-1563.
- Boyne PJ, Lilly LC, Marx RE, Moy PK, Nevins M, Spagnoli DB, Triplett RG. De novo bone induction by recombinant human bone morphogenetic proteins-2 (rhBMP-2) in maxillary sinus floor augmentation. *J Oral Maxillofac Surg* 2005; 63: 1693-1707.
- Carlisle E, Fischgrund JS. Bone morphogenetic proteins for spinal fusion. *Spine* 2005; 5: 240-249.
- Celeste AJ, Iannazzi JA, Taylor RC, Hewick RM, Rosen V, Wang EA, Wozney JM. Identification of transforming growth factor β family members present in bone-inductive protein purified from bovine bone. *Proc Natl Acad Sci* 1990; 87: 9843-9847.

- Cobb CM. Lasers in periodontics: a review of the literature. *J Periodontol* 2006; 77: 545-564.
- Committee on Research, Science and Therapy of the American Academy of Periodontology. Tissue banking of bone allografts used in periodontal regeneration. *J Periodontol* 2001; 76: 834-838.
- Cook SD. Preclinical and clinical evaluation of osteogenic protein-1 (BMP-7) in bony sites. *Orthopaedics* 1999; 7: 669-671.
- Cook SD, Baffes GC, Wolfe MW, Sampath TK, Rueger DC, Whitecloud TS. The effect of recombinant human osteogenic protein-1 on healing of large segmental bone defects. *J Bone Joint Surg* 1994; 76: 827-838.
- Danesh-Meyer MJ. Tissue engineering in periodontics and implantology using rhBMP-2. *Ann R Australas Coll Dent Surg* 2000; 15: 144-149.
- Eberhard J, Jepsen S, Jervøe-Storm PM, Needleman I, Worthington HV. Full mouth disinfection for the treatment of adult chronic periodontitis. *Cochrane Database Syst Rev* 2008; 23: CD004622.
- Eklund A, Borsjo O, Nilsson O. Experimental induction of heterotopic bone. *Clin Orthop Relat Res* 1991; 263: 102-112.
- Francis J, Brunsvold M, Prewett A. Clinical evaluation of an allogenic bone matrix in the treatment of periodontal osseous defects. *J Periodontol* 1995; 66: 1074-1079.
- Froum SJ, Kushner L, Scopp IW, Stahl SS. Human clinical and histologic responses to Durapatite implants. *J Periodontol* 1982; 53: 719-725.
- Froum SJ, Stahl SS. Human intraosseous healing response to the placement of tricalcium phosphate ceramic implants. II. 13-18 months. *J Periodontol* 1987; 58: 103-109.
- Garrison KR, Donell S, Ryder J, Shemilt I, Mugford M, Harvey I, Sonq F. Clinical effectiveness and cost-effectiveness of bone morphogenetic proteins in the non-healing fractures and spinal fusion: a systematic review. *Health Technology Assessment* 2007; 11: 2-3.

- Hallman M, Thor A. Bone substitutes and growth factors as an alternative/complement to autogenous bone for grafting in implant dentistry. *Periodontol 2000* 2008; 47: 172-179.
- Hallmoon WW, Rees TD. Local anti-infective therapy: mechanical and physical approaches. A systematic review. *Ann Periodontol* 2003; 8: 99-114.
- Hanisch O, Tatakis DN, Boskovic MM, Rohrer MD, Wikesjö UME. Bone formation and reosseointegration in peri-implantitis defects following surgical implantation of rhBMP-2. *Int J Oral Maxillofac Implants* 1997; 12: 604-610.
- Hisham FN, Mary EA-R, Raymond AY. Bone and bone substitutes. *Periodontol 2000* 1999; 19: 74-86.
- Honsawek S, Dhitiseith D. Content of bone morphogenetic protein-4 in human demineralized bone: relationship to donor age and ability to induce new bone formation. *J Med Assoc Thai* 2005; 88: 260-264.
- Ishikawa I, Aoki A, Takasaki AA, Mizutani K, Sasaki KM, Izumi Y. Application of lasers in periodontics: true innovation or myth? *Periodontol 2000* 2009; 50: 90-126.
- Jergessen HE, Chua J, Kao R. Age effects on bone induction by demineralized bone powder. *Clin Orthop Relat Res* 1991; 268: 253-259.
- Jortikka L, Marttinen A, Lindholm TS. High yield of osteoinductivity can be derived from demineralized bone matrix using collagenase digestion. *Ann Chir Gynaecol Suppl* 1993; 207: 31-35.
- Jovanovic SA, Hunt DR, Bernard GW, Spiekermann H, Nishimura R, Wozney JM, Wikesjö UME. Long-term functional loading of dental implants in rhBMP-2 induce bone. A histologic study in the canine ridge augmentation model. *Clin Oral Implants Res* 2003; 14: 793-803.
- Jovanovic SA, Hunt DR, Bernard GW, Spiekermann H, Wozney JM, Wikesjö UME. Bone reconstruction following implantation of rhBMP-2 and guided bone regeneration in canine alveolar ridge defects. *Clin Oral Implants Res* 2007; 18: 224-230.

- Kao RT, Conte G, Nishimine D, Dault S. Tissue engineering for periodontal regeneration. *J Calif Dent Assoc* 2005; 33: 205-215.
- Kao RT, Murakami S, Beirne OR. The use of biologic mediators and tissue engineering in dentistry. *Periodontol 2000* 2009; 50: 127-153.
- King GN, King N, Cruchley AT, Wozney JM, Hughes FJ. Recombinant human bone morphogenetic protein-2 promotes wound healing in rat periodontal fenestration defects. *J Dent Res* 1997; 1460-1470.
- Kinoshita A, Oda S, Takahashi A, Yokota S, Ishikawa I. Periodontal regeneration by application of recombinant human bone morphogenetic protein-2 to horizontal circumferential defects created by experimental periodontitis in beagle dogs. *J Periodontol* 1997; 68: 103-109.
- Kishimoto Y, Lee KH, Zon L, Hammerschmidt M, Schulte-Merker S. The molecular nature of zebrafish swirl: BMP2 function is essential during early dorsoventral patterning. *Development* 1997; 124: 4457-4466.
- Lawson KA, Dunn NR, Roelen BA, Zeinstra LM, Davis AM, Wright CV, Korving JP, Hogan BL. Bmp4 is required for the generation of primordial germ cells in the mouse embryo. *Genes Dev* 1999; 13: 424-436.
- Li H, Pujic Z, Xiao Y, Bartold PM. Identification of bone morphogenetic proteins 2 and 4 in commercial demineralized freeze-dried bone allograft preparations: Pilot study. *Clin Implant Dent Relat Res.* 2000; 2: 110-117.
- Lindhe J, Lang NP, Karring T. *Clinical Periodontology and Implant Dentistry.* 5th ed. Singapore: Blackwell Munksgaard; 2008.
- Mellonig JT. Decalcified freeze dried bone allografts as an implant material in human periodontal defects. *Int J Periodontics Restorative Dent* 1984; 6: 40-55.
- Needleman IG, Worthington HV, Giedrys-Leeper E, Tucker RJ. Guided tissue regeneration for periodontal infra-bont defects. *Cochrane Database Syst Rev* 2006; 19: CD001724.
- Newman MG, Takei HH, Klokkevold PR, Carranza FA. *Carranza's Clinical Periodontology.* 10th ed. Philadelphia: Elsevier; 2006.

- Oikarinen J, Korhonen L. The bone inductive capacity of various bone transplanting materials used for treatment of experimental bone defects. *Clinical Orthopedics and Related Research* 1979; 140: 208-215.
- Page RC, Schroeder HE. Current status of the host response in chronic marginal periodontitis. *J Periodontol* 1981; 52: 477-491.
- Pantlin L. Is there a role for antibiotics in periodontal treatment? *Dent Update* 2008; 35: 493-496.
- Paquette DW. Locally administered antimicrobials for the management of periodontal infection. *Dent Today* 2009; 28: 97-98.
- Paquette DW, Ryan ME, Wilder RS. Locally delivered antimicrobials: clinical evidence and relevance. *J Dent Hyg* 2008; 82: 10-15.
- Pfeilschifter J, Diel L, Scheppach B, Bretz A, Krempien R, Erdmann J, Schmid G, Pantlin L. Is there a role for antibiotics in periodontal treatment? *Dent Update* 2008; 35: 493-496.
- Pietrzak WS, Woodell-May J, McDonald N. Scientific foundation assay of bone morphogenetic protein-2, -4, and -7 in human demineralized bone matrix. *J Craniofacial Surg* 2006; 17: 84-90.
- Precheur HV. Bone graft material. *Dent Clin N Am* 2007; 51: 729-746.
- Preshaw PM. Antibiotics in the treatment of periodontitis. *Dent Update* 2004; 31: 448-456.
- Quintero G, Mellonig JT, Gambill VM, Pelleu GB Jr. A six-month clinical evaluation of decalcified freeze-dried bone allografts in periodontal osseous defects. *J Periodontol* 1982; 53: 726-730.
- Reske N, Bismar II, Seek T, Krempien B, Ziegler R. Concentration of transforming growth factor beta in human bone tissue: relationship to age, menopause, bone turnover and bone volume. *J Bone Miner Res* 1998; 13: 716-730.
- Reynolds MA, Aichelmann-Reidy ME, Branch-Mays GL, Gunsolley JC. The efficacy of bone replacement grafts in the treatment of periodontal osseous defects. A systematic review. *Ann Periodontol* 2003; 8: 227-265.

- Riley EH, Lane JM, Urist MR, Lyons KM, Lieberman JR. Bone morphogenetic protein-2: biology and applications. *Clin Orthop Relat Res* 1996; 324: 39-46.
- Ripamonti U, Reddi AH. Tissue engineering, morphogenesis and regeneration of the periodontal tissues by bone morphogenetic proteins. *Crit Rev Oral Biol Med* 1997; 8: 154-163.
- Ripamonti U, Teare J, Petit JC. Pleiotropism of bone morphogenetic proteins: from bone induction to cementogenesis and periodontal ligament regeneration. *J Int Acad Periodontol* 2006; 8: 23-32.
- Saito A, Saito E, Handa R, Honma Y, Kawanami M. Influence of residual on recombinant human bone morphogenetic protein-2-induced periodontal regeneration in experimental periodontitis in dogs. *J Periodontol* 2009; 80: 961-968.
- Sampath TK, Reddi AH. Distribution of bone inductive proteins in mineralized and demineralized extracellular matrix. *Biochem Biophys Res Commun.* 1984; 119: 949-954.
- Schwartz Z, Mellonig JT, Carnes Jr.DL, Dean DD, Cochran DL, Boyan BD. Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation. *J Periodontol* 1996; 67: 918-478.
- Schwartz Z, Somers A, Mellonig JT, Carnes Jr.DL, Dean DD, Cochran DL, Boyan BD. Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation is dependent on donor age but not gender. *J Periodontol* 1998; 69: 470-478.
- Sculean A, Nikolidakis D, Schwarz F. Regeneration of periodontal tissues: combinations of barrier membranes and grafting materials-biological foundation and preclinical evidence: a systematic review. *J Clin Periodontol* 2008; 35: 106-116.
- Seek T, Bretz A, Krempien R, Krempien B, Ziegler R, Pfeilschifter J. Age-related changes in insulin-like growth factor I and II in human femoral cortical bone: lack of correlation with bone mass. *Bone* 1999; 24: 387-393.

- Seek T, Scheppach B, Scharla S, Diel L, Blum WF, Bismar II, Schmid G, Kremien B, Ziegler R, Pfeilschifter J. Concentration of insulin-like growth factor (IGF)-I and -II in iliac crest bone matrix from pre- and postmenopausal women: relationship to age, menopause, bone turnover, bone volume, and circulating IGFs. *J Clin Endocrinol Metab* 1998; 83: 2331-2337.
- Shigeyama Y, D'Errico JA, Stone R, Somerman MJ. Commercially prepared allograft material has biological activity in vitro. *J Periodontol* 1995; 66: 478-478.
- Sigurdsson TJ, Lee MB, Kubota K, Turek TJ, Wozney JM, Wikesjö UM. Periodontal repair in dogs: recombinant human bone morphogenetic protein-2 significantly enhances periodontal regeneration. *J Periodontol* 1995; 66: 131-138.
- Slot DE, Kranendonk AA, Paraskevas S, Van der Weijden F. The effect of a pulsed Nd:YAG laser in non-surgical periodontal therapy. *J Periodontol* 2009; 80: 1041-1056.
- Socransky SS, Haffajee AD. Periodontal microbial ecology. *Periodontol 2000* 2005; 38: 135-187.
- Stahl SS, Froum S. Histological evaluation of human intraosseous healing responses to the placement of tricalcium phosphate ceramic implants. I. Three to eight months. *J Periodontol* 1986; 57: 211-217.
- Tenorio D, Goodman SA, Hughes FJ. Bone morphogenetic protein 2 (BMP-2) expression in the developing rat tooth germ. *J Dent Res* 1993; 72: 713.
- Termaat MF, Den Boer FC, Bakker FC, Patka P, Haarman HJTHM. Current concepts review bone morphogenetic proteins development and clinical efficacy in the treatment of fractures and bone defects. *J Bone Joint Surg* 2005; 87: 1367-1378.
- Turgeman G, Zilberman Y, Zhou S, Kelly P, Moutsatsos IK, Kharode YP, Borella LE, Bex FJ, Komm BS, Bodine Peter VN, Gazit D. Systematically administered rhBMP-2 promotes MSC activity and reverses bone and cartilage loss in osteopenic mice. *J Cell Biochem* 2002; 86: 461-474.

- Urist MR. Bone: Formation by autoinduction. *Science* 1965; 150: 893-899.
- Urist MR. Bone morphogenetic protein, bone regeneration, heterotopic ossification and the bone-bone marrow consortium. In: Peck WA, ed. *Bone and Mineral Research*. Amsterdam: Elsevier Science; 1989: 57-112.
- Urist MR. Bone transplants and implants in fundamental and clinical bone physiology. J.B. Lippincott, 1980; 347-355.
- Urist MR. Chemosterilized Antigen-Extracted-Surface-Demineralized Autolysed Allogeneic (AAA) bone for arthrodesis. In: Boston/Toronto first ed. *Osteochondral Allografts. Biology Banking and Clinical applications*. Little Brown and Company; 1983: 193-203.
- Urist MR. The search for and the discovery of bone morphogenetic proteins (BMP). In: Urist MR, O'Conner BT, Burwell RG, ed: *Bone Grafts, Derivatives and Substitutes*. London: Butterworth Heinemann; 1994: 315-362.
- Urist MR, Mikulski A, Boyd SD. A Chemosterilized Antigen-extracted Autodigested Alloimplant for Bone Banks. *Arch. Surg.* 1975; 110: 416-427.
- Urist MR, Sato K, Brownell AG, Malinin TI. Human bone morphogenetic protein (BMP). *Proc Soc Exp Biol Med.* 1983; 173: 194-199.
- Urist MR, Silvermann BF, Buring K, Rosenberg JM. The bone induction principle. *Clin Orthopaed* 1967; 53: 243.
- Urist MR, Strates BS. Bone morphogenetic protein. *J of Dental Res* 1971; 50: 1392-1406.
- Vandersteenhoven JJ, Spector M. Histological investigation of bone induction by demineralized allogeneic bone matrix: A natural biomaterial for osseous reconstruction. *J Biomed Mater Res* 1983; 17: 1003-1014.
- Vassos DM, Petrik PK. The sinus lift procedure: An alternative to the maxillary subperiosteal implant. *Practical Periodontics Aesthet Dent* 1992; 4: 14-19.
- Wang HL, Cooke J. Periodontal regeneration techniques for treatment of periodontal diseases. *Dent Clin North Am* 2005; 49: 637-659.

- Wildemann B, Kadow-Romacker A, Pruss A, Haas NP, Schmidmaier G.
Quantification of growth factors in allogenic bone grafts extracted with three different methods. *Cell Tissue Banking* 2007; 8: 107-114.
- Willson-Hench J: Osteoinduction. In: Williams DF (ed) Progress in biomedical engineering, vol 4. Definitions in biomaterials. Elsevier, Amsterdam, p 29, 1987.
- Wozney JM. BMP: Roles in bone development and repair. Proceeding of the Portland Bone Symposium. Oregon Health Sciences University, Portland, Oregon. 1995.
- Wozney JM. The bone morphogenetic protein family: Multifunctional cellular regulators in the embryo and adult. *Eur J Oral Sci* 1998; 106: 160-166.
- Wozney JM. The potential role of bone morphogenetic proteins in periodontal reconstruction. *J Periodontol* 1995; 66: 506-510.
- Wozney JM, Rosen V. Bone morphogenetic protein and bone morphogenetic protein gene family in bone formation and repair. *Clin Orthop Relat Res* 1998; 346: 26-37.
- Wozney JM, Rosen V, Byrne M, Celeste AJ, Moutsatsos I, Wang EA. Growth factors influencing bone development. *J Cell Sci Suppl* 1990; 13: 149-156.
- Zhang M, Powers RM, Wolfenbarger L. Effects of the demineralization process on the osteoinductivity of demineralized bone matrix. *J Periodontol* 1997; 68: 1085-1092.
- Zhu H, Kavsak P, Abdollah S, Wrana JL, Thomsen GH. A SMAD ubiquitin ligase targets the BMP pathway and affects embryonic pattern formation. *Nature* 1999, 400: 687-693.