

## BIBLIOGRAPHY

1. Xun C, Zeng X, Wang X. Microscrew anchorage in skeletal anterior open-bite treatment. *Angle Orthod* 2007;77(1):47-56.
2. Park HS, Kwon OW, Sung JH. Nonextraction treatment of an open bite with microscrew implant anchorage. *Am J Orthod Dentofacial Orthop* 2006;130(3):391-402.
3. Delima AJ, Van Dyke TE. Origin and function of the cellular components in gingival crevice fluid. *Periodontol 2000* 2003;31:55-76.
4. Chapple IL, Garner I, Saxby MS, Moscrop H, Matthews JB. Prediction and diagnosis of attachment loss by enhanced chemiluminescent assay of crevicular fluid alkaline phosphatase levels. *J Clin Periodontol* 1999;26(3):190-8.
5. Nakashima K, Giannopoulou C, Andersen E, Roehrich N, Brochut P, Dubrez B, et al. A longitudinal study of various crevicular fluid components as markers of periodontal disease activity. *J Clin Periodontol* 1996;23(9):832-8.
6. Perinetti G, Paolantonio M, D'Attilio M, D'Archivio D, Tripodi D, Femminella B, et al. Alkaline phosphatase activity in gingival crevicular fluid during human orthodontic tooth movement. *Am J Orthod Dentofacial Orthop* 2002;122(5):548-56.
7. Keeling SD, King GJ, McCoy EA, Valdez M. Serum and alveolar bone phosphatase changes reflect bone turnover during orthodontic tooth movement. *Am J Orthod Dentofacial Orthop* 1993;103(4):320-6.

8. Insoft M, King GJ, Keeling SD. The measurement of acid and alkaline phosphatase in gingival crevicular fluid during orthodontic tooth movement. *Am J Orthod Dentofacial Orthop* 1996;109(3):287-96.
9. Batra P, Kharbanda O, Duggal R, Singh N, Parkash H. Alkaline phosphatase activity in gingival crevicular fluid during canine retraction. *Orthod Craniofac Res* 2006;9(1):44-51.
10. Davidovitch Z, Nicolay OF, Ngan PW, Shanfeld JL. Neurotransmitters, cytokines, and the control of alveolar bone remodeling in orthodontics. *Dent Clin North Am* 1988;32(3):411-35.
11. Apse P, Ellen RP, Overall CM, Zarb GA. Microbiota and crevicular fluid collagenase activity in the osseointegrated dental implant sulcus: a comparison of sites in edentulous and partially edentulous patients. *J Periodontal Res* 1989;24(2):96-105.
12. Plagnat D, Giannopoulou C, Carrel A, Bernard JP, Mombelli A, Belser UC. Elastase, alpha2-macroglobulin and alkaline phosphatase in crevicular fluid from implants with and without periimplantitis. *Clin Oral Implants Res* 2002;13(3):227-33.
13. Paknejad M, Emtiaz S, Khoobyari MM, Gharb MT, Yazdi MT. Analysis of aspartate aminotransferase and alkaline phosphatase in crevicular fluid from implants with and without peri-implantitis. *Implant Dent* 2006;15(1):62-9.
14. Sari E, Ucar C. Interleukin 1beta levels around microscrew implants during orthodontic tooth movement. *Angle Orthod* 2007;77(6):1073-8.
15. Park HS, Jang BK, Kyung HM. Maxillary molar intrusion with micro-implant anchorage (MIA). *Aust Orthod J* 2005;21(2):129-35.

16. Park HS, Kwon TG, Kwon OW. Treatment of open bite with microscrew implant anchorage. *Am J Orthod Dentofacial Orthop* 2004;126(5):627-36.
17. Lamster IB, Ahlo JK. Analysis of gingival crevicular fluid as applied to the diagnosis of oral and systemic diseases. *Ann N Y Acad Sci* 2007;1098:216-29.
18. Isik F, Sayinsu K, Arun T, Unlucerci Y. Bone marker levels in gingival crevicular fluid during orthodontic intrusive tooth movement: a preliminary study. *J Contemp Dent Pract* 2005;6(2):27-35.
19. Liou EJ, Pai BC, Lin JC. Do miniscrews remain stationary under orthodontic forces? *Am J Orthod Dentofacial Orthop* 2004;126(1):42-7.
20. Kaklamanos EG, Tsalikis L. A review on peri-implant crevicular fluid assays potential in monitoring and predicting peri-implant tissue responses. *J Int Acad Periodontol* 2002;4(2):49-59.
21. Egelberg J. Permeability of the dento-gingival blood vessels. 1. Application of the vascular labelling method and gingival fluid measurements. *J Periodontal Res* 1966;1(3):180-91.
22. Egelberg J. Permeability of the dento-gingival blood vessels. 3. Chronically inflamed gingivae. *J Periodontal Res* 1966;1(4):287-96.
23. Alfano MC. The origin of gingival fluid. *J Theor Biol* 1974;47(1):127-36.
24. Berglundh T, Lindhe J, Ericsson I, Marinello CP, Liljenberg B, Thomsen P. The soft tissue barrier at implants and teeth. *Clin Oral Implants Res* 1991;2(2):81-90.
25. Ryu OH, Choi SJ, Linares AM, Song IS, Kim YJ, Jang KT, et al. Gingival

- epithelial cell expression of macrophage inflammatory protein-1alpha induced by interleukin-1beta and lipopolysaccharide. *J Periodontol* 2007;78(8):1627-34.
26. Eley BM, Cox SW. Proteolytic and hydrolytic enzymes from putative periodontal pathogens: characterization, molecular genetics, effects on host defenses and tissues and detection in gingival crevice fluid. *Periodontol 2000* 2003;31:105-24.
27. Fine DH, Mandel ID. Indicators of periodontal disease activity: an evaluation. *J Clin Periodontol* 1986;13(5):533-46.
28. Waddington RJ, Embery G, Samuels RH. Characterization of proteoglycan metabolites in human gingival crevicular fluid during orthodontic tooth movement. *Arch Oral Biol* 1994;39(5):361-8.
29. Ren Y, Vissink A. Cytokines in crevicular fluid and orthodontic tooth movement. *Eur J Oral Sci* 2008;116(2):89-97.
30. Loos BG, Tjoa S. Host-derived diagnostic markers for periodontitis: do they exist in gingival crevice fluid? *Periodontol 2000* 2005;39:53-72.
31. Perinetti G, Paolantonio M, Serra E, D'Archivio D, D'Ercole S, Festa F, et al. Longitudinal monitoring of subgingival colonization by *Actinobacillus actinomycetemcomitans*, and crevicular alkaline phosphatase and aspartate aminotransferase activities around orthodontically treated teeth. *J Clin Periodontol* 2004;31(1):60-7.
32. Binder TA, Goodson JM, Socransky SS. Gingival fluid levels of acid and alkaline phosphatase. *J Periodontal Res* 1987;22(1):14-9.
33. Chapple IL, Glenwright HD, Matthews JB, Thorpe GH, Lumley PJ. Site-specific

alkaline phosphatase levels in gingival crevicular fluid in health and gingivitis: cross-sectional studies. *J Clin Periodontol* 1994;21(6):409-14.

34. Chapple IL, Matthews JB, Thorpe GH, Glenwright HD, Smith JM, Saxby MS. A new ultrasensitive chemiluminescent assay for the site-specific quantification of alkaline phosphatase in gingival crevicular fluid. *J Periodontal Res* 1993;28(4):266-73.
35. Adonogianaki E, Moughal NA, Kinane DF. Lactoferrin in the gingival crevice as a marker of polymorphonuclear leucocytes in periodontal diseases. *J Clin Periodontol* 1993;20(1):26-31.
36. Dhapatkar AA, Sloan AJ, Rock WP, Cooper PR, Smith AJ. British Orthodontic Society, Chapman Prize Winner 2003. A novel in vitro culture model to investigate the reaction of the dentine-pulp complex to orthodontic force. *J Orthod* 2005;32(2):122-32.
37. Abe T, Akamine A, Hara Y, Maeda K. Expression of membrane alkaline phosphatase activity on gingival fibroblasts in chronic inflammatory periodontal disease. *J Periodontal Res* 1994;29(4):259-65.
38. Lo Storto S, Silvestrini G, Bonucci E. Ultrastructural localization of alkaline and acid phosphatase activities in dental plaque. *J Periodontal Res* 1992;27(3):161-6.
39. Chapple IL, Socransky SS, Dibart S, Glenwright HD, Matthews JB. Chemiluminescent assay of alkaline phosphatase in human gingival crevicular fluid: investigations with an experimental gingivitis model and studies on the source of the enzyme within crevicular fluid. *J Clin Periodontol* 1996;23(6):587-94.

40. Ishikawa I, Cimasoni G. Alkaline phosphatase in human gingival fluid and its relation to periodontitis. *Arch Oral Biol* 1970;15(12):1401-4.
41. Nakashima K, Roehrich N, Cimasoni G. Osteocalcin, prostaglandin E2 and alkaline phosphatase in gingival crevicular fluid: their relations to periodontal status. *J Clin Periodontol* 1994;21(5):327-33.
42. Kuru L, Griffiths GS, Petrie A, Olsen I. Alkaline phosphatase activity is upregulated in regenerating human periodontal cells. *J Periodontol Res* 1999;34(2):123-7.
43. Perinetti G, Paolantonio M, Femminella B, Serra E, Spoto G. Gingival crevicular fluid alkaline phosphatase activity reflects periodontal healing/recurrent inflammation phases in chronic periodontitis patients. *J Periodontol* 2008;79(7):1200-7.
44. Kubota T, Yamauchi M, Onozaki J, Sato S, Suzuki Y, Sodek J. Influence of an intermittent compressive force on matrix protein expression by ROS 17/2.8 cells, with selective stimulation of osteopontin. *Arch Oral Biol* 1993;38(1):23-30.
45. Lee YH, Nahm DS, Jung YK, Choi JY, Kim SG, Cho M, et al. Differential gene expression of periodontal ligament cells after loading of static compressive force. *J Periodontol* 2007;78(3):446-52.
46. Lozupone E, Palumbo C, Favia A, Ferretti M, Palazzini S, Cantatore FP. Intermittent compressive load stimulates osteogenesis and improves osteocyte viability in bones cultured "in vitro". *Clin Rheumatol* 1996;15(6):563-72.
47. Ozawa H, Imamura K, Abe E, Takahashi N, Hiraide T, Shibasaki Y, et al. Effect

of a continuously applied compressive pressure on mouse osteoblast-like cells (MC3T3-E1) in vitro. *J Cell Physiol* 1990;142(1):177-85.

48. Ozaki S, Kaneko S, Podyma-Inoue KA, Yanagishita M, Soma K. Modulation of extracellular matrix synthesis and alkaline phosphatase activity of periodontal ligament cells by mechanical stress. *J Periodontal Res* 2005;40(2):110-7.
49. Yamaguchi M, Shimizu N. Identification of factors mediating the decrease of alkaline phosphatase activity caused by tension-force in periodontal ligament cells. *Gen Pharmacol* 1994;25(6):1229-35.
50. Yamaguchi M, Shimizu N, Shibata Y, Abiko Y. Effects of different magnitudes of tension-force on alkaline phosphatase activity in periodontal ligament cells. *J Dent Res* 1996;75(3):889-94.
51. Krishnan V, Davidovitch Z. Cellular, molecular, and tissue-level reactions to orthodontic force. *Am J Orthod Dentofacial Orthop* 2006;129(4):469 e1-32.
52. Takimoto K, Deguchi T, Mori M. Histochemical detection of acid and alkaline phosphatases in periodontal tissues after experimental tooth movement. *J Dent Res* 1968;47(2):340.
53. Melsen B. Tissue reaction to orthodontic tooth movement--a new paradigm. *Eur J Orthod* 2001;23(6):671-81.
54. Epker BN, Frost HM. Correlation of Bone Resorption and Formation with the Physical Behavior of Loaded Bone. *J Dent Res* 1965;44:33-41.
55. Graber TM, Vanarsdall RL, Vig KWL. *Orthodontics : current principles & techniques*. St. Louis, Mo.: Elsevier Mosby; 2005.
56. Page RC. Host response tests for diagnosing periodontal diseases. *J Periodontol* 1992;63(4 Suppl):356-66.

57. Seguchi H, Kobayashi T. Study of NADPH oxidase-activated sites in human neutrophils. *J Electron Microsc (Tokyo)* 2002;51(2):87-91.
58. Von Bohl M, Maltha J, Von den Hoff H, Kuijpers-Jagtman AM. Changes in the periodontal ligament after experimental tooth movement using high and low continuous forces in beagle dogs. *Angle Orthod* 2004;74(1):16-25.
59. Dereka XE, Markopoulou CE, Vrotsos IA. Role of growth factors on periodontal repair. *Growth Factors* 2006;24(4):260-7.
60. Eriksen EF, Mosekilde L, Melsen F. Trabecular bone remodeling and balance in primary hyperparathyroidism. *Bone* 1986;7(3):213-21.
61. Intachai I, Krisanaprakornkit S, Kongtawelert P, Ong-chai S, Buranastidporn B, Suzuki EY. Monitoring of chondroitin sulfate epitope (WF6 epitope) levels in peri-miniscrew implant crevicular fluid under orthodontic forces. *Eur J Orthod* 2010;32(1):60-5.
62. Lilja E, Lindskog S, Hammarstrom L. Alkaline phosphatase activity and tetracycline incorporation during initial orthodontic tooth movement in rats. *Acta Odontol Scand* 1984;42(1):1-11.