

REFERENCES

1. Gabka J. Aetiology and statistics of harelips and cleft palate. In: Wallace AB, ed. Transactions of the International Society of Plastic Surgeons and Congress. Edinburgh: livingstone. 1960.
2. Bianchi DW, Crombleholme TM, D'Alton ME. *Fetology : diagnosis and management of the fetal patient.* New York: Mc Graw-Hill; 2000. p. 198-207.
3. Tan KI. Incidence and epidemiology of cleft lip / palate in Singapore. *Ann Acad Med Singapore.* 1988; 17: 311-4.
4. Chuangsawanich A, Aojanepong C. Epidemiology of cleft lip and palate in Thailand. *Ann Plast Surg.* 1998; 41:7-10.
5. Qiao-juan Z,Bing S, Zong-dao S, Quian Z and Yan W. Survey of the patients with cleft lip and palate in China who were funded for surgery by the Smile Train Program from 2000 to 2002. *Chi Med J* 2006; 119(20): 1695-1700.
6. Gundlach KKH, Maus C. Epidemiological studies on the frequency of clefts in Europe and world-wide. *J Cranio-Maxillo Surg.* 2006; 34, Suppl. S2, 1-2.
7. Harkins C. A classification of cleft lip and palate. Nomenclature Committee, American Association for Cleft Palate Rehabilitation. *Plast Reconstr Surg.* 1962; 29: 31-39.

8. Kernahan D. The striped Y- a symbolic classification for cleft lip and palate. *Plast Reconstr Surg.* 1971; 47: 469-470.
9. Elashy NI. The modified striped Y- a systematic classification for cleft lip and palate. *Cleft Palate J.* 1973; 10: 247.
10. Millard R. Cleft craft. Boston: Little, Brown & Co, 1976: 43-55.
11. Friedman H, Sayetta, Coston G, Hussey J. Symbolic representation of cleft lip and palate. *Cleft Palate Craniofac J.* 1991; 28: 252-60.
12. Gaggl A, Schultes G, Karcher H. Aesthetic and functional outcome of surgical and orthodontic correction of bilateral clefts of lip, palate, and alveolus. *Cleft Palate Craniofac J* 1999; 36: 407–12.
13. Harris EF Hullings JG. Delayed dental development in children with isolated cleft lip and palate. *Arch Oral Biol.* 1990; 35: 469–73.
14. Bhatia SN. Genetics of cleft lip and palate. *Br Dent J.* 1972; 132: 95–103.
15. Ranta R. A review of tooth formation in children with cleft lip/palate. *Am J Orthod Dentofacial Orthop.* 1986; 90: 11–8.
16. Böhn A. Dental anomalies in harelip and cleft palate. *Acta Odontol Scand.* 1963
17. Brattström V, McWilliams J. The influence of bone grafting age on dental abnormalities and alveolar bone height in patients with unilateral cleft lip and palate. *Eur J Orthod.* 1989; 11: 351–8.
18. Berkowitz S. *Cleft lip and palate.* 2nd ed. Springer;2006. P. 381 – 407 ,
19. Malgaigne JF. Manuel de Medicine Operatoire.7t h Ed. Paris: Germer Bailliere; 1861.

20. Mirault G. Deux Lettressurl operation du bec-delievre considere dans ses divers etats de simplicite et de complication. *J Chir (Paris)*. 1844; 2: 257-59.
21. Rose W. Harelip and cleft palate, London: HK Lewis, 1890.
22. Hagedory W. Über eine Modifikation der hasenscharten operation, Zentralbl Chir 1884; 11: 756-77.
23. LeMesurier AB. Method of cutting and suturing lip in complete unilateral cleft lip. *Plast Reconstr Surg*. 1949; 4: 1-3.
24. Tennison CW. The repair of unilateral cleft lip by the stencil method. *Plast Reconstr Surg*. 1952; 9: 115-7.
25. Millard DR, A primary camouflage of the unilateral hairlook. In: Skoog T, ed. Transactions of the First International congress of Plastic Surgery, Baltimore, Md. Williams & Wilkins 1957: 160-6.
26. Asensio OE, A variation of the rotation-advancement operation for repair of wide unilateral cleft lips, *Plast Reconstr Surg*. 1974 Feb; 53(2):167-73.
27. Filho OGS, Neto JV, Filho LC, Freitas JAS, Influence of Lip Repair on Craniofacial Morphology of Patients with Complete Bilateral Cleft Lip and Palate. *Cleft Palate Craniofac J*. 2003; 40 (2): 144-53.
28. Dewinter G. Dental Abnormalities, Bone Graft Quality, and Periodontal Conditions in Patients With Unilateral Cleft Lip and Palate at Different Phases of Orthodontic Treatment. *Cleft Palate Craniofac J*. 2003; 40(4): 343–50.

29. Silva Filho OG, Lauris RCMC, Capelozza Filho L, Semb G. Craniofacial morphology in adult patients with unoperated complete bilateral cleft lip and palate. *Cleft Palate Craniofac J.* 1998; (35): 111–9.
30. Batra PA, Sharma JB, Duggal RC, Hariparka SH. Secondary Bone Grafting in Cleft lip and Palate with Eruption of Tooth into the Graft: A Case Report. *J Indian Soc Pedod Prev Dent.* 2004; 22(1): 8-12.
31. Bergland O, Semb G, Abyholm FE. Elimination of the residual alveolar cleft by secondary bone grafting and subsequent orthodontic treatment. *Cleft Palate J.* 1986; 23: 175–205.
32. Helms JA, Speidel TM, Denis KL . Effect of timing on long-term clinical success of alveolar cleft bone grafts. *Am J Orthod Dentofacial Orthop.* 1987. 92:232–240.
33. Long RE, Sprangler BE, Yow M. Cleft width and secondary alveolar bone graft success. *Cleft Palate J.* 1995; 35: 420-6.
34. Witherow H, Cox S, Jones E, Carr R and Waterhouse N. A New Scale to Assess Radiographic Success of Secondary Alveolar Bone Grafts, *Cleft Palate Craniofac J.* 2002; 39(3): 255–260.
35. Batra PA, Sharma JB, Duggal RC, Hariparka SH. Secondary Bone Grafting in Cleft lip and Palate with Eruption of Tooth into the Graft: A Case Report. *J Indian Soc Pedod Prev Dent.* 2004; 22(1): 8-12.
36. Broadbent BH. A new X-ray technique and its application in orthodontics, *Angle Orthod.* 1931; 1: 45–60.

37. Athanasiou AE. Editor, Orthodontic Cephalometry, Mosby Wolfe, London, 1997.
38. Papadopoulos MA, Jannowitz C, Boettcher P, Henke J, Stolla R, Zeilhofer HF, Kovacs L, Erhardt W, Biemer E and Papadopoulos NA. Three-dimensional fetal cephalometry: An evaluation of the reliability of cephalometric measurements based on three-dimensional CT reconstructions and on dry skulls of sheep fetuses. *J Cranio-Maxill Surg.* 2005; 33(4), 229-37.
39. Waitzman AA, Posnick JC, Armstrong DC and Pron GE. Craniofacial skeletal measurements based on computed tomography: Part II. Normal values and growth trends, *Cleft Palate Craniofacial J.* 1992;29: 118–28.
40. Enemark H, Sindet-Pedersen S and Bundgaard M Long-term results after secondary bone grafting of alveolar clefts, *J Oral Maxill Surg.* 1987; 45(11): 913-8.
41. Long RE, Sprangler BE, Yow M. Cleft width and secondary alveolar bone graft success. *Cleft Palate J.* 1995; 35: 420-6.
42. G. Dewinter, M. Quirynen, K. Heidbüchel, A. Verdonck, G. Willems, C. Carels (2003) Dental Abnormalities, Bone Graft Quality, and Periodontal Conditions in Patients With Unilateral Cleft Lip and Palate at Different Phases of Orthodontic Treatment. *The Cleft Palate-Craniofacial Journal:* Vol. 40, No. 4, pp. 343-350.
43. Barry LE, Alveolar cleft bone grafting (Part I): Primary bone grafting, *Journal of Oral and Maxillofacial Surgery Volume 54, Issue 1, January 1996, Pages 74-82.*
44. นางชัย พองสมุทร, วิชีไฟน์ต์เอลิเม้นต์เบี้งตัน, หจก. ควรารณการพิมพ์, 2549.

- 45.Zienkiewicz OC. The Finite Element Method in Engineering Science, McGraw Hill, London, 1977.
- 46.Jones ML, Hickman J, Middleton J, Knox J and Volp C. A Validated Finite Element Method Study of Orthodontic Tooth Movement in the Human Subject. *Journal of Orthodontics*, Vol. 28, No. 1, 29-38, March 2001.
- 47.Williams, KR, Edmondson JT, Morgan G, Jones ML and Richmond S. Orthodontic movement of a canine into an adjoining extraction site, *Journal of Biomedical Engineering*, 8, 1986, 115–120.
- 48.Nyashin MY, Pechenov VS and Rammerstorfer FG. Determination of optimal orthodontic forces, *Russian Journal of Biomechanics*, 1–2, 1997, 84–96.
- 49.McGuinness NJP, Wilson AN, Jones ML and Middleton J. A stress analysis of the periodontal ligament under various orthodontic loadings, *European Journal of Orthodontics*, 13, 1992, 115–120.
- 50.Ross CG, Lear CS and De Lour R. Modelling the lateral movement of teeth, *Journal of Biomechanics*, 92, 1976, 723–734.
- 51.Tanne K. Stress induced in the periodontal tissue at the initial phase of the application of various types of orthodontic forces: 3-dimensional analysis using a finite element method, *Osaka Daigaku Shigaku Zasshi*. 1983 Dec; 28(2): 209-61.
- 52.Tanne K and Sakuda M. Initial stress induced in the periodontal tissue at time of the application of various types of orthodontic forces: three-dimensional analysis by mean of finite element method, *J Osaka Univ Dent Sch*. 1983 Dec; 23:143-71.

- 53.Katada H, Katada H, Isshiki Y. Changes in orthodontic cephalometric reference points on application of orthopedic force to jaw: three-dimensional finite element analysis, *Bull Tokyo Dent Coll.* 2005 Aug; 46(3): 59-65.
- 54.Chang YI, Shin SJ, Baek SH. Three-dimensional finite element analysis in distal en masse movement of the maxillary dentition with the multiloop edgewise archwire, *Eur J Orthod.* 2004 Jun; 26(3): 339-45.
- 55.Rudolph DJ, Willes PMG, Sameshima GT. A finite element model of apical force distribution from orthodontic tooth movement, *Angle Orthod.* 2001 Apr; 71(2): 127-31.
- 56.Geramy A. Initial stress produced in the periodontal membrane by orthodontic loads in the presence of varying loss of alveolar bone: a three-dimensional finite element analysis, *Eur J Orthod.* 2002 Feb; 24(1): 21-33.
- 57.Ghosh J, Nanda RS, Duncanson MG Jr, Currier GF. Ceramic bracket design: an analysis using the finite element method, *Am J Orthod Dentofacial Orthop.* 1995 Dec; 108(6): 575-82.
- 58.Nagahara K, Murata S, Nakamura S, Tsuchiya T. Displacement and stress distribution in the temporomandibular joint during clenching, *Angle Orthodontist* 1999; 69:372–379.
- 59.DeVocht JW, Goel VK, Zeitler DL, Lew D. Experimental validation of a finite element model of the temporomandibular joint, *Journal of Maxillofacial Surgery* 59: 2001, 775–778.

- 60.Zhao L, Patel PK. Three dimensional finite element analysis of axillary palate with a unilateral cleft, ISB XXth Congress - ASB 29th Annual Meeting July 31 - August 5, Cleveland, Ohio.
- 61.Pegoretti A. Finite element analysis of glass fibre reinforced composite endodontic post, *Biomaterials* volume 23, Issue 13, July 2002, Pages 2667-2682.
- 62.Basu S. A-Three-Dimensional Model of Human Lip Motion, M.S. Thesis, Massachhusettes Institute of Technology, February 1997.
- 63.Filho OGS, Neto JV, Filho LC, Freitas JAS. Influence of Lip Repair on Craniofacial Morphology of Patients with Complete Bilateral Cleft Lip and Palate, *Cleft Palate Craniofac J.* 2003; 40(2): 144-53.
- 64.Houston WJB. The analysis of error in orthodontic measurements, *Am J Orthod.* 1983. 83(5): 382-90.
- 65.Van der Meij A, Baart J, Prahl-Andersen B, Valk J, KostensePJ, Tuinzing DB. Computed tomography in evaluation of early secondary bone grafting. *Int J Oral Maxillofac Surg.* 1994; 23: 132–6.
- 66.Feichtinger M, Mossbo RCK, Karcher H. Assessment of Bone Resorption After Secondary Alveolar Bone Grafting Using Three-Dimensional Computed Tomography: A Three-Year Study, *Cleft Palate Craniofac J.* 2007;44(2):. 142-8.
- 67.Waitzman AA, Posnick JC, Armstrong DC, Pron GE. Craniofacial skeletal measurements based on computed tomography: Part I. Accuracy and reproducibility. *Cleft Palate Craniofac J.* 1992; 29(2): 112-7.

68. van der Meij AJW, Baart JA, Prahl-Andersen B, Kostense PJ, van der Sijp JR, and Tuinzing DB. Outcome of bone grafting in relation to cleft width in unilateral cleft lip and palate patients. *Oral Surgery Oral Pathology*, 2003; 96(1): 19-25.
69. Lilja J, Kalaaji A, Friede H, Elander A. Combined Bone Grafting and Delayed Closure of the Hard Palate in Patients with Unilateral Cleft Lip and Palate: Facilitation of Lateral Incisor Eruption and Evaluation of Indicators for Timing of the Procedure. *Cleft Palate Craniofac J.* 2000; 37(1): 98-105.
70. Bayerlein T, Proff P, Heinrich A, Kaduk W, Hosten N and Gedrange T. Evaluation of bone availability in the cleft area following secondary osteoplasty, *Journal of Cranio Maxillofac Surg.* 2006; 34(2): 57-61.
71. Shashua D, Omnell ML. Radiographic Determination of the Position of the Maxillary Lateral Incisor in the Cleft Alveolus and Parameters for Assessing its Habilitation Prospects, *Cleft Palate Craniofac J.* 2000;37(1): 21-5.
72. Gundlach KK, Behlfelt K, Pfeifer G. The maxillary arch in 8-and 16-year old patients with complete unilateral clefts treated according to the Hamburg regimen. In: Pfeifer G: *Craniofacial abnormalities and clefts of lip, alveolus and palate*; 4. Int. Symp. Hamburg 1987. Thieme, Stuttgart: 256–257, 1991.
73. Boyne PJ, Sand NR. Secondary bone grafting of residual alveolar and palatal cleft. *J Oral Surg.* 1972; 30: 87–92.

74. Bach T and Woo L. Alveolar Cleft Repair in Adults Using Guided Bone Regeneration With Mineralized Allograft for Dental Implant Site Development: A Report of 2 Cases, *J Oral Maxill Surg.* 2009; 67(8): 1716-22.
75. Brock II RA, Taylor RW, Buschang PH, and Behrentsd RG. Ethnic differences in upper lip response to incisor retraction, *Am J Orthodo Dentofac Orthop.* 2005; 127(6): 683-91.
76. Capelozza Filho L, Normando ADC, Silva Filho OG. Isolated influences of lip and palate surgery on facial growth: comparison of operated and unoperated male adults with UCLP. *Cleft Palate Craniofac J.* 1996; 33: 51-56.
77. Silva Filho OG, Capelozza Filho L, Ramos AL. Influence of palatoplasty on the upper dental arch and dimensions of unilateral complete cleft lip and palate patients. *Braz J Dysmorphol Speech Hear Dis.* 1997; 1: 41-54.
78. Normando ADC, Silva Filho OG and Capelozza Filho L. Influence of surgery on maxillary growth in cleft lip and/or palate patients, *J Cranio Maxillofac Surg.* 1992; 20(3): 111-118.
79. Wen-hua R, Ji-mei SU, Xiao-wei YE. Pressure from the lips and the tongue in children with class III malocclusion, *J Zhejiang Univ Sci.* 2007; 8(5):296-301.
80. Torzilli PA, Takebe K, Burstein AH, Zika JM, Heiple KG. The material properties of immature bone. *J Biomech Eng.* 1982; 104(1): 12-20.
81. Hoa TP, Azara K, Weinstein S and Bowleya WW. Physical properties of human lips: Experimental and theoretical analysis, *J Biomechanics.* 1982; 15(11): 859-66.