

## บรรณานุกรม

1. McDonald. R, Avery. D, Dean J. Treatment of deep caries, vital pulp exposure, and pulpless teeth. In: McDonald. R, Avery. D, Dean J, editors. *Dentistry for the Child and Adolescent*. St. Louis, Missouri: Mosby; 2004.
2. Dunston B, Coll JA. A survey of primary tooth pulp therapy as taught in US dental schools and practiced by diplomates of the American Board Of Pediatric Dentistry. *Pediatr Dent*. 2008 Jan-Feb;30(1):42-8.
3. AAPD. Guideline on pulp therapy for primary and young permanent teeth. *Pediatr Dent*. [Reference manual 2006-2007]. 2007;28(7):144-8.
4. Fei AL, Udin RD, Johnson R. A clinical study of ferric sulfate as a pulpotomy agent in primary teeth. *Pediatr Dent*. 1991 Nov-Dec;13(6):327-32.
5. Pinkham JP, Casamassimo P, McTigue D, Norwak A. Pulp therapy for the primary teeth. In: Fuks AB, editor. *Pediatric Dentistry: Infancy Through Adolescence*; 2005.
6. Hauman CH, Love RM. Biocompatibility of dental materials used in contemporary endodontic therapy: a review. Part 1. Intracanal drugs and substances. *Int Endod J*. 2003 Feb;36(2):75-85.
7. Ranly DM. Pulpotomy therapy in primary teeth: new modalities for old rationales. *Pediatr Dent*. 1994 Nov-Dec;16(6):403-9.
8. Farooq NS, Coll JA, Kuwabara A, Shelton P. Success rates of formocresol pulpotomy and indirect pulp therapy in the treatment of deep dentinal caries in primary teeth. *Pediatr Dent*. 2000 Jul-Aug;22(4):278-86.
9. Fuks AB. Vital pulp therapy with new materials for primary teeth: new directions and treatment perspectives. *J Endod*. 2008 Jul;34(7 Suppl):S18-24.
10. Waterhouse PJ. "New age" pulp therapy: personal thoughts on a hot debate. *Pediatr Dent*. 2008 May-Jun;30(3):247-52.
11. Ni Chaollai A, Monteiro J, Duggal MS. The teaching of management of the pulp in primary molars in Europe: a preliminary investigation in Ireland and the UK. *Eur Arch Paediatr Dent*. 2009 Jun;10(2):98-103.
12. Berger JE. Pulp Tissue Reaction to Formocresol and Zinc Oxide-Eugenol. *ASDC J Dent Child*. 1965;32:13-28.
13. Rolling I, Thylstrup A. A 3-year clinical follow-up study of pulpotomized primary molars treated with the formocresol technique. *Scand J Dent Res*. 1975 Mar;83(2):47-53.
14. Vargas KG, Packham B. Radiographic success of ferric sulfate and formocresol pulpotomies in relation to early exfoliation. *Pediatr Dent*. 2005 May-Jun;27(3):233-7.
15. Eidelman E, Holan G, Fuks AB. Mineral trioxide aggregate vs. formocresol in pulpotomized primary molars: a preliminary report. *Pediatr Dent*. 2001 Jan-Feb;23(1):15-8.
16. Tunc ES, Saroglu I, Sari S, Gunhan O. The effect of sodium hypochlorite application on the success of calcium hydroxide pulpotomy in primary teeth. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 2006 Aug;102(2):e22-6.

17. International Agency for Research on Cancer WHO. IARC classifies formaldehyde as carcinogenic to human. June 15, 2004; 2004 [updated 2004; cited February 27, 2008]; Available from: [http://www.iarc.fr/ENG/Press\\_Releases/archives/pr153a.html](http://www.iarc.fr/ENG/Press_Releases/archives/pr153a.html).
18. Zarzar PA, Rosenblatt A, Takahashi CS, Takeuchi PL, Costa Junior LA. Formocresol mutagenicity following primary tooth pulp therapy: an in vivo study. *J Dent*. 2003 Sep;31(7):479-85.
19. King SR, McWhorter AG, Seale NS. Concentration of formocresol used by pediatric dentists in primary tooth pulpotomy. *Pediatr Dent*. 2002 Mar-Apr;24(2):157-9.
20. Vargas KG, Packham B, Lowman D. Preliminary evaluation of sodium hypochlorite for pulpotomies in primary molars. *Pediatr Dent*. 2006 Nov-Dec;28(6):511-7.
21. Mohammadi Z. Sodium hypochlorite in endodontics: an update review. *Int Dent J*. 2008 Dec;58(6):329-41.
22. Spano JC, Barbin EL, Santos TC, Guimaraes LF, Pecora JD. Solvent action of sodium hypochlorite on bovine pulp and physico-chemical properties of resulting liquid. *Braz Dent J*. 2001;12(3):154-7.
23. The SD. The solvent action of sodium hypochlorite on fixed and unfixed necrotic tissue. *Oral Surg Oral Med Oral Pathol*. 1979 Jun;47(6):558-61.
24. Gordon TM, Damato D, Christner P. Solvent effect of various dilutions of sodium hypochlorite on vital and necrotic tissue. *J Endod*. 1981 Oct;7(10):466-9.
25. Zehnder M, Kosicki D, Luder H, Sener B, Waltimo T. Tissue-dissolving capacity and antibacterial effect of buffered and unbuffered hypochlorite solutions. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 2002 Dec;94(6):756-62.
26. Rosenfeld EF, James GA, Burch BS. Vital pulp tissue response to sodium hypochlorite. *J Endod*. 1978 May;4(5):140-6.
27. Hafez AA, Cox CF, Tarim B, Otsuki M, Akimoto N. An in vivo evaluation of hemorrhage control using sodium hypochlorite and direct capping with a one- or two-component adhesive system in exposed nonhuman primate pulps. *Quintessence Int*. 2002 Apr;33(4):261-72.
28. Sonmez D, Sari S, Cetinbas T. A Comparison of four pulpotomy techniques in primary molars: a long-term follow-up. *J Endod*. 2008 Aug;34(8):950-5.
29. Shoaf HK, Pashley EL, Myers DR, Pashley DH. Quantitation and control of pulpal bleeding. *Pediatr Dent*. 1979 Sep;1(3):177-81.
30. Guelmann M, Fair J, Turner C, Courts FJ. The success of emergency pulpotomies in primary molars. *Pediatr Dent*. 2002 May-Jun;24(3):217-20.
31. Holan G, Fuks AB, Ketlz N. Success rate of formocresol pulpotomy in primary molars restored with stainless steel crown vs amalgam. *Pediatr Dent*. 2002 May-Jun;24(3):212-6.
32. Randall RC, Vrijhoef MM, Wilson NH. Efficacy of preformed metal crowns vs. amalgam restorations in primary molars: a systematic review. *J Am Dent Assoc*. 2000 Mar;131(3):337-43.
33. Pazelli LC, Freitas AC, Ito IY, Souza-Gugelmin MC, Medeiros AS, Nelson-Filho P. Prevalence of microorganisms in root canals of human deciduous teeth with necrotic pulp and chronic periapical lesions. *Pesqui Odontol Bras*. 2003 Oct-Dec;17(4):367-71.

34. Aas JA, Griffen AL, Dardis SR, Lee AM, Olsen I, Dewhirst FE, et al. Bacteria of dental caries in primary and permanent teeth in children and young adults. *J Clin Microbiol.* 2008 Apr;46(4):1407-17.
35. Srinivasan V, Patchett CL, Waterhouse PJ. Is there life after Buckley's Formocresol? Part I -- a narrative review of alternative interventions and materials. *Int J Paediatr Dent.* 2006 Mar;16(2):117-27.
36. Fuks AB, Bimstein E. Clinical evaluation of diluted formocresol pulpotomies in primary teeth of school children. *Pediatr Dent.* 1981 Dec;3(4):321-4.
37. Yesilsoy C, Whitaker E, Cleveland D, Phillips E, Trope M. Antimicrobial and toxic effects of established and potential root canal irrigants. *J Endod.* 1995 Oct;21(10):513-5.
38. Holland R, de Souza V, Nery MJ, Otoboni Filho JA, Bernabe PF, Dezan Junior E. Reaction of rat connective tissue to implanted dentin tubes filled with mineral trioxide aggregate or calcium hydroxide. *J Endod.* 1999 Mar;25(3):161-6.
39. Percinoto C, de Castro AM, Pinto LM. Clinical and radiographic evaluation of pulpotomies employing calcium hydroxide and trioxide mineral aggregate. *Gen Dent.* 2006 Jul-Aug;54(4):258-61.
40. Waterhouse PJ, Nunn JH, Whitworth JM. An investigation of the relative efficacy of Buckley's Formocresol and calcium hydroxide in primary molar vital pulp therapy. *Br Dent J.* 2000 Jan 8;188(1):32-6.
41. Ranly DM, Garcia-Godoy F. Current and potential pulp therapies for primary and young permanent teeth. *J Dent.* 2000 Mar;28(3):153-61.
42. Fuks AB, Eidelman E, Cleaton-Jones P, Michaeli Y. Pulp response to ferric sulfate, diluted formocresol and IRM in pulpotomized primary baboon teeth. *ASDC J Dent Child.* 1997 Jul-Aug;64(4):254-9.
43. Lemon RR, Steele PJ, Jeansonne BG. Ferric sulfate hemostasis: effect on osseous wound healing. Left in situ for maximum exposure. *J Endod.* 1993 Apr;19(4):170-3.
44. Fuks AB, Holan G, Davis JM, Eidelman E. Ferric sulfate versus dilute formocresol in pulpotomized primary molars: long-term follow up. *Pediatr Dent.* 1997 Jul-Aug;19(5):327-30.
45. Cotes O, Boj JR, Canalda C, Carreras M. Pulpal tissue reaction to formocresol vs. ferric sulfate in pulpotomized rat teeth. *J Clin Pediatr Dent.* 1997 Spring;21(3):247-53.
46. Roberts HW, Toth JM, Berzins DW, Charlton DG. Mineral trioxide aggregate material use in endodontic treatment: a review of the literature. *Dent Mater.* 2008 Feb;24(2):149-64.
47. Moretti AB, Sakai VT, Oliveira TM, Fornetti AP, Santos CF, Machado MA, et al. The effectiveness of mineral trioxide aggregate, calcium hydroxide and formocresol for pulpotomies in primary teeth. *Int Endod J.* 2008 Jul;41(7):547-55.
48. Ford TR, Torabinejad M, Abedi HR, Bakland LK, Kariyawasam SP. Using mineral trioxide aggregate as a pulp-capping material. *J Am Dent Assoc.* 1996 Oct;127(10):1491-4.
49. Holan G, Eidelman E, Fuks AB. Long-term evaluation of pulpotomy in primary molars using mineral trioxide aggregate or formocresol. *Pediatr Dent.* 2005 Mar-Apr;27(2):129-36.

50. Zehnder M. Root canal irrigants. *J Endod.* 2006 May;32(5):389-98.
51. Estrela C, Estrela CR, Barbin EL, Spano JC, Marchesan MA, Pecora JD. Mechanism of action of sodium hypochlorite. *Braz Dent J.* 2002;13(2):113-7.
52. ศัลยศาสตร์ทันตกรรม, กุหลาบ เพิ่มวัฒนะกุล. การศึกษาความคงสภาพทางเคมีของผลิตภัณฑ์สารละลายโซเดียมไฮโปคลอไรท์. *ว.ทันตมหิดล.* 2543;20(1):39-46.
53. Gomes BP, Ferraz CC, Vianna ME, Berber VB, Teixeira FB, Souza-Filho FJ. In vitro antimicrobial activity of several concentrations of sodium hypochlorite and chlorhexidine gluconate in the elimination of *Enterococcus faecalis*. *Int Endod J.* 2001 Sep;34(6):424-8.
54. Bystrom A, Sundqvist G. Bacteriologic evaluation of the effect of 0.5 percent sodium hypochlorite in endodontic therapy. *Oral Surg Oral Med Oral Pathol.* 1983 Mar;55(3):307-12.
55. Siqueira JF, Jr., Batista MM, Fraga RC, de Uzeda M. Antibacterial effects of endodontic irrigants on black-pigmented gram-negative anaerobes and facultative bacteria. *J Endod.* 1998 Jun;24(6):414-6.
56. Berber VB, Gomes BP, Sena NT, Vianna ME, Ferraz CC, Zaia AA, et al. Efficacy of various concentrations of NaOCl and instrumentation techniques in reducing *Enterococcus faecalis* within root canals and dentinal tubules. *Int Endod J.* 2006 Jan;39(1):10-7.
57. Oliveira DP, Barbizam JV, Trope M, Teixeira FB. In vitro antibacterial efficacy of endodontic irrigants against *Enterococcus faecalis*. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2007 May;103(5):702-6.
58. Okino LA, Siqueira EL, Santos M, Bombana AC, Figueiredo JA. Dissolution of pulp tissue by aqueous solution of chlorhexidine digluconate and chlorhexidine digluconate gel. *Int Endod J.* 2004 Jan;37(1):38-41.
59. Clarkson RM, Moule AJ, Podlich H, Kellaway R, Macfarlane R, Lewis D, et al. Dissolution of porcine incisor pulps in sodium hypochlorite solutions of varying compositions and concentrations. *Aust Dent J.* 2006 Sep;51(3):245-51.
60. Pashley EL, Birdsong NL, Bowman K, Pashley DH. Cytotoxic effects of NaOCl on vital tissue. *J Endod.* 1985 Dec;11(12):525-8.
61. Zhang W, Torabinejad M, Li Y. Evaluation of cytotoxicity of MTAD using the MTT-tetrazolium method. *J Endod.* 2003 Oct;29(10):654-7.
62. Ng YL, Spratt D, Sriskantharajah S, Gulabivala K. Evaluation of protocols for field decontamination before bacterial sampling of root canals for contemporary microbiology techniques. *J Endod.* 2003 May;29(5):317-20.
63. Kaufman AY, Keila S. Hypersensitivity to sodium hypochlorite. *J Endod.* 1989 May;15(5):224-6.
64. Christensen CE, McNeal SF, Eleazer P. Effect of lowering the pH of sodium hypochlorite on dissolving tissue in vitro. *J Endod.* 2008 Apr;34(4):449-52.
65. Death JE, Coates D. Effect of pH on sporicidal and microbicidal activity of buffered mixtures of alcohol and sodium hypochlorite. *J Clin Pathol.* 1979 Feb;32(2):148-52.



66. Fraiss S, Ng YL, Gulabivala K. Some factors affecting the concentration of available chlorine in commercial sources of sodium hypochlorite. *Int Endod J.* 2001 Apr;34(3):206-15.
67. Piskin B, Turkun M. Stability of various sodium hypochlorite solutions. *J Endod.* 1995 May;21(5):253-5.
68. Spangberg L, Langeland K. Biologic effects of dental materials. 1. Toxicity of root canal filling materials on HeLa cells in vitro. *Oral Surg Oral Med Oral Pathol.* 1973 Mar;35(3):402-14.
69. Haghgoo R, Abbasi F. Histopathological evaluation of pulp after pulpotomy of primary teeth with sodium hypochlorite and formocresol. *Journal of Dental Medicine-Tehran University of Medical Sciences.* 2010;23(1):27-30.
70. Valachovic RW, Douglass CW, Berkey CS, McNeil BJ, Chauncey HH. Examiner reliability in dental radiography. *J Dent Res.* 1986 Mar;65(3):432-6.
71. Seale NS, Glickman GN. Contemporary perspectives on vital pulp therapy: views from the endodontists and pediatric dentists. *J Endod.* 2008 Jul;34(7 Suppl):S57-61.
72. Morawa AP, Straffon LH, Han SS, Corpron RE. Clinical evaluation of pulpotomies using dilute formocresol. *ASDC J Dent Child.* 1975 Sep-Oct;42(5):360-3.
73. Papagiannoulis L. Clinical studies on ferric sulphate as a pulpotomy medicament in primary teeth. *Eur J Paediatr Dent.* 2002 Sep;3(3):126-32.
74. Zealand CM, Briskie DM, Botero TM, Boynton JR, Hu JC. Comparing gray mineral trioxide aggregate and diluted formocresol in pulpotomized human primary molars. *Pediatr Dent.* 2010 Sep-Oct;32(5):393-9.
75. Fuss Z, Tsesis I, Lin S. Root resorption--diagnosis, classification and treatment choices based on stimulation factors. *Dent Traumatol.* 2003 Aug;19(4):175-82.
76. Sari S, Sonmez D. Internal resorption treated with mineral trioxide aggregate in a primary molar tooth: 18-month follow-up. *J Endod.* 2006 Jan;32(1):69-71.
77. Rodd HD, Boissonade FM. Vascular status in human primary and permanent teeth in health and disease. *Eur J Oral Sci.* 2005 Apr;113(2):128-34.
78. Rayner JA, Southam JC. Pulp changes in deciduous teeth associated with deep carious dentine. *J Dent.* 1979 Mar;7(1):39-42.
79. Wedenberg C, Lindskog S. Experimental internal resorption in monkey teeth. *Endod Dent Traumatol.* 1985 Dec;1(6):221-7.
80. Casas MJ, Kenny DJ, Johnston DH, Judd PL. Long-term outcomes of primary molar ferric sulfate pulpotomy and root canal therapy. *Pediatr Dent.* 2004 Jan-Feb;26(1):44-8.
81. Prove SA, Symons AL, Meyers IA. Physiological root resorption of primary molars. *J Clin Pediatr Dent.* 1992 Spring;16(3):202-6.
82. Fanning EA. The relationship of dental caries and root resorption of deciduous molars. *Arch Oral Biol.* 1962;7:595-601.
83. Angelova A, Takagi Y, Okiji T, Kaneko T, Yamashita Y. Immunocompetent cells in the pulp of human deciduous teeth. *Arch Oral Biol.* 2004 Jan;49(1):29-36.
84. Kassa D, Day P, High A, Duggal M. Histological comparison of pulpal inflammation in primary teeth with occlusal or proximal caries. *Int J Paediatr Dent.* 2009 Jan;19(1):26-33.

85. Rodd HD, Boissonade FM. Immunocytochemical investigation of immune cells within human primary and permanent tooth pulp. *Int J Paediatr Dent*. 2006 Jan;16(1):2-9.
86. Rodd HD, Boissonade FM. Innervation of human tooth pulp in relation to caries and dentition type. *J Dent Res*. 2001 Jan;80(1):389-93.
87. Gopikrishna V, Pradeep G, Venkateshbabu N. Assessment of pulp vitality: a review. *Int J Paediatr Dent*. 2009 Jan;19(1):3-15.
88. Zonneveld LN, McGrath PJ, Reid GJ, Sorbi MJ. Accuracy of children's pain memories. *Pain*. 1997 Jul;71(3):297-302.
89. Willard RM. Radiographic changes following formocresol pulpotomy in primary molars. *ASDC J Dent Child*. 1976 Nov-Dec;43(6):414-5.
90. Waterhouse PJ, Nunn JH, Whitworth JM, Soames JV. Primary molar pulp therapy-histological evaluation of failure. *Int J Paediatr Dent*. 2000 Dec;10(4):313-21.
91. Murray PE, About I, Lumley PJ, Franquin JC, Remusat M, Smith AJ. Human odontoblast cell numbers after dental injury. *J Dent*. 2000 May;28(4):277-85.
92. Morse DR. Age-related changes of the dental pulp complex and their relationship to systemic aging. *Oral Surg Oral Med Oral Pathol*. 1991 Dec;72(6):721-45.
93. Orhan AI, Oz FT, Orhan K. Pulp exposure occurrence and outcomes after 1- or 2-visit indirect pulp therapy vs complete caries removal in primary and permanent molars. *Pediatr Dent*. 2010 Jul-Aug;32(4):347-55.