

## REFERENCES

1. Todhunter, R. J., Lust, G. (1990). Pathophysiology of synovitis: clinical signs and examination in horses. *Compend Cortin Educ Pract Vet*, 12: 980-993.
2. Rosedale, P. D., Hopes, R., Wing - Digby, N. J., et al. (1985). Epidemiological study of wastage among racehorses: 1982 and 1983. *Vet Rec*, 116: 66-70.
3. McIlwraith, C. W. (1997). Traumatic Joint Injuries and Disease: Introduction. in T. S. Stashak, et al (Ed.), *Lameness in the Horse: An In – Depth Short Course for the Horseman* (pp.22-25), Colorado: Equine Sciendes of Colorado State University.
4. Williams, R.B., Harkins, L.S., Hammond, C.J., et al. (2001). Racehorse injuries, clinical problems and fatalities recorded on British racecourses from flat racing and National Hunt racing during 1996, 1997 and 1998. *Equine Vet J*, 33(5): 478-486.
5. Johnson, B.J., Stover, S.M., Daft, B.M., et al. (1994). Causes of death in racehorses over a 2 year period. *Equine Vet J*, 4: 327-330.
6. Wallin, L., Strandberg, E., Philipsson, J., et al. (2000). Estimates of longevity and causes of culling and death in Swedish warmblood and coldblood horses. *Livestock Product Sci*, 63: 275-289.
7. McIlwraith, C. W. (2002). Diseases of Joints, Tendons, Ligaments, and Related Structures. in T. S. Stashak, et al (Ed.), *Adams' lameness in horses* (5th ed) (pp.459, 469), Philadelphia: Lippincott Williams & Wilkins.
8. Frisbie, D. D., Ray, C. S., Ionescu, M., et al. (1999). Measurement of synovial fluid and serum concentrations of the 846 epitope of chondroitin sulfate and of carboxy propeptides of type II procollagen for diagnosis of osteochondral fragmentation in horses. *Am J Vet Res*, 60(3): 306-309.
9. McIlwraith, C.W. (1997). Traumatic Joint Injuries and Disease: Intraarticular Fractures Amenable to Treatment and in which the horse can be returned to athletic

- activity. in T. S. Stashak, et al (Ed.), *Lameness in the Horse: An In – Depth Short Course for the Horseman* (pp.39-42), Colorado: Equine Sciences of Colorado State University.
10. Todhunter, R.J., (1996). General Principles of Joint Pathobiology. in C.W., McIlwraith, et al (Ed.), *Joint disease in the horse* (pp.1-40), Philadelphia: W. B. Saunders.
  11. Corporate Country Bayer Group Community (2003). Bayer your horse's health – *Joint therapy: Joint structure* [Online]. Available: [http://www.yourhorseshealth.com/joint\\_therapy/struct.html](http://www.yourhorseshealth.com/joint_therapy/struct.html).
  12. Fife, R. S., Brandit, K. D., Braunstein, E. M. (1991). Relationship between arthroscopic evidence of cartilage damage and radiographic evidence of joint space narrowing in early osteoarthritis of the knee. *Arthritis Rheum*, 34: 377-382.
  13. McIlwraith, C. W. and A. M. Vachon (1988). Review of pathogenesis and treatment of degenerative joint disease. *Equine Vet J S*, 6: 3-11.
  14. Todhunter, R. J., Fubini, S. L., Freeman, K.P., et al. (1997). Concentrations of keratan sulfate in plasma and synovial fluid from clinically normal horses and horses with joint disease. *J Am Vet Med Assoc*, 210(3): 369-374.
  15. Ray, C.S., Poole, A.R., McIlwraith, C.W. (1996). Use of synovial fluid and serum markers in articular disease. In C.W., McIlwraith, et al (Ed.), *Joint disease in the horse* (pp.203-216), Philadelphia: W. B.Saunders.
  16. Aeolus Animal Hospital and Equine Center (2004). Arthritis and Joint Medications in the Performance – *Joint Classifications* [Online]. Available: <http://www.aahec.com/articles.html>.
  17. Southern state (2003). Horse diseases - *Equine Arthritis* [Online]. Available: <http://horses-and-horse-information.com/articles/0197arth.shtml>.
  18. McIlwraith, C. W. (1982). Current concepts in equine degenerative joint disease. *J Am Vet Med Assoc*, 180(3): 241-253.

19. Viitanen, M., Bird, J., Maisi, P., et al. (2000). Differences in concentration of various synovial fluid constituents between the distal interphalangeal joint, the metacarpophalangeal joint and the navicular bursa in normal horses. *Res Vet Sci*, 69: 63-67.
20. Hardingham, T. E., Fosang, A. J. (1992). Proteoglycan: many forms and many functions. *FASEB J*, 6: 861-870.
21. Hardingham, T. E. (2002). *Cartilage: aggrecan-link protein-hyaluronan aggregates* [Online]. Available: <http://www.glycoforum.gr.jp/science/hyalurona/HA05E.html>.
22. Yanagishita, M. (2002). *Proteoglycan* [Online]. Available: <http://www.glycoforum.gr.jp/science/word/proteoglycan/PGA00E.html>.
23. Fuller, C. J., Barr, A. R. S., Dieppe, P. A., et al. (1996). Variation of an epitope of keratan sulphate and total glycosaminoglycans in normal equine joints. *Equine Veterinary Journal*, 28(6): 490-493.
24. Platt, D., Bird, J. L. E., Bayliss, M. T. (1998). Aging of equine articular cartilage: structure and composition of aggrecan and decorin. *Equine Veterinary Journal*, 30(1): 43-52.
25. Hardingham, T. E., Fosang, A. J., Dudhia, J. (1994). The structure, function and turnover of aggrecan, the large aggregating proteoglycan from cartilage. *Eur. J. Clin. Chem. Clin. Biochem*, 32(4): 249-257.
26. Yada, T. (2002). *Aggrecan and Versican* [Online]. Available: <http://www.glycoforum.gr.jp/science/word/proteoglycan/PGA03E.html>.
27. Heinegard, D., Hascall, V. C. (1974). Aggregation of cartilage proteoglycans. 3. Characteristics of the proteins isolated from trypsin digests of aggregates. *J Biol Chem*, 249: 4250-4256.
28. Hardingham, T. E. (1981). Proteoglycan: their structure, interactions and molecular organization in cartilage. *Biochem Soc Trans*, 9: 489-497.
29. Brown, M. P., West, L. A., Merritt, K. A., et al. (1998). Changes in sulfation patterns of chondroitin sulfate in equine articular cartilage and synovial

- fluid in response to aging and osteoarthritis. *Am J Vet Res*, 59(6): 786-791.
30. Garnero, P., Rousseau, J. C., Delmas, P. D. (2002). Molecular basis and clinical use of biochemical markers of bones, cartilage, and synovium in joint diseases. *Arthritis & Rheumatism*, 43(5): 953-968.
31. Heinegard, D., Inerot, S., Weislander, J., et al. (1985). A method for the quantitation of cartilage proteoglycan structures liberated into the synovial fluid during developing degenerative joint disease. *Scand J Clin Lab Invest*, 45: 421-437.
32. Saxne, T., Heinegard, D., Wollheim F. A. (1986). Therapeutic effects on cartilage metabolism in arthritis as measured by release of proteoglycan structures into the synovial fluid. *Ann Rheum Dis*, 45: 491-497.
33. Saxne, T., Heinegard, D., Wollheim F. A. (1987). Cartilage proteoglycan in synovial fluid and serum in patients with inflammatory joint disease. *Arthritis Rheum*, 30: 972-979.
34. Lohmander, L. S., Wingstrand, H., Heinegard, D.(1988). Transient synovitis of the hip in the child: increased levels of proteoglycan fragments in the joint fluid. *J Orthop Res*, 6: 420-424.
35. Carroll, G. (1989). Measurement of sulfated glycosaminoglycans and proteoglycan fragments in arthritic synovial fluid. *Ann Rheum Dis*, 48: 17-24.
36. Leipold, H., Lust, G. (1989). Canine serum keratan sulfate and hyaluronate concentrations: relationship to age and osteoarthritis. *Arthritis Rheum*, 32: 312-321.
37. Todhunter, R. J., Yeager, A. E., Freeman, K. P., et al. (1993). Keratan sulfate as a marker of articular cartilage catabolism and joint treatment in ponies. *Am J Vet Res*, 54: 1007-1016.
38. Pothachoen, P. (2002). The quantitative analysis of chondroitin sulfate epitopes and hyaluronan as diagnostic markers for degenerative joint disease by ELISA technique. Graduate school. Thailand, Chiang Mai University.
39. Tiengburanatham, N. (1996). Production and characterization of monoclonal antibody

- against chondroitin 6-sulfate. Graduate school. Thailand, Chiang Mai University.
40. Fuller, C. J., Barr, A. R. S., Sharif, M., et al. (2001). Cross-sectional comparison of synovial fluid biochemical markers in equine osteoarthritis and the correlation of these markers with articular cartilage damage. *Osteoarthritis and Cartilage*, 9: 49-55.
  41. Okumura, M., and T. Fuginaga (1998). Establishment of a monoclonal antibody (1/14/16H9) for detection of equine keratan sulfate. *Am J Vet Res*, 59(10): 1203-1208.
  42. Peansukmanee, S. (2002). Changes in serum chondroitin sulfate epitopes and hyaluronan in normal horses and horses with osteoarthritis. Graduate school. Thailand, Chiang Mai University.
  43. Stashak, T.S. (2002). Examination of lameness. in T. S. Stashak, et al (Ed.), *Adams' lameness in horses* (5th ed) (pp. 113-182), Philadelphia: Lippincott Williams & Wilkins.
  44. McIlwraith, C. W. (2002). Diseases of Joints, Tendons, Ligaments, and Related Structures: Intraarticular Fractures (Type 2C Traumatic Arthritis) in T. S. Stashak, et al (Ed.), *Adams' lameness in horses* (5th ed) (pp. 524-533), Philadelphia: Lippincott Williams & Wilkins.
  45. McIlwraith, C. W., Bramlage, L. R. (1996). Surgical treatment of joint injury. in C.W., McIlwraith, et al (Ed.), *Joint disease in the horse* (pp.292-317), Philadelphia: W. B. Saunders.
  46. Neuwirth, L., Boring, J. G. (2002). The equine carpus: Carpal fractures. in D. E. Thrall (Ed.), *Textbook of Veterinary Diagnostic Radiology* (4th ed.) (227-246), Philadelphia: W.B. Saunders.
  47. McIlwraith, C. W. (2002). Diseases of Joints, Tendons, Ligaments, and Related Structures: Specific diseases of joints: Osteoarthritis (Degenerative Joint Disease). in T. S. Stashak, et al (Ed.), *Adams' lameness in horses* (5th ed) (pp. 533-534), Philadelphia: Lippincott Williams & Wilkins.

48. McIlwraith, C. W. (1997). Traumatic Joint Injuries and Disease: Osteoarthritis (Degenerative Joint Disease). in T. S. Stashak, et al (Ed.), *Lameness in the Horse: An In – Depth Short Course for the Horseman* (pp.42-43), Colorado: Equine Sciences of Colorado State University.
49. Corporate Country Bayer Group Community (2003). Bayer your horse's health – *Joint therapy: Joint inflammation*[Online]. Available: [http://www.yourhorseshealth.com/joint\\_therapy/struct.html](http://www.yourhorseshealth.com/joint_therapy/struct.html)
50. Adequan® (2006). Adequan-Osteoarthritis: Osteoarthritis in Canine [Online]. Available: [http://www.adequancanine.us/vet/en/vet\\_jointDisease.shtml](http://www.adequancanine.us/vet/en/vet_jointDisease.shtml).
51. McIlwraith, C.W., (1996). General pathobiology of the joint and response to injury. in C.W., McIlwraith, et al (Ed.), *Joint disease in the horse* (pp.40-70), Philadelphia: W. B. Saunders.
52. Stashak, T.S. (1997). Evaluation of the lame horse. in T. S. Stashak, et al (Ed.), *Lameness in the Horse: An In – Depth Short Course for the Horseman* (pp.1-4), Colorado: Equine Sciences of Colorado State University.
53. Widmer, W. R., Blevins, W. E. (1994). Radiologic evaluation of degenerative joint disease in horses: interpretative principles. *The compendium*, 16(7): 907-918.
54. Park, R.D., Wrigley, R. H., Sten P. F. (2002). Equine Diagnostic technique. in T. S. Stashak, et al (Ed.), *Adams' lameness in horses* (5th ed) (pp. 185-311), Philadelphia: Lippincott Williams & Wilkins.
55. Large Animal Radiology (2006). Radiology and the Purchase Exam in Weaning, Yearling and Two-Year Olds Racehorses: Bone Chips and Fractures Found in Two-Years Olds in Training [Online]. Available: <http://www.caltest.vet.upenn.edu/larad/purchase/images/document/fig256.html>
56. Radiology of the equine lime (2006). The carpus: Radiographic Abnormalities of the carpus: Degenerative Joint Disease [Online]. Available: <http://www.upei.ca/~vca341/equinelimbs/carpus.html>

57. Eades, S. C., Bounous, D. I. (1997). *Laboratory Profiles of Equine Diseases*. St. Louis, MO: Mosby: 7-9.
58. Hazell, P.K., Dent, C., Fairclough, J.A., et al. (1995). Changes in glycosaminoglycan epitope levels in knee joint fluid following injury. *Arthritis & Rheumatism* 38: 1-7.
59. Belcher, C., Yaqub, R., Fawthrop, F., et al. (1997). Synovial fluid chondroitin and keratin sulfate epitopes, glycosaminoglycans, and hyaluronan in arthritic and normal knees. *Annals of the Rheumatic Diseases* 56: 299-307.
60. กรรกฎ งานวงศ์พาณิชย์, ศิริวรรณ องค์ไชย. (2547). การวินิจฉัยโรคข้อเสื่อมในสุนัขโดยอาศัยสารบ่งชี้ทางชีวภาพ. *เชียงใหม่สัตวแพทยสาร*, 2: 39-49.
61. McIlwraith CW. (2005). Use of synovial fluid and serum biomarkers in equine bone and joint disease: a review. *Equine Vet J*, 37(5): 473-482.
62. Pothacharoen P, Teekachunhatean S, Louthrenoo W. (2006). Raised chondroitin sulfate epitopes and hyaluronan in serum from rheumatoid arthritis and osteoarthritis patients. *Osteoarthritis and Cartilage*, 4(13): 299-301.
63. กรรกฎ งานวงศ์พาณิชย์, ศิริวรรณ องค์ไชย. (2547). การเปลี่ยนแปลงระดับคอนดรอยตินซัลเฟตในซีรัมสุนัขที่ถูกเหนี่ยวนำให้เกิดโรคข้อต่อเสื่อมโดยการตัดเอ็นข้อเข่า. *สัตวแพทยศาสตร์ มช.*, 14(1): 94-103.
64. Pool RR. (1996). Pathologic manifestations of joint disease in the athletic horse. in C.W., McIlwraith, et al (Ed.), *Joint disease in the horse* (pp.87-117), Philadelphia: W. B. Saunders.
65. กรรกฎ งานวงศ์พาณิชย์, อัครนิศย์ อธิธิอาภา, ปรัชญา คงทวีเลิศ, และศิริวรรณ องค์ไชย. (2547). ความสัมพันธ์ของน้ำหนักร่างกายและเพศต่อระดับคอนดรอยตินซัลเฟตในซีรัมสุนัขปกติ. *วารสารสัตวแพทย์ผู้ประกอบการบำบัดโรคสัตว์ฯ*, 16(4): 37-48.