

## บรรณานุกรม

- ดวงตรา ภสานตีกุล. 2526. การศึกษาการเจริญเติบโต การเปลี่ยนแปลงทางพืชเคมี และทัชชี การเก็บเกี่ยวของผลมะม่วง (Mangifera indica L.) พันธุ์นาตอกไม้. วิทยานิพนธ์ปริญญาโท บัณฑิตวิทยาลัย มหาวิทยาลัยเกษตรศาสตร์. 56 หน้า.
- ตรา พวงสุวรรณ. 2526. การป้องกันกำจัดโรคผล มีและผักภายในประเทศไทย. เอกสารประกอบการอบรมการปฏิบัติหลังการเก็บเกี่ยวผักและผลไม้สด. สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย. ณ สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย. 27 กรกฎาคม - 2 สิงหาคม 2526.
- ประจำปี บุตรศาสตร์. 2530. การสำรวจโรคที่เกิดจากเชื้อราหลังการเก็บเกี่ยวผลมะม่วง (Mangifera indica L.) และวิธีป้องกันกำจัดโรคที่รุนแรงมากวิธี. การค้นคว้าแบบอิสระ-เชิงวิทยานิพนธ์ สาขาวิชาการสอนชีววิทยา มหาวิทยาลัยเชียงใหม่. 106 หน้า.
- ปิมมาลดา สุขมาก. 2520. การศึกษาโรคแอนแทรคโนลของมะม่วง. วิทยานิพนธ์ปริญญาโท. บัณฑิตวิทยาลัยมหาวิทยาลัยเกษตรศาสตร์. 76 หน้า.
- ราชจิตร จุਆกรณ์. 2536. ความล้มเหลวระหว่างความแก่และสายพันธุ์ กับปริมาณสารต้านทานโรคแอนแทรคโนลในผักผลมะม่วง. วิทยานิพนธ์ปริญญาโท บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่. 107 หน้า.
- วัลลภา ชีระภาวดี, สุภา สุขเกษม และ ตรา พวงสุวรรณ. 2528. "การศึกษาช่วงเวลาและอุณหภูมิที่เหมาะสมในการใช้น้ำอ่อน เชือผลมะม่วง เพื่อลดการเกิดโรคภายหลังการเก็บเกี่ยว" เอกสารประชุมทางวิชาการ ความก้าวหน้าของวิทยาการหลังการเก็บเกี่ยวพืชต่าง ๆ ณ ห้องประชุมคณฑ์อวาร์กพาชัวร์ กรมวิชาการเกษตร. 10-12 กรกฎาคม 2528 กระทรวงเกษตรและสหกรณ์.
- วัลลภา ชีระภาวดี, ณนอม สุขเจริญ, ภาคินี อัคราเวสสະพงศ์, ปรีศนา เมฆลักษณ์, ณนอม ลูกเจริญ และ ตรา พวงสุวรรณ. 2521. "โรคและวิธีการเก็บรักษาผลมะม่วงหลังการเก็บเกี่ยว" รายงานผลการทดลองและวิจัย ประจำปี 2520 กองวิจัยโรคนิสัย กรมวิชาการเกษตร กระทรวงเกษตรและสหกรณ์.
- วัลลภา ชีระภาวดี, ณนอม สุขเจริญ, ภาคินี อัคราเวสสະพงศ์ และ วารุณี ชนะแพลงษ์. 2522. "โรคและวิธีการเก็บรักษาผลมะม่วงหลังการเก็บเกี่ยว" รายงานผลการทดลองและวิจัย ประจำปี 2522 กองวิจัยโรคพืช กรมวิชาการเกษตร กระทรวงเกษตรและสหกรณ์.

- สมศรี แสงโชค. 2524. โรคภัยหลังการเก็บเกี่ยวของผัก และผลไม้บางชนิด. น. 275-279.  
ใน การสัมมนาเรื่องวิทยาการหลังการเก็บเกี่ยวของข้าว พืชไร่ และพืชสวน. สถาบัน  
ประมงน้ำจืดแห่งชาติ และศูนย์วิจัยอุรักษ์ข้าว เกษตรกลาง บางเขน.
- ลุษิต วิจิตรานันท์. 2520. การทดสอบปรับลิทธิภาพของสารเคมีบางชนิดต่อโรคแอนแทรคโนล  
ของมะม่วง, น. 113-117. ใน รายงานทดลองและวิจัย. กองวิจัยโรคพืช กรมวิชา-  
การเกษตร กระทรวงเกษตรและสหกรณ์.
- อังสุมา ชัยสมบัติ. 2530."โรคหลังการเก็บเกี่ยวของผลมะม่วงที่เกิดจากเชื้อรา Colletotrichum  
gloeosporioides (Pent.) Sacc. และการควบคุม" วิทยานิพนธ์ปริญญาโทสาขาวิชา-  
ยาลัย มหาวิทยาลัยเกษตรศาสตร์. 105 หน้า.
- Abeles, F. B. 1972. The biochemistry and mode of action of ethylene.  
Nature 204: 343-345.
- Akamine, E.K. and T. Arisumi. 1953. Control of post-harvest storage  
decay of fruit of papaya (Carica papaya L.) with special ref-  
erence to the effect of hot water. Pro. Amer. Soc. Hort. Sci. 61: 270-274.
- Andebrhan, T. and P.K.S. Wood. 1980. The effect of ultraviolet radiation  
of the reaction of Phaseolus vulgaris to species of Colletotrichum. Physiol. Plant Pathol. 17:105-110.
- Animal and Plant Health Inspection Service. 1985. Plant protection and  
quarantine treatment manual, section III, part 9 and section  
VI-T106. USDA-APHIS, Hyatts, 11e, Md.
- Anonymous. 1991. E.C. bans postharvest pesticide treatment. Postharvest  
News and Information 22: 3.
- Anonymous. 1993. TANA ultraviolet radiation as a sterilization agent.  
TANA NETIV HA LAMED-HE INDUSTRIES, D.N. Haela, 99865, Israel.
- Anthony, B. R., Phillips, D. J., Badr, S. and Y. Aharoni. 1989. Decay  
control and quality maintenance after moist air heat treatment  
of plastic wrapped nectarines. J. Amer. Soc. Hort. Sci. 114:  
946-949.
- Armstrong, J. W., Hansen, J. D., Hu, B. K. S. and S. A. Brown. 1989.  
High temperature, forced-aired quarantine treatment for papayas

- infested with tephritis fruit flies. J. Econ. Entomol. 82(6): 1667-1674.
- Arimoto, Y., Homma, Y. and T. Misato. 1986. Studies on citrus melanose and citrus stem-end rot by Diaporthe citri (Faw.) Wolf. Part 4. Antifungal Substance in melanose spot. Ann. Phytopath. Soc. Japan 52:39-46.
- Askar, A., Ismailia, M. M., Abdel-Baki, S. K., El-Sahamy, S. S. Ibrahim, Zaggzig and A. R. Egypt. 1983. Flower changes in ripening mango fruits (Manifera indica L.) Confructa 27:96-107.
- Bailey, J.A. and J. W. Mansfield. 1982. Phytoalexins Wiley. New York.
- Baker, A.C. 1952. The vapour-heat process. U.S.D.A. Yearbook of Agric. 401-404.
- Baker, K. F. 1962. Thermotherapy of planting material. Phytopathology 52: 1244-1255.
- Barkai-Golan, R. 1973. Postharvest heat treatment to control Alternaria tenuis Auct. rot in tomato. Phytopathol. Mediterranea 12:108-111.
- Barkai-Golan, R. and D. J. Phillips . 1991. Postharvest heat treatment of fresh fruits and vegetables for decay control. Plant Dis. 75(11): 1085-1100.
- Bawden, F.C. and A. Kleczkowski. 1952. Ultraviolet injury to higher plants counteracted by visible. Nature 169:90-1.
- Ben-Arie, R. and S. Guelfat-Reich. 1969. Postharveat heat treatment to control storage rots Spadone pears. Plant. Dis. Rep. 53:363-367.
- Ben-Yehoshua, S., Shapiro, B., Kim, J.J., Sharoni, J., Carmeli, S. and Y. Kashman. 1988. Resistance of citrus fruit to pathogen and its enhancement by curing. In: Proc. 6th Intl. Citrus Cong., Tel Aviv. Isreal, R. Goren and K. Mendel (eds.), pp.1371-1379.
- Ben-Yehoshua, S., shapiro, B. and R. Moran. 1987a. Individual seal-packaging enables the use of curint at high temperatures to reduce decay and heal injury of citrus fruits. HortScience 22: 777-778.

- Ben-Yehoshua, S., Barak, E. and B. Shapiro. 1987b. Postharvest curing at high temperatures reduces decay of individually sealed lemons, pomelos, and other citrus fruit. *J Amer. Soc. Hort. Sci.* 112:658-663.
- Ben-Yehoshua, S., Kim, J.J. and B. Shapiro. 1989a. Curing of citrus fruit-applications and mode of action. In: Proc. 5th Intl. CA. Res. Conf., Washington, G.K. Fellman(ed.), vol.2:179-196.
- Ben-Yehoshua, S., Kim, J.J. and B. Shapiro. 1989b. Elicitation of resistance to the development of decay in citrus fruit by curing of sealed fruit. *Acta Horticulturae* 258:623-630.
- Ben-Yehoshua, S., Rodov, V., Kim, J.J. and S. Carmeli. 1992. Preformed and induced antifungal materials of Citrus fruits in relation to the enhancement of decay resistance by heat and ultraviolet treatments. *J. Agric. Food Chem.* 40 :1217-1221.
- Bhardwaj ,C.L. and B.M. Singh. 1984. Effect of ultraviolet light and heat stress on the formation of antifungal compounds in rice. *Indian Phytopath.* 37:677-679.
- Bridge , M. A. and W.L. Klarman. 1973. Soybean phytoalexin, hydroxyphaseollin, induce by ultraviolet irradiation. *Phytopathology* 63: 606-609.
- Brown, G.E., Ismail, M. A. and C.R. Barmore. 1978. Lignification of injuries to citrus fruit and susceptibility to green mold. *Proc. Fla. State Hort. Soc.* 91:124-126.
- Brown, G.E. and C.R. Barmore. 1983. Resistance of healed citrus exocarp to penetration by Penicillium digitatum. *Phytopathology* 73: 691-694.
- Broderick, H. T. and H.J. Van Der. Linder. 1981. Technological feasibility studies on combination treatments of subtropical fruits. In : *Combination Processes in Food Irradiation*. Vienna, Austrial International Atomic Energy Agency.
- Bower, J.P. 1985. Some aspect of water relations of avocado Perssea americana (Mill) tree and fruit physiology. PhD Thesis.

- Department of Horticultural Science, University of Natal,  
South Africa, pp. 182.
- Burchill, R. T. 1964. Hot water as a possible post-harvest control of  
*Gloeosporium* rots of stored apples. Plant Pathol. 13: 106-107.
- Chaplin, G. R. 1984. Postharvest physiology of mango fruits, pp.  
261-270. In Proceedings 1st Australian Mango Research Workshop.  
Cairns, Queensland.
- Chappell, J. and K. Hahlbrock. 1984. Transcription of plant defence  
genes in response to UV light or fungal elicitor. Nature 311:  
76-78.
- Cheath, L.H., Irving, D.E., Hunt, A.W., and V.K.Corrigan. 1992. Effect  
of hot water dips on *botrytis* storage rot and quality of ki-  
wifruit. Postharvest Biology and Technology, 2:1-6.
- Chema, G. S., Karmarkar D.V. and B. M. Joshi. 1950. Investigations on  
the cold storage of mangoes. Indian J. Agric. Sci. 20: 259-325.
- Christ, U. and E. Mosinger. 1989. Pathogenesis-relateins of tomato. I.  
Induction by Phytophtora infestans and other biotic and  
abiotic inducers and correlations with resistance. Physio. Mol.  
Plant Pathol. 35: 53-65.
- Chun, D., Miller, W.R. and L. A. Risse. 1988. Grapefruit storage decay  
and fruit quality after high-temperature prestorage conditioning  
at high or low humidity . J. Amer. Soc. Hort. Sci. 113:  
873-876.
- Clara, F. M. 1927. Anthracnose disease of mango in the Philippines.  
Phil. Agric. Rev. 20: 271-273.
- Cline, M. G., Conner, G.I. and F. B. Salisbury. 1969. Simultaneous  
reactivation of ultraviolet damage in *Xanthium* leaves. Plant  
Physiology, 44: 1674-1678.
- Couey, H.M. and M.N. Follstad. 1966. Heat pasteurization for control  
of postharvest decay in fresh strawberries. Phytopathology  
56: 1345-1347.

- Cua, A.U. and M.C.C. Lizada. 1989. Ethylene production in the 'Carabao' mango (Mangifera indica L.) during maturation and ripening. Paper presented at the Symposium on Tropical Fruit in International Trade, 4-9 June 1989, Honolulu, Hawaii.
- Darvill, A.G. and P. Albersheim. 1984. Phytoalexin and elicitors - A defense against microbial infection in plants. Ann. Rev. Plant Physiol. 35:243-275.
- Dasuki, I.M. 1987. The etiology of Postharvest physiological disorder of 'Carabao' Mango (Mangifera indica cv. Carabao) and its influence on the quality of processed mango products. Ph.D. Thesis. University of the Philippines at Los Banos, College, Laguna, Philippines.
- Dezman, D.J., Nagy, S. and G. E. Brown. 1986. Postharvest fungal decay control chemicals: treatments and residues in citrus fruits. Residue Review 97: 38-62.
- Doidge, E. M. 1932. Black spot of mangoes. Fmg. in S. Afr. 7: 89-91.
- Droby, S., Prusky, D., Jacoby, B., and A. Goldman. 1986. Presence of antifungal compounds in the peel of mango fruits and their relation to latent infections of Alternaria alternata. Physiol. Mol. Plant Pathol. 30: 285-292.
- Droby, S., Chalutz, E., Cohen, L., Weiss, B. and A. Daos .1991. Treatment with ultraviolet light (UV) as a means for strengthening resistance of citrus fruit to green mold Penicillium digitatum. Alon Honotea 46: 766-768 (Hebrew).
- Eckert, J.W. and N. F. Sommer. 1967. Control of diseases of fruits and vegetables by postharvest treatment. Ann. Rev Phytopath. 5:391-342.
- Eckert, J.W., 1975. Postharvest pathology. pp. 393-443 In: R. B. Panastico(ed) Postharvest Physiology. Handling and Utilization of Tropical and Subtropical Fruits and Begetables. Avi Publishing Co., Westport, CT. 560 pp.

- Eckert, J.W. and M. Ratnayake. 1983. Host-pathogen interactions in post-harvest diseases. In: M. Lieberman, (ed) Postharvest Physiology and Crop Preservation. Plenum Publishing Co., New York.
- Eckert, J.W. 1983. Control of postharvest diseases with antimicrobial agents, pp. 256-283. In Post-harvest Physiology and Crop Preservation, McGraw-Hill Book Co., New York.
- Eckert, J.W. 1988. Resistance of peel injuries to infection by Penicillium digitatum. In: Book of Abstracts, Proc. 6th Int'l. Citrus Cong., Tel Aviv, Israel, P.167.
- Edney, K.L. and R. T. Burchill. 1967. The use of heat to control the rotting of Cox's Orange pippineapples by Gloeosporium spp. Ann. Appl. Biol. 59: 389-400.
- Esquerra, E.B., Brena, S.R., Reyes, M.U. and M.C.C. Lizada. 1989. Physiological Break down in vapor heat-treated 'Carabao' mango. Paper presented at the Symposium on Tropical Fruit in International Trade, 4-9 June 1988, Honolulu, Hawaii.
- Esquerra, E. B. and M.C.C. Lizada. 1990. The postharvest behaviour and quality of 'Carabao' mangoes subjected to varpor heat treatment. ASEAN Food Journal 5:6-11.
- Francis, F.J. 1980. Color quality evaluation of horticultural crops. HortScience 15: 58-59.
- Freytag, H. 1933. The action of ultra-violet rays on leaves and fruit skins. Botanisches Centralblatt, Beihefte, 51: 408-436.
- Fritzemeier ,K.H., Rolfs, C.H., Pfau, J. and H. Kindl. 1983. Action of Ultraviolet-C on stilbene formation in callus of Arachis hypogaea. Planta 159:25-29.
- Furusawa, K., Sugimoto, T. and T. Gaja. 1984. The effectiveness of vapour heat treatment against the melon fly, Dacus cucurbitae Coquillett, in eggplant and fruit tolerance to the treatment. Res. Bull. Plant Prot., Japan, 20: 17-24.

- Gaffney, J.J. and J. W. Armstrong. 1990. High - temperature forced - air research facility for heating fruits for insect quarantine treatments. *J. Econ. Entomol.*, 83:1959-1964.
- Gnanasekharan, V., Shewfelt, R.L. and M. S. Chinnan. 1992. Detection of Color Changes in Green Vegetables. *J. Food Sci.* 57 :149-154.
- Hadwiger, L.A. and M.E. Schwochau. 1971. Ultraviolet light-induced formation of pisatin and phenylalanind ammonia lyase. *Plant Physiology* 47:588-590.
- Hopkins , E.F. and K.W. Loucks. 1948. A curing proceure for the reduction of mold decay in citrus fruits. *Bul. Fla. Agr. Expt. Station* 450.
- Houck, L.G. 1967. Hot water treatments for control of Penicillium digitatum green mold of Eureka lenons. (Abstr.) *Phytopathology* 57: 99.
- Hulme, A.C. 1971. The Mango. In A. C. Hulme (ed.) *The Biochemistry of Fruit and Their Products*. London and New York : Academic press. 2: 233-254.
- Hutton, T.T. and W. F. Reeder. 1965. Controlled atmosphere storage of Keitt mangos. *Proc. Am. Soc. Hort. Sci.* 10, 114-119.
- Hutton, T.T. and W.F. Reeder. 1969. Responses of Florida avocados, mangos, limes to storage in several controlled atmospheres, p. 72-76.  
In: D.H. Dewey, R.C. Herner, and D. Dilley(eds.) *Controlled atmospheres for the storage and transport of horticultural crops*, Michigan State Univ., East Lansing, Hort. Rpt. 9.
- Jacobi, K.K., and L.S. Wong. 1991. The injuries and changes in ripening behaviour caused to kensington mango by hot water treatments. *Acta Horticulturae* 291:372-378.
- Jacobi, K.K., Wong, L.S. and J.E. Giles. 1993. Lychee(Litchi chinensis Sonn.) fruit quality following vapour heat treatment and cool storage. *Postharvest Biology and Technology*, 3:111-119.

- Jagger, J. 1967. Introduction to research in ultraviolet photobiology. Prentice-Hall, Inc, Englewood Cliffs, New Jersey. 164 p.
- Jacobs, C. T., Brodrick, H.T., Swarts H.D. and N. J. Mulder. 1973. Control of postharvest decay of mango fruit in South Africa. Plant Dis. Rep. 57: 173-176.
- Johnson, J.H. 1968. Heat and other treatments for cantaloupes and peppers. Pages 51-52, 54, 56 in: Yearbook, United Fresh Fruit and Vegetable Association Washington, DC.
- Johnson, G.I. 1992. Biology and control of the stem end rot pathogens of mango. Ph. C. Thesis. Botany Department, The University of Queensland, St Lucia, Queensland, Australia.
- Johnson, G.I., Mead, A.J., Cooke, Dean, J.R. 1992. Mango stem end rot pathogens - Fruit infection by endophytic colonisation of the inflorescence and pedicel. Ann. Appl. Biol. 120: 225-234.
- Johnson, G.I. and L.M. Coates. 1993. Postharvest diseases of mango. Postharvest News and information, Vol. 4 No. 1: 27N-34N.
- Johnson, G.I., Sangchote, S. and A. W. Cooke. 1990. Control of stem end rot (Dothiorella dominicana) and other postharvest diseases of mangoes (cv. Kensington Pride) during short and long-term storage. Trop. Agri. (Trinidad) 67: 183-187.
- Kim, J.J., Ben-Yoheshua, S., Shapiro, B., Henis, Y. and S. Carmeli. 1991. Accumulation of scoparone in heat-treated lemon fruit inoculated with Penicillium digitatum Sacc. Plant Physio. 97: 880-885.
- Kim, J.J. 1992. Involvement of antifungal compounds in natural and induced resistance of citrus fruits to fungal pathogens. Ph.D. thesis. The Hebrew university of Jerusalem, Israel. 122 p.
- Koomen, I. 1990. Biological control of Colletotrichum gloeosporioides. Ph. D. Thesis. The University of Kent, Canterbury.

- Koomen, I., Jeffries, P. and J.C. Dodd. 1992. The potential use of biological control in the postharvest treatment of mango anthracnose. Proceedings of the 3rd International Conference on Plant Protection in the Tropics held at Pahang, Malaysia, 20-23 March 1990.
- Korsten, L., Bezuidenhout, J.J. and J.M. Kotze. 1988. Biological control of postharvest diseases of avocado. South African Avocado Growers' Association Yearbook 11, 75-80.
- Korsten, L., Harmelen, M.W.S. van., Heitmann, A., Villiers, E. de, and E. de Jager. 1991. Biological control of postharvest diseases of avocado. South African Avocado Growers' Yearbook 11, 65-67.
- Kuc, J. 1991. Plant immunization. A non-pesticide control of plant disease. Petria 1: 79-83.
- Kuhn, D.N., J. Chappell, A. Boudet, and K. Hahlbrock. 1984. Induction of Phenylalanine ammonia-lyase and 4-coumarate:CoA ligase mRNAs in cultured plant cells by UV light of fungal elicitor. Proc. Natl. Acad. Sci. USA 81:1101-1101.
- Lakshimiarayana, S., Krishnaprasad, C.A. and M.S. Shetty. 1974. Hot water treatment to regulate ripening and reduce spoilage of Alphonso mangoes. J. Hort. Sci. Vol. 49 no. 4: 365-371.
- Langcake, P. and R.J. Pryce. 1977. The production of resveratrol and viniferins by grapevines in response to ultraviolet irradiation. Phytochemistry 16:1193-1196.
- Lidster, P.D. and S.W. Porritt. 1978. The influence of humidity upon the response of Spartan apples to pre-storage high temperature treatment. Can. J. Plant Sci. 58: 1111-1113.
- Lazan, H., Ali, Z.M.A., Lee, K.W., Voon, J. and G.R. Chaplin. 1986. The potential role of polygalacturonase in pectin degradation and softening of mango fruit. ASEAN Food Journal. 2:93-95.

- Lidster, P.D. and S.W. Porritt. 1978. The influence of humidity upon the response of Sparton apples to pre-storage high temperature treatment. *Can.J. Plant Sci.* 58:1111-1113.
- Lipton, W.J. 1970. Effects of high humidity and solar radiation on temperature and colour of tomato fruits. *Journal of the American Society for Horticultural Science*, 95: 680-384.
- Lipton, W.J. and F. Matoba. 1971. Whitewashing to prevent sunburn of 'Crenshaw' melons. *HortScience*, 6: 343-345.
- Lipton, W.J. 1977. Ultraviolet radiation as a factor in solar injury and vein tract browning of cantaloupes. *J. Amer. Soc. Hort. Sci.*, 102: 32-36.
- Lizada, M.C.C., Agravante, J.U. and E.O. Brown. 1986. Factors affecting postharvest disease control in 'Carabao' mango subjected to hot water treatment. *Philipp. J. Crop Sci.* 11:153-161.
- Lizada, M.C.C. 1991. Postharvest physiology of the mango - a review. *Acta Horticulturae* 291: 437-453.
- Liu, X.J. 1985. Control of the Infection of Mango by latent Pathogenic fungi During Storage Chinese *J. Trop. Crops.* 5(2) :107-112. (Abst.).
- Lonsdale, J.H. and J.M. Kotze. 1991. Increased mango Yields through chemical control of blossom diseases. *South african Avocado Growers' Yearbook* 11, 39-41.
- Lonsdale, J.H. and J.M. Kotze. 1992. Etiology and control of some mango blossom diseases in South africa. IV International Mango Symposium. Miami Beach, Florida, USA, July 1992. Abstracts, 18.
- Luckey, T.D. 1982. Hormesis with Ionizing Radiation. CRC Press. Boca Raton, FL.
- Lu, J.Y., Stevens. C., Yakubu, P. and P. A. Loretan. 1987. Gamma, electron beam and UV radiation on control of stroage rots and quality of Walla Walla onions. *J. Food Proc. Pres.* 12: 53-62.

- Lu , J.Y., Stevens, C., Khan, V.A. and M. Kabwe . 1991. The effect of Ultraviolet irradiation on shelf-life and ripening of peaches and apples. *Journal of Food Quality* 14(1991):299-306.
- MacMillan, H.G. 1923. Cause of sunscald of beans. *Phytopathology*. 13 : 376-380.
- Matern, U. 1991. Coumarins and other phenylpropanoid compounds in defense response of plant cells. *Planta Medica* (in press)
- McGlosson, W.B. 1985. Ethylene and fruit ripening. *HorScience* 21: 51-54.
- McGuire, R. 1991. Concomitant decay reductions when mangoes are treated with heat to control infestations Caribbean fruit flies. *Plant Disease* 75: 946-949.
- Mcpartland, J.M. and D.F. Schovenewiss. 1984. Hyphal morphology of Botryosphaeria dothidea in vessels of unstressed and drought-stressed stems of Betula alba. *Phytopathology* 74: 358-362.
- Meddlicott, A.P., Reynolds, S.B. and A.K. Tompson. 1986. Effect of Temperature on the ripening of mango fruits (Mangifera indica L. var. 'Tommy Atkins') *J.Sci.Food Agric.* 37:469-474.
- Mendoza, Jr., D.B., Javier, F.B. and Er. B. Pantastico. 1972. Physio-Chemical Studies during Growth and Maturation of "Carabao" Mango. *Anim. Husb. Agr. J.* 7 : 33-36.
- Mendoza, D.B. and R.B.H. Will. 1984. Mango Fruit Development. Postharvest Physiology and Marketing in Asian. Kuala Lumpur Malaysia. ASIAN Food Handling Bureau, Kuala Lumpur. 111 p.
- Merino, S.R., Eugenio, M.M., Ramos, A. U. and S.T. Hernandez . 1985. Fruitfly Disinfestation of Mangoes (Mangifer indica L. var 'Manila Super') by Vapor Heat Treatment. Manila, Philippines: Ministry of Agriculture and Food. Bureau of Plant Industry.
- Miller, W.R., Spalding, D.H. and P. W. Hale. 1986. Film wrapping mangoes at advancing stages of postharvest ripening. *Tropical Science* 26: 9-17.

- Miller, W.R., McDonald R.E. and J. L. Sharp. 1991 Condition of "Tommy Atkins" mango after treatment with 51.7°C forced air and storage. *HortScience*, 20:393-397.
- Mitcham J.E. and R.E. McDonald. 1993. Respiration rate, internal atmosphere, and ethanol and acetaldehyde accumulation in heat-treated mango fruit. *Postharvest Biology and Technology*, 3(1993) :77-86.
- Moy, J.H., McElhaney, T., Matsuzaki, C., and C. Piedrahita. 1978. Combined treatment of UV and gamma-radiation of papaya for decay control. in Pro. Int. Symp. Food Preservation Irradiat. Vol. 1, STI/PUB?470, IAEA, Vienna : 361 p.
- Muirhead, I.F. 1976. Postharvest control of mango anthracnose with benomyl and hot water. *Australian J. of Expt. Agr. and Animal Husbandry*, vol.16, Aug.1976
- Muirhead, I.F., Fitzell, R.D., Davis, R.D. and R. A. Peterson. 1982. Post-harvest control of anthracnose and stem-end rot of Fuerte avocados with Prochloraz and other fungicides. *Aust. J. Exp. Agric. Anim. Husb.*, 22:441-446.
- Murphy, T. M. 1983. Membranes as targets of ultraviolet radiation. *Physiologia Plantarum*. 58:381-388.
- Nadel, M. S., Michaely, H., Zauberman, G. and I. Chet. 1985. Physiological changes occurring in picked climacteric fruits infected with different pathogenic fungi. *Phytopath. Z.* 113: 277-284.
- Nagy, S. and P.E. Shaw. 1980. *Tropical and Subtropical Fruit.* Westport Conn. The AVI Publishing Company Inc.
- Pathak, V.N. and P.S. Shekhawat. 1976. Efficacy of Some Fungicides and Hot Water in Control of Anthracnose and Aspergillus rot. Mango Fruits. *Indian Phytopathology* 29: 315-317.
- Paull, R.E. 1990. Postharvest heat treatments and fruit ripening. *Postharvest New Info.*, 1:355-36.

- Peacock, B.C., Murray, C., Kosisychinda, S., Kasitttrakul, M. and S. Tan Tiriayakul. 1986. Influence of harvest maturity of mangoes on storage potential and ripe fruit quality. ASEAN Food Journal, 2:99-103.
- Peacock, B.C. 1988. Simulated commercial export of mangoes using controlled atmosphere container technology. In: Ferrar, P.(ed) Transport of Fresh Fruit and Vegetables. Proceedings of Workshop held at North Ryde, Sydney, Australia, 5-6 February 1987. ACIAR proceedings Series No. 23 pp. 40-44.
- Pearce, G.W. and L. R. Streeter. 1931. A report on the effect of light on the pigment formation in apples. Journal of Biological Chemistry, 92: 743-749.
- Pennock, W. and G. Maldonaldo. 1962. Hot water treatment of mango fruit to reduce anthracnose decay. J. Agric. Univ. Puerto Rico. 46: 272-283.
- Phillips, D.J., and C. M. Harris. 1979. Postharvest brown rot of peaches and inoculum density of *Monilinia fructicola* (Wint.) Honey. US. Dep. Agric. Res. Rep. W-9.12pp.
- Phillips ,D.J. and R.K. Austin. 1982. Changes in peaches after hot-water treatment. Plant Disease 66:487-488.
- Prusky, D., Fuchs, Y. and U. Yanko. 1983. Assessment of latent infections an a basis for control of postharvest disease of mango, Plant Disease 67: 816-818.
- Prusky,D. and N.T. Keen.1993.Involvement of preformed antifungal compounds in the resistance of subtropical fruits to fungal decay. Plant Disease Vol. 72:114-119.
- Quimio, A.J. and T.H. Quimio . 1974. Postharvest control of Philippine mango anthracnose by hot water treatment. Phi.Agric.,2(58):138-146.
- Ramos, L.J., Lara, S.P., McMillan, R.T.Jr. and K.R. Narayanan. 1991. Tip dieback of mango (Mangifera indica) caused by Botryosphaeria ribis. Plant Disease 75: 315-318.

- Rappel, L.M., Muirhead, I.F., Wong, L.S. and A. W. Cooke. 1986. The effects of postharvest disease control measures on the ripening behaviour and quality attributes of 'Kensington Pride' mangoes. ASEAN Food Journal. 2: 104-108.
- Rappel, L.M., Cooke, A. W., Jocobi, K.K. and I.A. Wells . 1991. Heat treatments for post harvest disease control in mangoes. Acta Horticulturae, 291: 362-371.
- Rodov, V., Ben-Yoheshua, S., Kim, J.J., Shapiro, B. and Y. Ittah. 1992. Ultraviolet Illumination Induces Scoparone Production in Kumquat and Orange Fruit and Improves Decay Resistance. J. Amer. Hort. Sci. 117(5):788-792.
- Sanchez, D. 1990. Natural agents fight fruit spoilage. Agricultural Research (Washington D.C.) 38: 15-17.
- Seo, S.T., Hu. B.K.S., Komura, M., Lee. C.Y.L. and E.J. Harris. 1974. *Dacus dorsalis*: Vapour heat treatment in papayas. J. Econ. Entomol., 67:240-242.
- Schiffmann-Nadel, M., and E. Cohen. 1966. Influence of grove temperature on the effectiveness of heat treatment of Phytophthora-infected citrus fruit, Plant Dis. Rep. 50: 867-868.
- Schiffmann-Nadel, M., Michaely, H., Aaberman, G. and J. Chet. 1986. Physiological changes occurring in picked climacteric fruit infected with different pathogenic fungi. Phytopathology Zeitschrift. 113: 277-284.
- Scoot, K.J, Brown, B.I., Chapin, G.R., Wilcox, M.E., and J. M. Bain. 1982. The control of rotting and browning of litchi fruit by hot, benomyl and plastic film. Scientia Horticulturae 16: 253-262.
- Sharp, J. 1986. Hot-water treatment for control of Anastrepha suspensa (Diptera: Tephritidae) in Mangos. J. Econ. Entomol. 79 :706-708.
- Sharp, J.L, Ouye, M.T., Thalman, R. Hart, W., Ingle, S. and V. Chew. 1988. Submerrison of "Francis" mango in hot water as a quarantine treatment for the West Indian fruit fly and the Caribbean

- fruit fly (Diptera : Tephritidae). J. Econ. Entomol., 81: 1431-1436.
- Sharp, J.L. 1989. Hot-water immersion appliance for quarantine research. J. Econ. Entomol., 83: 189-192.
- Sharp, J.L., Gaffney, J.J., Moss, J.I., and W. P. Could. 1991. Hot-air treatment device for quarantine research. J. Econ. Entomol. 84: 520-527.
- Singh, N.S. 1972. Influence of UV light on the biosynthesis of anthocyanin-like pigments in ripening bananas. Phytochemistry(11):163-164.
- Singh, D.B. 1991. Post harvest treatments of ripening changes and quality of mango fruits cvs 'Kesar' and 'Amrapali'. Acta Horticulturae 291: 472-478.
- Simmond, J.H. 1941. Latent infection in tropical fruits discussed in relation to the part played by species of *Gloeosporium* and *Colletotrichum*. Proceedings of the Royal Society of Queensland 52:92-120.
- Simpson, K.L., Lee, T., Rodriguez, D.B. and C.O. Chichester. 1976. In: Chemistry and biochemistry of plant pigments, T.W. Goodwin, ed., vol. 1. Academic Press, New York: 779-843.
- Sive, A. and D. Resnizky. 1985. Experiments on the CA storage of a number of mango cultivars in 1984. Alon Hanotea 39: 845-855.
- Smith, W.L., Jr., Bassett, R.D., Parson, C.S., and R. E. Anderson. 1964. Reduction of postharvest decay of peaches and nectarines with heat treatments. U.S. Dep. Agric. Mark. Res. Rep. 643:24pp.
- Smith, W.L. and J. T. Worthington. 1965. Postharvest decay control of red raspberries. Plant Dis. Rep. 49: 783-786.
- Smoot, J.J., and R. H. Segall. 1963. Hot water as a postharvest control of mango anthracnose. Plant Dis. Rep. 47:739-742.
- Sommer, N.F. 1985. Strategies for control of Postharvest Diseases of Selected Commodities, p. 83-99. In. A.A. Kader (ed) Postharvest,

Technology of Horticultural Crops The Regent of University of California, California.

- Sornsrivichai, J. Anusadorn, P., Oogaki, C. and H. Gemma. 1989. Storage life and Quality of mango (Mangifera indica L. cv. Keaw Sawoey) fruits stored in seal packaging by plastic films and under low pressure at different temperatures. Japan J. of Trop. Agr. 33 : 6-17.
- Spalding, D. H. and W. F. Reeder. 1972. Post-harvest disorders of mangoes as affected by fungicides and heat treatments. Plant Dis. Rept. 56(9): 751-753.
- Spalding, D.H. 1982. Resistance of mango pathogens to fungicides used to control postharvest diseases. Plant Disease 66: 1158-1186.
- Spalding, D.H. and W.F. Reeder .1986. Decay and acceptability of Mangoes treated with combinations of hotwater, imazalil, and gamma radiation . Plant Disease 70:1149-1151.
- Spalding, D.H., King, J.R. and J.L. Sharp. 1988. Quality and decay of mangoes treated with hot water for quarantine control of fruit fly. Trop. Sci. 28: 96-101.
- Stevens, C., Wilson, C.L., Lu, J.Y., Khan, V.A., Kabwe, M.K. and H. Zhonk. 1990. The effect of ultraviolet light hormesis on controlling postharvest rots of three types of fruit. Proc. Amer. Canad. Phytopathol. Soc. East Lansing, MI, Abstracter No. A757.
- Stevens, C., Khan, V., Tang, A.Y. and J.Y. Lu. 1990. The effect of UV radiation on mold rots and nutrients of stored sweetpotatoes. J.Food Protection 53:223-226.
- Sugimoto, T., 1983. The effectiveness of vapour heat treatment against the Oriental fruit fly, Dacus dorsalis Hendel, in green pepper and fruit tolerance to the treatment . Res. Bull. Plant Prot., Japan., 19:81-88.

- Sutton, B. C. 1980. The Coelomycetes. Commonwealth Mycological Institute, Kew. 696 p.
- Tandon, I.N. and B. B. Singh. 1968. Control of mango anthracnose by hot - water treatment. Indian Phytopathology, Vol. 21:331-336.
- Teitel ,D.C., Aharoni, Y. and R. Barkai-Golan. 1989. The use of heat treatments to extend the shelf life of 'Galia' melons. J.Hort. Sci. 64:367-372.
- Teramura, A. H. 1983. Effects of ultraviolet -B radiation on the growth and yield of crop plants. Physiologia Plantarum, 58:415-427.
- Thimann, K.V. and S.O. Satler. 1979. Relation between leaf senescence and stomatal closure: senescence in light. Proc. Natl. Acad. Sci. USA. 76: 2770-2773.
- Tongdee, S. C. and A. Srivardhana. 1973. Fruit rot of mango during storage and its control. Report No.1, Research project No. 3675, ('Handling and storage of mango'), ASRCT, Bangkok. 6p.
- Tricita, H. Q. and A. J. Quimio. 1974. Pathogenicity of mango anthracnose. Philippine Agriculturist 58: 323-329.
- Vangnai ,V. and S. Kosiyachinda. 1985 .Postharvest loss assessment of mangoes. Mango Loss Assessment Study in Thailand. presented at the 17 th Meeting of Horticulture Working Group, FUNDUNG, Indonesia. September 3 - 6 ,1985.
- Verhoeff, K. 1974. Latent infection by fungi. An. Rev. Phytopath. 12: 99-110.
- Wade, N.L., Kavanagh, E.E. and S.C. Tan. 1993. Sunscald and ultraviolet light injury of banana fruits. Journal of Horticultural Science(68):409-419.
- Wade, N.L., Tan, S.C. and E. E. Kavanagh. 1993. White light prevents increased catechin synthesis by ultraviolet irradiation in banana fruits. Journal of Horticultural Science(1993)68(3): 637-644.

- Wardlaw, C. W., Baker R.E.D. and S. H. Crowd. 1939. Latent infections in tropical fruits. *Trop. Agri.* 19: 275-276.
- Wild, B.L. 1983. Double resistance by citrus green mould Penicillium digitatum to the fungicides auazatine and benomyl. *Ann. Appl. Biol.* 103: 237-241.
- Williamson, C. E. 1950. Ethylene, a metabolic produce of diseased or injured plants. *Phytopathology* 40: 205-208.
- Wills, R.H.H., Lee, T.H., Graham, D., McGlasson, W.B. and E.G. Hall. 1981. Postharvest : An Introduction to the Physiology and Handling of Fruits and Vegetables. New South Wales Univ. Press, New South Wales, Australia. 161 p.
- Wright, L.A., Jr. and T.M. Murphy. 1982. Short-wave ultraviolet light closed leaf stomata. *Am. J. Bot.* 69:1196-1199.
- Unahawatti, U., Chettanachitara, C., Poomthung, M., Komson, P., Smita-siri, E., Lapasathulcool.C., Worawisitthumrong, W. and R. Intarakumheng. 1986. vapour heat treatment for "Nang Klangwan"mango, *Mangifera indica* Linn., infested with eggs and larvae of the (Diptera: Tephritidae). *Agric. Regul. Div. Dept. Agric.*, Ministry of Agriculture and Co-operatives, Bangkok, Thailand, 108pp.
- Yamaguchi, M. and Wu, C.M. 1975. Composition and Nutritive value of vegetables for processing. In Commercial vegetable processing ,The AVI publishing company. INC.: 639-693.