

เอกสารอ้างอิง

กรมวิชาการเกษตร. 2539. รายงานประจำปี 2539 ศูนย์วิจัยน้ำ资源. สถาบันวิจัยพืชไร่,

กรมวิชาการเกษตร, กระทรวงเกษตรและสหกรณ์, กรุงเทพฯ.

กรมเศรษฐกิจการพาณิชย์. 2546. สถิติเบื้องต้นของกรมคุลการ. (ระบบออนไลน์). แหล่งข้อมูล:

<http://www.dft.moc.go.th/stat-export.html>. (10 กันยายน 2547).

ชุมพล กันทะ. 2533. หลักการป้องกันกำจัดแมลงศัตรูโรงเก็บ. ภาควิชาภูมิศาสตร์, คณะเกษตรศาสตร์, มหาวิทยาลัยขอนแก่น, ขอนแก่น.

ชีวิทย์ ศุขปราการ. 2525. แมลงศัตรูผลิตผลเกษตรในโรงเก็บ. เอกสารประกอบการบรรยายในการอบรมเรื่องแมลง-สัตว์ ศัตรูพืชและการป้องกันกำจัด. 9-10 มีนาคม 2525. ห้องประชุมสาขา สัตว์วิทยาการเกษตร, กองกีฏและสัตว์วิทยา, กรุงเทพฯ.

ชีวิทย์ ศุขปราการ, บุญรา พรหมนสติต และกัญจนา พุทธสมัย. 2540. ทดสอบเก็บรักษาเมล็ดพันธุ์ข้าวโพดใน Air tight storage. วารสารกีฏและสัตว์วิทยา 17(3): 125-133.

วิเชียร เงงสวัสดิ์. 2525. แมลงที่สำคัญทางเศรษฐกิจของผลผลิตเกษตรในโรงเก็บของประเทศไทย. ภาควิชา กีฏวิทยา, คณะเกษตรศาสตร์, มหาวิทยาลัยเชียงใหม่, เชียงใหม่.

พิพิธวัต อรรถธรรม. 2535. โรควิทยาของแมลง. ภาควิชาภูมิศาสตร์, คณะเกษตรศาสตร์, มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ.

สำนักงานเศรษฐกิจการเกษตร. 2545. สถิติการเกษตรของประเทศไทย. (ระบบออนไลน์). แหล่งข้อมูล:

<http://www.oae.go.th/statistic/yearbook/2000-01/> (15 สิงหาคม 2545).

อุดม อริชาติ. 2521. แมลงศัตรูผลผลิตการเกษตรใน โรงเก็บ. ภาควิชาภูมิศาสตร์, คณะเกษตรศาสตร์, มหาวิทยาลัยเชียงใหม่, เชียงใหม่.

Abukar, M.M., G. Burgio, and E. Tremblay. 1986. Evaluation of post-harvest losses caused by insects to maize in three districts of southern Somalia. Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestro" 43: 51-58.

Adam, J.M. 1976. Weight loss caused by development of *Sitophilus zeamais* Motsch. in maize.

Journal of Stored Products 12(4): 269-272.

- Adam, R.E., J.E. Wolfe, M. Milner, and J.A. Shellenberger. 1953. Aural detection of grain infested internally with insect. *Science (Washington, DC)* 116: 163-164.
- Andrade, C.F.S., and V.S. Bueno. 2001. Evaluation of electronic mosquito-repelling devices using *Aedes albopictus* (Skuse)(Diptera:Culicidae). *Neotropical Entomology* 30(3): 497-499.
- Bitran, E.A., T.B. Campos, and D.A. Oliveira. 1978. Experimental evaluation of the damage caused by pests in stored maize under confined condition. I-*Sitophilus zeamais* Motsch, 1855 (Coleoptera, Curculionidae). *Arquivos do Instituto Biológico* 45(4): 223-227.
- Borror, D.J., C.A. Triplehorn., and N.F. Johnson. 1989. An Introduction to the Study of Insects. 6th ed. Saunder College Publishing, New York.
- Champ, B.P., and C.E. Dyte. 1976. Report of the FAO Global Survey of Pesticide Susceptibility of Stored Grain Pests'FAO. *Plant Production of the Protection Search (5)*: 197.
- Chesmore, E.D., and C. Nellenbach. 2001. Acoustic methods for the automated detection and identification of Insects. *Acta Horticulturae* 562: 223-231.
- Coro, F., and S. Suarez. 2000. Electronic mosquito repellers:Are they really effective?. (Online). Available: <http://www.bugjammer.com/coro/> (January 5, 2003).
- Cox, P.D., L.E. Collins, and G. Bryning. 2000. Studies towards the identification of an oviposition deterrent for the grain weevil, *Sitophilus granarius*. Central Science Laboratory Report 108: 411-434.
- Davidson, R.H., and W.F. Lyon. 1979. Insect Pests of Farm, Garden and Orchard. 7th ed. John Wiley & Sons, New York.
- Dick, K. 1988. A review of insect infestation of maize in farm storage in Africa with spacial reference to the ecology and control of *Prostephanus truncatus*. Oversea Development Natural Resources Institute Bulletin 18. Natural Resources Institute, Chatham Maritime, UK.
- Edwards, C.A., and G.W. Heath. 1964. The Principle of Agriculture Entomology. Chapman & Hall, London.
- Faustini, D.L., and W.E Burkholder. 1987. Quinone-aggregation pheromone interaction in the red flour beetle. *Animal Behaviour* 35: 601-603.
- Flinn, P.W., and D.W. Hagstrum. 1988. Distribution of *Cryptolestes ferrugineus* in response to temperature gradients in stored wheat. *Journal of Stored Products Research* 24: 233-236.


- Freeman, J.A.. 1974. Infestation of stored food in temperate countries with special reference to Great Britain. *Outlook on Agriculture* 8: 34-41.
- Greenlee, L.E. 1970. Build the bug shoo. *Popular Electronic* (7): 27-30.
- Hagstrum, D.W. and P.W. Flinn. 1993. Comparison of acoustical detection of several species of stored-grain beetle (Coleoptera: Curculionidae, Tenebrionidae, Bostrichidae and Cucujidae) over a range of temperatures. *Journal of Economic Entomology* 86(4): 1271-1278.
- Hagstrum, D.W., K.W. Vick, and J.C. Webb. 1988. Acoustic detection and estimation of *Rhyzopertha dominica*(F.) larval population in stored wheat. *Florida Entomologist* 71: 441-447.
- Hagstrum, D.W., K.W. Vick, and J.C. Webb. 1990. Acoustic monitoring of *Rhyzopertha dominica* (Coleoptera: Bostrichidae) population in stored wheat. *Journal of Economic Entomology* 83(2): 625-628.
- Hagstrum, D.W., K.W. Vick, and P.W. Flinn. 1991. Automated acoustical monitoring of *Tribolium castaneum* (Coleoptera: Tenebrionidae) population in stored wheat. *Journal of Economic Entomology* 84(5): 1604-1608.
- Hagstrum, D.W., P.W. Flinn, and D. Shuman. 1996. Automated monitoring using acoustical sensors for insects in farm-stored wheat. *Journal of Economic Entomology* 89(1): 211-217.
- Harris, C.M. 1991. *Handbook of Acoustical Measurements and Noise Control*. 3rd ed. Mc Graw Hill Inc., New York.
- Howe, R.W. 1962. A study of the heating of grain caused by insects. *Annals of Applied Biology*. 50: 137-158.
- Huang, F., B. Subramanyam, and R. Taylor. 2002. Ultrasound affects spermatophore transfer, larva numbers, and larval weight of *Plodia interpunctella* (Hübner) (Lepidoptera : Pyralidae). *Journal Stored Products Research* 39(2003): 413-422.
- Jomruang, K. 1992. Corn weevil (*Sitophilus zeamais* Motsch.) and the effects of some organophosphorus insecticides as post-harvest grain and seed productant in field corn. M.S. thesis. Kasetsart University, Bangkok.
- Khare, B.P., R.N. Chaudhary, K.N. Singh, and C.S. Sengar. 1976. Loss of protein due to insect feeding in maize (*Zea mays* L.). *India Jouranal of Entomology* 36(4): 312-315.
- Loschiavo, S.R. 1983. Distribution of the rusty grain beetle in columns of wheat stored dry or with localized high moisture content. *Journal of Economic Entomology* 76: 881-884.

- Mankin, R.W., D. Shuman, and J.A. Coffelt. 1996a. Noise shielding of acoustic devices for insect detection. *Journal of Economic Entomology* 89(5): 1301-1308.
- Mankin, R.W., J.S. Sun, D. Shuman, and D.K. Weaver. 1996b. A sound-insulated enclosure to shield acoustical insect detectors from grain elevators background noise. *Journal of Economic Entomology*: 89-104.
- Mankin, R.W., D. Shuman, and J.A. Coffelt. 1997a. Acoustic counting of adult insects with differing rate and intensities of sound production in stored wheat. *Journal of Economic Entomology* 90(4): 1032-1038.
- Mankin, R.W., J.S. Sun, D. Shuman, and D.K. Weaver. 1997b. Shielding against noise interfering with quantitation of insect infestation by acoustic detection systems in grain elevators. *Applied acoustics* 50(4): 309-323.
- Mankin, R.W., R. L. Crocker, K.L. Flanders, and J.P. Shapiro. 1988a. Acoustic detection and identification of insects in soil. (Online). Available: http://www.crnave.usda.ufl.edu/public/publication/685_1.pdf. (August 15, 2004).
- Mankin, R.W., C.W. Mccoy, K.L. Flanders, J. Brandhorst, R. L. Crocker, and J.P. Shapiro. 1998b. Methods for acoustic detection of insect pests in soil. pp. 7-14. In: Proceedings of the Soil Science Society of America Conference on Agroacoustics, Third Symposium. November 3-6, 1988, Buoyoucos, MS.
- Mankin, R.W., D. Shuman, and D.K. Weaver. 1999. Thermal treatment to increase acoustic detectability of *Sitophilus oryzae* (Coleoptera: Curculionidae) in stored Grain. *Journal of Economic Entomology* 92(2): 453-462.
- Mankin, R.W., S.L. Lapointe, and R. A. Franqui. 2001. Acoustic surveying of subterranean insect populations in citrus groves. *Journal of Economic Entomology* 94: 853-859.
- Nelson, S.O., and L.E. Stetson. 1974. Comparative effectiveness of 39- and 2450- MHz electric fields for control of rice weevil in wheat. *Journal of Economic Entomology* 67(5): 592-595.
- Pantenius, C.U. 1988. Storage losses in traditional maize granaries in Togo. *Insect Science Applied* 9: 725-735.
- Rai, P.S, H.J. Ball, S.O. Nelson, and L.E. Stetson. 1975. Effects of radiofrequency electrical treatment on fecundity of *Tenebrio molitor* (L.) (Coleoptera: Tenebrionidae). *Annals of the Entomology Society of America* 68(3): 542-544.

- Rai, P.S., H.J. Ball, S.O. Nelson, and L.E. Stetson. 1977. Spermatozoan activity and Insemination in *Tenebrio molitor* following radiofrequency elecdrical treatment (Coleoptera: Tenebrionidae). Annals of the Entomology Society of America 70(2): 282-284.
- Rohitha B.H., P.R. Calvert, and R.A. Hill. 1994. An acoustic technique for recording lemon tree borer activity in the laboratory. (Online). The Horticulture and Food Research Institute of N.Z. Ruakura Research Center Hamilton. Available: http://www.hortnet.co.nz/publications/nzpps/proceedings/94/94_359.htm. (August 10, 2004).
- Santos, J.P., J.D.G. Maia, and I. Cruz. 1990. Damage to germination of seed corn caused by maize weevil (*Sitophilus zeamais*) and Angoumois grain moth (*Sitotroga cerealella*). Pesquisa Agropecuaria Brasileira 25(12): 1687-1692.
- Sedlacek, J., and P. Weston. 1995. Occurrence of insects in stored corn. Stored Product Management. Oklahoma State University.
- Shade, R.E., E.S. Furgason, and L.I. Murdock. 1990. Detection of hidden insect infestation by feeding-generated ultrasonic signal. American Entomologist 36: 231-234.
- Shuman, D., J.A. Coffel, K.W. Vick, and R.W. Mankin. 1993. Quantitative acoustical detection of larval feeding inside kernels of grain. Journal of Economic Entomology 86(3): 932-938.
- Smit, L.B., 1978. Ecology of stored grain in the Canadian Prairies.I. The distribution and size of a low density population of *Cryptolestes ferrugineus*. Canadian Entomologist 110: 1281-1292.
- Southwood, T.R.E., 1962. Migration of terrestrial arthropods in relation to habitat. Biological Review 37: 171-214.
- Stien, W., 1994. Periodicity and individualism in the granary weevil, *Sitophilus granarius* a contribution to the dispersal behaviour of stored product pests. Anzeiger fur Schadlingskunde Pflanzenschutz Umweltschutz 67: 168-175.
- Storey, C.L., D.B. Sauer, O. Ecker, and D.W. Fulk. 1982. Insect infestation in wheat and corn expoted from the United States. Journal of Economic Entomology 76(6): 1323-1330.
- Subramanyam, B., and D.W. Hagstrum. 1996. Integrated Management of Insects in Stored Products. Marcel Dekker, Inc., New York.
- Surtees, G., 1963. Laboratory studies on dispersion behaviour of adult beetle in grain.I. The grain weevil, *Sitophilus granarius*. Bulletin of Entomological Research 54: 47-159.

Vick, K.W., J.C. Webb, B.A. Weaver, and C. Litzkow. 1988. Sound detection of stored product insects that feed inside kernels of grain. *Journal of Economic Entomology* 81(5): 1489-1493.

WMO. 1995. Scientific assessment of ozone depletion. World Meteorological Organization Global Ozone Research and Monitoring Project. Report No.37. WMO, Geneva, Switzerland.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved