

ชื่อวิทยานิพนธ์ ผลการท่อตัวต่อการตอบสนองต่อความเจ็บปวดจากการเจาเลี้นเท้า
ในการคลอดครรภ์กำหนด

ชื่อผู้เขียน นางสาวปัทมา กาค้า

นายบาลศาสตร์วนหาญพิม สาขาวิชาพยาบาลแม่และเด็ก

คณะกรรมการสอบวิทยานิพนธ์ :

รองศาสตราจารย์วิลาวัณย์ นิเชียรเสนียร ประธานกรรมการ

ผู้ช่วยศาสตราจารย์มาลี เอื้ออำนวย กรรมการ

ผู้ช่วยศาสตราจารย์ ดร.วัฒนาวดี ชอบตะวัน กรรมการ

ผู้ช่วยศาสตราจารย์ ดร.วิภาดา คุณาวิกิตกุล กรรมการ

ผู้ช่วยศาสตราจารย์ ดร.瓦รุสี ฟองแก้ว กรรมการ

บทคัดย่อ

การวิจัยครั้งนี้เป็นการวิจัยกึ่งทดลอง เพื่อศึกษาผลการท่อตัวต่อการตอบสนองต่อความเจ็บปวดจากการเจาเลี้นเท้าในการคลอดครรภ์กำหนด กลุ่มตัวอย่าง คือ ทางคลอดครรภ์กำหนดที่เข้ารับการรักษาในหอผู้ป่วยทางรากแรกเกิดโรงพยาบาลแม่และเด็ก จังหวัดเชียงใหม่ จำนวน 18 คน เลือกกลุ่มตัวอย่างแบบเจาะจงตามคุณสมบัติที่กำหนด เครื่องมือที่ใช้ในการวิจัย ได้แก่ ผ้าที่ใช้ท่อตัวทารกและอุปกรณ์การเจาเลี้นเท้า เครื่องมือที่ใช้ในการเก็บรวบรวมข้อมูล ได้แก่ แบบนักทึกข้อมูลทั่วไป แบบประเมินการแสดงออกทางใบหน้าของทารกใช้แบบประเมินของกลุ่มและเครก แบบประเมินภาวะหลับและตื่นของทารกใช้แบบประเมินของเพรชก แบบบันทึกอัตรารการเต้นของหัวใจทารก เครื่องพัลซ์ออกซิมิเตอร์ อุปกรณ์การบันทึกภาพ เครื่องมือติดต่อทapeบันทึกภาพ เครื่องมือสร้างผลนิษายทางภาพ และเครื่องมือถ่ายทอดภาพ แบบประเมินการแสดงออกทางใบหน้าของทารกและแบบประเมินภาวะหลับและตื่นของทารก ได้รับการตรวจสอบความเที่ยงตรงจาก-

กลุ่มและครุกร ผู้วิจัยนำมาแปลเป็นภาษาไทยและนำไปทดลองใช้เพื่อหาความเชื่อมั่นระหว่างผู้วิจัยกับครุกรและจอห์นสตัน ได้ค่าความเชื่อมั่นของแบบบันทึกเมินการแสดงออกทางใบหน้าของทารกเท่ากับ .90 ส่วนแบบบันทึกเมินภาวะหลับและตื่นของทารกหาความเชื่อมั่นระหว่างผู้วิจัยกับผู้เชี่ยวชาญได้ค่าเท่ากับ 1 และหาความเชื่อมั่นในการประเมินการแสดงออกทางใบหน้าของทารกระหว่างผู้วิจัยกับผู้ช่วยวิจัยได้ค่าเท่ากับ 1 ส่วนความเชื่อมั่นภายในของผู้ช่วยวิจัยได้ค่าเท่ากับ 1

ผู้วิจัยดำเนินการทดลองโดยใช้ตัวอย่างคนเดียวกันให้ได้รับทั้งการห่อตัวและไม่ได้รับ – การห่อตัว โดยการเตรียมให้อุ่นในภาวะหลับและตื่นที่เหมือนกัน ติดเครื่องฟลัสร์ออกซิมิเตอร์ที่ฝาเมือกลุ่มตัวอย่าง และบันทึกการแสดงการแสดงออกทางใบหน้าของทารกและภาพอัตราการเต้นของหัวใจทารกจากเครื่องฟลัสร์ออกซิมิเตอร์ตั้งแต่ก่อนการเจาะลิ้นเท้า 3 นาที จนถึงหลังการเจาะลิ้นเท้า 4 นาที ผู้วิจัยและผู้ช่วยวิจัยประเมินอัตราการเต้นของหัวใจทารกและการแสดงออกทางใบหน้าของทารกจากภาพที่บันทึกไว้ ข้อมูลทั่วไปของกลุ่มตัวอย่างนำมารวบรวมทั้ง ผลของการห่อตัวและภาพอัตราการเต้นของหัวใจทารกและคะแนนการแสดงออกทางใบหน้าของทารกวิเคราะห์โดยใช้สถิติทดสอบแบบวิลคอกซอน

ผลการวิจัยพบว่า ทารกเมื่อได้รับการห่อตัวมีอัตราการเต้นของหัวใจและคะแนนการแสดงออกทางใบหน้าน้อยกว่าเมื่อไม่ได้รับการห่อตัวในนาที 1, 2, 3 และ 4 อายุร่วมกับลำดับทางสถิติที่ระดับ .01, .01, .05 และ .05 ตามลำดับ

Thesis Title Effect of Swaddling on Pain Response to Heel Prick in
Fullterm Infants

Author Miss Pathama Kacome

M.N.S. Maternal and Child Nursing

Examining Committee:

Associate Professor Wilawan Picheansathian	Chairman
Assistant Professor Malee Urharmnuay	Member
Assistant Professor Dr. Ratanawadee Chontawan	Member
Assistant Professor Dr. Wipada Kunaviktikul	Member
Assistant Professor Dr. Warunee Fongkaew	Member

Abstract

The purpose of this quasi-experiment research was to investigate the effect of swaddling on pain response to heel prick in fullterm infants. The samples consisted of eighteen fullterm infants who were admitted to the nursery unit at Maternal and Child Chiang Mai hospital. They were selected by purposive sampling. Instruments for intervention were swaddling clothes and instruments for heel prick. Data were collected by using a demographic data recording form, Grunau and Craig's neonatal facial coding system, Precht1's observational rating system used for evaluating sleep and wake states of infants, a heart rate recording form, pulse oximeter, video recorder, video editing control unit, special effect generator and T.V. monitor. Neonatal facial coding system and Precht1's observational rating system were validated by Grunau and

Craig and were translated into Thai language by the researcher. The inter-rater reliability of neonatal facial coding system between the researcher and Craig and Johnston was .90. The inter-rater reliability of Prechtl's observational rating system between the researcher and the experts was 1. The inter-rater reliability of neonatal facial coding system between the researcher and the assistant researcher was 1. The intra-rater reliability of neonatal facial coding system of assistant researcher was 1.

The researcher conducted the experiment by using the same sample for swaddling or no swaddling. Samples were controlled in the same sleep and wake states. Pulse oximeter was attached on an infant's palm and recorded the samples' face and the scene of pulse oximeter before heel prick 3 minutes to after heel prick 4 minutes. The researcher and an assistant researcher evaluated samples' heart rate and facial expression from recorded video tape. Demographic data were analyzed using frequency, percentage and mean. Effect of swaddling on samples' heart rate and score from neonatal facial coding system were analyzed using the Wilcoxon matched pairs signed-ranks test.

The results of this study revealed that infants when in swaddling showed less heart rate and less score from neonatal facial coding system than when not in swaddling in 1, 2, 3 and 4 minutes at the level of .01,.01,.05 and .05 .