

ชื่อวิทยานิพนธ์	ความสัมพันธ์ระหว่างความวิตกกังวลก่อนผ่าตัด และการสนับสนุนทางสังคมของผู้ป่วยศัลยกรรม		
ชื่อผู้เขียน	นางลี เลอชิ		
พยาบาลศาสตรมหาบัณฑิต	สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์		
คณะกรรมการสอบวิทยานิพนธ์	ผู้ช่วยศาสตราจารย์วันเพ็ญ เอี่ยมจ้อย	ประธานกรรมการ	
	ผู้ช่วยศาสตราจารย์ทิพาพร ตั้งอำนาจ	กรรมการ	
	ผู้ช่วยศาสตราจารย์วิลาวัลย์ เสนารัตน์	กรรมการ	
	ผู้ช่วยศาสตราจารย์ ดร. อัจฉรา สุคนธสรพ์	กรรมการ	
	ศาสตราจารย์ นายแพทย์หวง ฉิง เชียง	กรรมการ	

บทคัดย่อ

การวิจัยครั้งนี้มีวัตถุประสงค์เพื่อศึกษาระดับของความวิตกกังวลก่อนผ่าตัด ระดับของการสนับสนุนทางสังคม และความสัมพันธ์ระหว่างความวิตกกังวลก่อนผ่าตัดกับการสนับสนุนทางสังคมของผู้ป่วยศัลยกรรม เป็นการศึกษาเชิงพรรณนาในกลุ่มตัวอย่างผู้ป่วยศัลยกรรมที่มีคุณลักษณะที่กำหนดไว้ จำนวน 80 ราย ซึ่งเข้ารับการรักษาในโรงพยาบาลการสอนแห่งที่สองของมหาวิทยาลัยการแพทย์ยูนาน แห่งเมืองชางซา ประเทศสาธารณรัฐประชาชนจีน เครื่องมือที่ใช้ในการรวบรวมข้อมูลเป็นแบบสอบถาม ประกอบด้วย 3 ส่วน คือ แบบบันทึกข้อมูลส่วนบุคคล แบบวัดแรงสนับสนุนทางสังคมดัดแปลงจากแบบสอบถาม NSSQ ของนอร์เบค และแบบวัดความวิตกกังวล SAI ของสปีล-เบอร์เกอร์ แบบวัดทั้งสองได้รับการตรวจสอบความเที่ยงตรงด้านเนื้อหาแล้วนำไปหาความเชื่อมั่นโดยวิธีสัมประสิทธิ์อัลฟาของครอนบาค ได้ค่าความเชื่อมั่นของแบบวัดแรงสนับสนุนทางสังคม และ

แบบวัดความวิตกกังวลเท่ากับ .89 และ .92 ตามลำดับ วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา และหาความสัมพันธ์ของตัวแปรโดยใช้สัมประสิทธิ์สหสัมพันธ์ของเพียร์สัน

ผลการศึกษา สรุปได้ดังนี้

1. ผู้ป่วยศัลยกรรมช่องท้องมีระดับความวิตกกังวลเพิ่มขึ้นในระยะก่อนผ่าตัด
2. ค่าคะแนนเฉลี่ยของมิตีเกี่ยวกับบทบาทของการสนับสนุนทางสังคมอยู่ในระดับสูง โดยมีจำนวนเครือข่ายน้อยในผู้ป่วยศัลยกรรมกลุ่มนี้
3. มิตีเกี่ยวกับบทบาทและเครือข่ายของการสนับสนุนทางสังคมมีความสัมพันธ์ทางลบกับระดับความวิตกกังวลก่อนผ่าตัด แหล่งสนับสนุนทางสังคมต่าง ๆ ยกเว้นมิตรสหาย เพื่อนบ้าน และผู้ให้คำปรึกษามีความสัมพันธ์ทางลบในระดับต่ำกับความวิตกกังวลก่อนผ่าตัด

ผลการศึกษาค้างนี้สามารถนำไปใช้เป็นข้อมูลพื้นฐาน สำหรับพยาบาลและนักวิชาการพยาบาลให้ตระหนักถึงความสำคัญของการสนับสนุนทางสังคม และการนำไปใช้เพื่อลดความวิตกกังวลก่อนผ่าตัดในผู้ป่วยศัลยกรรม

VII

Thesis Title Relationship between Preoperative
Anxiety and Social Support in
Surgical Patients

Author Li Lezhi

M.N.S. Medical and Surgical Nursing

Examining Committee

Assistant Professor Wanpen Eamjoy	Chairman
Assistant Professor Thiphaphorn Tungamnuay	Member
Assistant Professor Wilawan Senaratana	Member
Assistant Professor Dr. Achara Sukonthasarn	Member
Professor Dr. Huang Qingheng, MD.	Member

Abstract

This study was conducted to identify the levels of preoperative anxiety and social support, and to explore the relationship between preoperative anxiety and social support in surgical patients. A descriptive correlational design was used and a purposive sample of 80 adult surgical patients admitted in Second Teaching Hospital of Hunan Medical University, Changsha, China, was selected in this study.

VIII

Instruments used for data collection composed of 3 parts: demographic data form, Modified Norbeck Social Support Questionnaire (NSSQ), and State Anxiety Inventory (SAI). The content validity of both questionnaires was tested out and the reliability was obtained by means of Cronbach's coefficient alpha. The reliabilities for social support and anxiety questionnaires were .89 and .92 respectively. Descriptive statistics and Pearson product moment were used to analyze the data.

The results of the study were concluded as follows:

1. The abdominal surgical patients experienced increased level of anxiety during preoperative phase.
2. There was high average rating score of functional dimension of social support with small number in network among this group of surgical patients. The major sources of social support were partner and family members or relatives.
3. The functional and network dimensions of social support were negatively related to preoperative anxiety. Sources of social support except colleagues, neighbors and counsellors were significant negative low correlated with preoperative anxiety.

The findings of this study can be implicated and utilized as baseline information in helping nurses and nursing educators to be more aware of the significance of social support in decreasing the preoperative anxiety in surgical patients.