ชื่อวิทยานิพนธ์

ความสุขสบายในผู้ป่วยหลังผ่าตัดช่องท้อง

ชื่อผู้เขียน

้นางสาวพรรณี ไพศาลทักษิน

พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์ คณะภรรมการสอบวิทยานิพนส์ :

รองศาสตราจารย์นันทา เล็กสวัสดิ์ ประธานกรรมการ
ผู้ช่วยศาสตราจารย์มรรยาท ณ นคร กรรมการ
ผู้ช่วยศาสตราจารย์อรรณพ คุณพันธ์ กรรมการ
ผู้ช่วยศาสตราจารย์ ดร. อัจฉรา สุคนธสรรพ์ กรรมการ
รองศาสตราจารย์วิลาวัณย์ พิเชียรเสถียร กรรมการ

## บทคัดย่อ

การวิจัยครั้งนี้มีวัดถุประสงค์เพื่อศึกษาและเปรียบเทียบความสุขสบายในผู้ป่วยหลังผ่าตัด ช่องท้องครบ 24, 72 ชั่วโมงและก่อนจำหน่ายออกจากโรงพยาบาล กลุ่มตัวอย่างคือผู้ป่วยหลัง ผ่าตัดช่องท้องจำนวน 50 ราย ที่พักรักษาตัวอยู่ในโรงพยาบาลมหาราชนครเชียงใหม่ ระหว่าง เดือนเมษายนถึงเดือนสิงหาคม พ.ศ. 2540 เครื่องมือที่ใช้ในการวิจัยเป็นแบบสัมภาษณ์ ประกอบ ด้วยแบบสัมภาษณ์ข้อมูลทั่วไป และแบบสัมภาษณ์ความสุขสบายที่ผู้วิจัยดัดแปลงมาจากแบบ สอบถามความสุขสบายของคอลคาบา(Kolcaba, 1992) ผู้วิจัยได้นำแบบสัมภาษณ์ความสุขสบาย ในผู้ป่วยหลังผ่าตัดช่องท้องไปหาความตรงต้านเนื้อหาโดยให้ผู้ทรงคุณวุฒิตรวจสอบ ซึ่งได้ค่าความ ตรงกันของผู้ทรงคุณวุฒิเท่ากับ 0.83 และดัชนีความตรงตามเนื้อหาเท่ากับ 0.81 จากนั้นนำไป หาความเชื่อมั่นของเครื่องมือได้ค่าความเชื่อมั่นเท่ากับ 0.73 การวิเคราะห์ข้อมูลใช้การแจกแจง ความถี่ ค่าร้อยละ ค่าเฉลี่ย ค่าเบี่ยงเบนมาตรฐาน และเปรียบเทียบค่าเฉลี่ยของคะแนนความ

สุขสบาย โดยใช้สถิติวิเคราะห์ความแปรปรวนทางเดียวแบบวัดช้ำและทดสอบความแตกต่างเป็น รายคู่ด้วยวิธี Least Significant Difference (LSD) ผลการวิเคราะห์ข้อมูลพบว่า

- 1. กลุ่มตัวอย่างหลังผ่าตัดช่องท้องครบ 24 ชั่วโมงมีความสุขสบายโดยรวมดำสุด และ ค่อยๆเพิ่มขึ้นในระยะหลังผ่าตัดครบ 72 ชั่วโมง และเพิ่มมากขึ้นในระยะก่อนจำหน่ายออกจาก โรงพยาบาล ซึ่งทั้ง 3 ระยะหลังผ่าตัดกลุ่มตัวอย่างมีความสุขสบายโดยรวม รวมทั้งความสุขสบาย ด้านจิต-วิญญาณและด้านสังคมอยู่ในระดับบ่านกลาง โดยมีความสุขสบายด้านร่างกายอยู่ในระดับ น้อย บ่านกลางและมากตามลำดับ แต่ความสุขสบายด้านสิ่งแวดล้อมของกลุ่มตัวอย่างหลังผ่าตัด ช่องท้องครบ 24 และ 72 ชั่วโมงอยู่ในระดับบ่านกลาง และลดลงอยู่ในระดับน้อยในระยะก่อน จำหน่ายออกจากโรงพยาบาล
- 2. ความสุขสบายโดยรวมในกลุ่มตัวอย่างหลังผ่าตัดช่องท้องครบ 24 ชั่วโมงและก่อน จำหน่ายออกจากโรงพยาบาล รวมทั้งหลังผ่าตัดครบ 72 ชั่วโมงและก่อนจำหน่ายออกจาก โรงพยาบาล แตกต่างกันอย่างมีนัยสำคัญทางสถิติที่ระดับ .01 แต่ความสุขสบายโดยรวมระหว่าง หลังผ่าตัดครบ 24 ชั่วโมงและ 72 ชั่วโมงไม่แตกต่างกัน
- 3. สุขสบายด้านร่างกายและด้านสิ่งแวดล้อมในกลุ่มตัวอย่างหลังผ่าตัดช่องท้องครบ 24 ชั่วโมงและ72 ชั่วโมง หลังผ่าตัดครบ 24 ชั่วโมงและก่อนจำหน่ายออกจากโรงพยาบาล รวมทั้ง หลังผ่าตัดครบ 72 ชั่วโมงและก่อนจำหน่ายออกจากโรงพยาบาล แตกต่างกันอย่างมีนัยสำคัญทาง สถิติที่ระดับ .01
- 4. ความสุขสบายด้านจิต วิญญาณในกลุ่มตัวอย่างหลังผ่าตัดช่องท้องครบ 24 ชั่วโมง และ 72 ชั่วโมง หลังผ่าตัดครบ24 ชั่วโมงและก่อนจำหน่ายออกจากโรงพยาบาล รวมทั้งหลัง ผ่าตัดครบ 72 ชั่วโมงและก่อนจำหน่ายออกจากโรงพยาบาล แตกต่างกันอย่างมีนัยสำคัญทางสถิติที่ ระดับ .01, .01 และ .05 ตามลำดับ
- 5. ความสุขสบายด้านสังคมในกลุ่มตัวอย่างหลังผ่าตัดช่องท้องครบ 24 ชั่วโมงและ 72 ชั่วโมง รวมทั้งหลังผ่าตัดครบ 72 ชั่วโมงและก่อนจำหน่ายออกจากโรงพยาบาล แตกต่างกันอย่างมี นัยสำคัญทางสถิติที่ระดับ .01 และ .05 ตามลำดับ แต่ความสุขสบายด้านสังคมระหว่างหลังผ่าตัด ครบ 24 ชั่วโมงและก่อนจำหน่ายออกจากโรงพยาบาลไม่แตกต่างกัน

**Thesis Title** 

Comfort in Postoperative Patients with

Abdominal Surgery

**Author** 

Miss Pannee Paisarntuksin

M.N.S.

Medical and Surgical Nursing

## **Examining Committee:**

Associate. Prof. Nunta Leksawasdi Chairman

Assistant. Prof. Marayart Na nakorn Member

Assistant. Prof. Aunnop Koonphandh Member

Assistant. Prof. [

Dr. Achara Sukonthasarn

Member

Associate. Prof.

Wilawan Picheansathian

Member

## **Abstract**

The purposes of this study were to describe and compare the comfort in postoperative patients at 24, 72 hours after abdominal surgery and before discharge from hospital. The samples were 50 postoperative patients with abdominal surgery admitted at Maharaj Nakorn Chiang Mai Hospital during April to August 1997. The research instrument was an interview form which composed of two parts: demographic data form and comfort interview form, modified from Kolcaba's comfort questionnaire (Kolcaba, 1992). The content validity was assessed by a panel expert using interrater agreement method was 0.83 and content validity index method was 0.81. The reliability was obtained by means of Cronbach's coefficient alpha. The reliability of comfort interview form was 0.73. Data was analyzed in term of frequency, percentage, means, standard deviation, oneway repeated measures analysis of variance and Least Significant Difference

- (LSD). The results of this study revealed that:
- 1. The subjects at 24 hours after abdominal surgery perceived the least comfort, but getting better at 72 hours and even better before discharge from hospital; all of three periods, the subjects after abdominal surgery had moderate level of total comfort, psychospiritual and social comfort, and the subjects after abdominal surgery had low, moderate and high level of physical comfort, respectively. However the subjects at 24 and 72 hours after abdominal surgery had moderate level of environmental comfort which decrease to low level before discharge from hospital.
- 2. There were statistically significant differences on total comfort between the subjects at 24 hours after abdominal surgery and before discharge from hospital, 72 hours after abdominal surgery and before discharge from hospital at the level of .01. However there was no difference on total comfort between the subjects at 24 and 72 hours after abdominal surgery.
- 3. There were statistically significant differences on physical and environmental comfort between the subjects at 24 and 72 hours after abdominal surgery, 24 hours after abdominal surgery and before discharge from hospital, and at 72 hours after abdominal surgery and before discharge from hospital at the level of .01.
- 4. There were statistically significant differences on psychospiritual comfort between the subjects at 24 and 72 hours after abdominal surgery, 24 hours after abdominal surgery and before discharge from hospital, and at 72 hours after abdominal surgery and before discharge from hospital at the level of .01, .01 and .05, respectively.
- 5. There were statistically significant differences on social comfort between the subjects at 24 and 72 hours after abdominal surgery, and at 72 hours after abdominal surgery and before discharge from hospital at the level of .01 and .05, respectively. However there was no difference on social comfort between the subjects at 24 hours after abdominal and before discharge from hospital.