

ชื่อเรื่องวิทยานิพนธ์ คุณลักษณะด้านจิตสังคม สาระอ่อนอ่อนวัยกับพฤติกรรมแสวงหาการคุ้มครองสตรีวัยรุ่นเกี่ยวกับโรคติดต่อทางเพศสัมพันธ์

ชื่อผู้เขียน นางสาวพร สนธิ

ที่มา ภาควิชาศาสตร์มนุษย์ศาสตร์

คณะกรรมการสอบบัณฑิต

รองศาสตราจารย์ เทียมศร ทองสวัสดิ์	ประธานกรรมการ
ผู้ช่วยศาสตราจารย์ อันทรัตน์ เจริญสันติ	กรรมการ
รองศาสตราจารย์ ดร. สุกัญญา บริสัญญาฤก	กรรมการ
ผู้ช่วยศาสตราจารย์ ดร. วรุณี ฟองแก้ว	กรรมการ
ผู้ช่วยศาสตราจารย์ ดร. ประคิณ ดุจฉาษา	กรรมการ

บทคัดย่อ

การคิดเชื้อโรคติดต่อทางเพศสัมพันธ์ในสตรีวัยรุ่นถือเป็นปัญหาสุขภาพที่สำคัญ หากไม่รับทักทายอาจอาจนำมาซึ่งผลกระทบต่อสุขภาพสตรีในระยะยาว การส่งเสริมพฤติกรรมแสวงหาการคุ้มครองสตรีวัยรุ่นกับโรคติดต่อทางเพศสัมพันธ์ในระยะแรกทันที จึงนับว่ามีความสำคัญต่อสุขภาพสตรี

การวิจัยครั้งนี้เป็นการวิจัยเชิงพรรณนาความสัมพันธ์ มีวัตถุประสงค์เพื่อศึกษาหาความสัมพันธ์ระหว่างคุณลักษณะด้านจิตสังคม สาระอ่อนอ่อนวัยกับพฤติกรรมแสวงหาการคุ้มครองสตรีวัยรุ่นกับโรคติดต่อทางเพศสัมพันธ์ กคุณตัวอย่างเป็นสตรีวัยรุ่น อายุ 10-19 ปี จำนวน 90 ราย ที่มารับบริการตรวจรักษาเนื่องจากมีอาการแสดงว่าอาจเป็นโรคติดต่อทางเพศสัมพันธ์ ที่คลินิกรีเวชและคลินิกวางแผนครอบครัว ณ สำนักงานแผนครอบครัวแห่งประเทศไทย จังหวัดเชียงใหม่ ศูนย์

ส่งเสริมสุขภาพเบต 10 จังหวัดเชียงใหม่ โรงพยาบาลศูนย์ โรงพยาบาลทั่วไป และโรงพยาบาลชุมชน ใน ๕ จังหวัดภาคเหนือ ได้แก่ เชียงใหม่ เชียงราย ลำปาง ลำพูน และพะเยา กลุ่มตัวอย่างถูกตัดเลือกแบบเฉพาะเจาะจง เครื่องมือที่ใช้ในการเก็บรวบรวมข้อมูลในการวิจัยครั้งนี้เป็นแบบสอบถาม ประเมินด้วย ๔ ส่วน ได้แก่ ๑) แบบบันทึกข้อมูลทั่วไป ๒) คุณลักษณะด้านจิตสังคม ๓) สภาพะ เอื้ออำนวย และ ๔) พฤติกรรมแสวงหาการอุ้มแพกเก็จกับโรคติดต่อทางเพศสัมพันธ์ ที่ผู้วิจัยสร้างขึ้น ตามกรอบแนวคิดของ ล้อเวอร์ (Lauver) วิเคราะห์หาความสัมพันธ์ระหว่างคุณลักษณะด้านจิต สังคม สภาวะเอื้ออำนวย กับพฤติกรรมแสวงหาการอุ้มแพกของสตรีวัยรุ่นเกี่ยวกับโรคติดต่อทางเพศ สัมพันธ์ โดยใช้สัมประสิทธิ์สหสัมพันธ์แบบพหุอย่างเชิงเดียว ผลการวิจัยพบว่า

๑. คุณลักษณะด้านจิตสังคมมีความสัมพันธ์กับพฤติกรรมแสวงหาการอุ้มแพกเก็จกับโรค ติดต่อทางเพศสัมพันธ์อยู่ในระดับต่ำ ($r = 0.33$) อย่างมีนัยสำคัญทางสถิติที่ .01

๒. สภาวะเอื้ออำนวยไม่มีความสัมพันธ์กับพฤติกรรมแสวงหาการอุ้มแพกเก็จกับโรคติด ต่อทางเพศสัมพันธ์

ผลการวิจัยครั้งนี้สามารถนำไปใช้เป็นข้อมูลพื้นฐานในการส่งเสริมการกระทำพฤติ กรรมแสวงหาการอุ้มแพกเก็จกับโรคติดต่อทางเพศสัมพันธ์ของสตรีวัยรุ่น

Thesis Title	Psychosocial Variables, Facilitating Conditions and Care-Seeking Behavior of Female Adolescents on Sexually Transmitted Diseases	
Author	Mrs.Varaporn Soonthron	
M.N.S.	Nursing Care of Women	
Examining Committee		
	Associate Professor Tiamsorn Tongswas	Chairman.
	Assistant Professor Jantararat Chareonsanti	Member.
	Associate Professor Dr. Sukanya Parisunyakul	Member.
	Assistant Professor Dr. Wanunee Fongkaew	Member.
	Assistant Professor Dr. Prakin Suchaxaya	Member.

Abstract

Sexually Transmitted Diseases among female adolescents are major health problems. If they delay seeking for the proper treatment, they may affect long-term reproductive health. Therefore, promptly seeking-care is important for their health.

The purposes of this correlational descriptive study were to describe the relationship between psychosocial variables, facilitating conditions, and care-seeking behavior. The purposive sampling involved 90 female adolescents, who were treated at the Gynecological Clinic, Family Planning Department at the Planed Parenthood Association of Thailand, Health Promotion Center Region 10, and the region, general, and community hospital in five provinces of Northern Thailand, Chiang Mai, Chiang Rai, Lampang, Lamphun, and Phayao. The research instrument was questionnaire consisted of the Demographic Data, the Psychosocial Variables, the Facilitating Conditions and the Care-Seeking Behavior Associated with Sexually Transmitted Diseases developed by the researcher based on Lauver's concept (1992). Data were analyzed by using descriptive statistics and the point biserial coefficient of correlation. The major results of the study were as follows:

1. There was a weak relationship ($r = 0.33$) between the psychosocial variable and care-seeking behavior at a significant level of .01, and
2. There was no relationship between the facilitating conditions and care-seeking behavior.

According to these findings, it could be used as a foundation to promote the care-seeking behavior on sexually transmitted diseases among female adolescents.