ชื่อเรื่องวิทยานิพนซ์

ผลของการออกกำลังกายแบบไท่ จี๋ ชี่กง ต่อความรุนแรง ของโรคข้อเข่าเสื่อมในผู้สูงอายุ

ผู้เขียน

นางสาวนภัส ทับกล่ำ

ปริญญา

พยาบาลศาสตรมหาบัณฑิต (การพยาบาลผู้สูงอายุ)

คณะกรรมการที่ปรึกษาวิทยานิพนธ์

ผู้ช่วยศาสตราจารย์ ดร. กนกพร สุคำวัง ประธานกรรมการ รองศาสตราจารย์สมบัติ ใชยวัณณ์ กรรมการ

บทคัดย่อ

โรคข้อเข่าเสื่อมเป็นโรคเรื้อรังที่ส่งผลกระทบต่อผู้สูงอายุทั้งทางด้านร่างกาย จิตใจ อารมณ์ สังคมและเสรษฐกิจ การออกกำลังกายแบบแอโรบิคด้วยไท่ จี๋ ชี่กง สามารถลดความรุนแรงของโรคข้อเข่าเสื่อมในผู้สูงอายุได้ การวิจัยแบบทคลองครั้งนี้ มีวัตถุประสงค์เพื่อศึกษาถึงผลของ การออกกำลังกายแบบไท่ จี๋ ชี่กง ต่อความรุนแรงของโรคข้อเข่าเสื่อมในผู้สูงอายุ ที่มารับการตรวจ รักษาที่ห้องตรวจโรคกระดูกและข้อ แผนกผู้ป่วยนอก โรงพยาบาลแม่สอด จังหวัดตาก ระหว่าง เดือนเมษายน พ.ส. 2548 ถึง เดือนสิงหาคม พ.ส. 2548 จำนวน 30 ราย โดยแบ่งเป็นกลุ่มควบคุม และกลุ่มทดลอง กลุ่มละ 15 ราย มีความคล้ายคลึงกันในด้าน เพส อายุ โดยกลุ่มทดลองจะได้รับ การออกกำลังกายแบบไท่ จี๋ ชี่กง ครั้งละ 45 นาที จำนวน 3 ครั้งต่อสัปดาห์ เป็นเวลา 12 สัปดาห์ และกลุ่มควบคุมจะไม่ได้รับการออกกำลังกายแบบไท่ จี๋ ชี่กง เครื่องมือที่ใช้ในการวิจัยครั้งนี้ คือ แบบสัมภาษณ์ข้อมูลทั่วไปและแบบสัมภาษณ์ความรุนแรงของโรคข้อเข่าเสื่อมของ แววดาว ทวีชัย (2543) มีค่าความเชื่อมั่นสัมประสิทธิ์แอลฟาของครอนบากเท่ากับ .94 การวิเคราะห์ข้อมูล ทั่วไปใช้สถิติเชิงพรรณนาทดสอบสมมติฐานโดยใช้สถิติทดสอบที (t-test)

ผลการศึกษาสรุปได้ดังนี้

1. ผู้สูงอายุโรคข้อเข่าเสื่อมภายหลังการออกกำลังกายแบบไท่ จี๋ ชี่กง มีคะแนน ความรุนแรงของโรคลดลงกว่าก่อนออกกำลังกายอย่างมีนัยสำคัญทางสถิติที่ระดับ .01 2. ผู้สูงอายุโรคข้อเข่าเสื่อม กลุ่มที่ออกกำลังกายแบบไท่ จี๋ ชี่กง มีความรุนแรงของโรค ลดลงกว่ากลุ่มที่ไม่ได้ออกกำลังกายอย่างมีนัยสำคัญทางสถิติที่ระดับ .01

การศึกษาครั้งนี้พบว่าการออกกำลังกายแบบไท่ จี๋ ชี่กง สามารถลดความรุนแรงของโรค



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright © by Chiang Mai University All rights reserved

Thesis Title Effect of Tai Chi Qigong on Severity of Knee Osteoarthritis

Among the Elderly

Author Miss Napas Tabklam

Degree Master of Nursing Science (Gerontological Nursing)

Thesis Advisory Committee

Assistant Professor Dr. Khanokporn Sucamvang Chairperson

Associate Professor Sombat Chaiwan Member

ABSTRACT

Knee osteoarthritis is a chronic condition, which has major impacts on the elderly physically, psychologically, emotionally and socio-economically. Tai Chi Qigong is one kind of aerobic exercise that can alleviate the severity of knee osteoarthritis in the elderly. The purpose of this experimental research was to examine the effect of Tai Chi Qigong on severity of knee osteoarthritis among the elderly. The subjects were the elderly with knee osteoarthritis who received treatment at the orthopaedic outpatient department of Maesod Hospital, Tak Province from April to August 2005. Thirty subjects were purposively selected and randomized sampling into experimental group and control group, 15 persons in each group, matched by sex and age. Subjects in the experimental group were trained in Tai Chi Qigong by the researcher, 45 minutes per interval, 3 times per week for 12 weeks. Subjects in the control group did not participate in Tai Chi Qigong. The instruments used in this study were a Demographic Data Interviewing Form and the Severity of Knee Osteoarthritis Interview Schedule by Vaewdow Taveechai (2000). The reliability of the Severity of Knee Osteoarthritis Interview Schedule was tested by Cronbach's Alpha coefficient with a reliability of .94. Data were analyzed by using descriptive statistics. The hypotheses were tested by t-test.

The results of this study revealed that:

- 1. Severity level of knee osteoarthritis in the elderly of the experimental group after Tai Chi Qigong exercise was statistical significantly lower than the before (p<.01); and
- 2. Severity level of knee osteoarthritis in the elderly of the experimental group after Tai Chi Qigong exercise was statistically significantly lower than that of control group (p<.01).

The results of this study show that Tai Chi Qigong exercise offers lowering of knee osteoarthritis severity in the elderly.

